





Report No: File reference No	FCC 0905023 : 2009-05-07				
Applicant:	WIN ACCORD LTD.				
Product:	Digital Photo Frame				
Brand Name:	N/A				
Model No:	DF-R5X				
Test Standards:	FCC Part 15 Subpart B: 2008				
Test result:	It is herewith confirmed and found to comply with the requirements set up by ANSI C63.4&FCC Part 15 regulations for the evaluation of electromagnetic compatibility				
Approved By					
Approved By Jack Chung					
Jack Chung					
Manager					
Dated:	May 07, 2009				
	Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at				
SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD					

East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. Chegongmiao, FuTian District, Shenzhen, CHINA.

Tel (755) 83448688 Fax (755) 83442996



#### **Special Statement**:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

#### **CNAS-LAB Code: L2292**

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

#### FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

#### IC- Registration No.: IC5205A-01

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-01.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion Content

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Test Uncertainty	4
1.5	Submitted Sample	4
1.6	Test Duration	4
2.0	List of Measurement Equipment	5
2.1	Conducted Emission Test	5
2.2	Radiated electromagnetic disturbance test	5
2.3	Auxiliary Equipment	5
3.0	Technical Details	6
3.1	Investigations Requested	6
3.2	Test Standards	6
4.0	Power line Conducted Emission Test	7
5.0	Radiated Disturbance Test	29
6.0	FCC ID Label	51
7.0	Photo of testing	52

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### 1.0 General Details

1.1	Test Lab Details
1.1	Test Eac Details

Name :	SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD
Address:	East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao, FuTian District,
	Shenzhen, CHINA.
Telephone:	(755) 83448688
Fax:	(755) 83442996

1.2 Applicant Details

Applicant:WIN ACCORD LTD.Address:12F, NO.225, SEC 5, 105 SONG SHAN DIST., NAN JING EAST ROAD, TAIPEI,<br/>TAIWANTelephone:02-2749 3837Fax:02-2749-3918

#### 1.3 Description of EUT

1	
Product:	Digital Photo Frame
Manufacturer:	WIN ACCORD LTD.
Address:	12F, NO.225, SEC 5, 105 SONG SHAN DIST., NAN JING EAST ROAD, TAIPEI,
	TAIWAN
Brand Name:	N/A
Model Number:	DF-R5X
Additional Model	Number: DP151X, SP15MW, EL-DPF-15RW, 599324,
	SP1500BKSTN(X=A-Z,0-9,a-z)
The adapter Model	No.: XKD-C2000IC12.0-24-US (Made by MOSO)
Rating: Ir	nput: 100-240V, 0.8A Max, 50/60Hz Output: DC12V, 2.0A

The adapter Model No.: ADS-24S-12 1224GPCU (Made by HONOR)

Rating: Input: 100-240V, 0.7A Max, 50/60Hz Output: DC 12V, 2.0A

Remark: Just model names and appearance color are different.

Rating: Input: DC 12V, Current 2.0A

- 1.4 Submitted Sample(s): 1 Sample
- 1.5 Test Duration: 2009-05-05 to 2009-05-07
- 1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB Radiated Emissions Uncertainty =4.7dB

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



1.7 Test Engineer The sample tested by

Print Name: Terry Tang

#### 2.0 List of Measurement Equipment

#### 2.1 Conducted Emission Test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESCS30	830245/009	RS	2009.2.23	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
LISN	NTFM8132	8132137	SCHWARZBECK	2009.2.24	1Year
LISN	NTFM8134	8134109	SCHWARZBECK	2009.2.24	1Year
LISN	NTFM8136	8136102	SCHWARZBECK	2009.2.24	1Year

#### 2.2 Radiated electromagnetic disturbance test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESCS30	830245/009	RS	2009.2.23	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
Spectrum Analyzer(with					
Tracking Generator)	MS2661C	MT72089	ANRITSU	2009.2.23	1Year
Amplifier	MH648A	M20494	ANRITSU	2009.2.24	1Year
Bilog Antenna	CBL6101C	2576	CHASE	2009.2.23	1Year

#### 2.3 Auxiliary Equipment

Name	Model No.	Serial No.	Manufacturer	Cable	FCC ID/DOC
				Data cable of	
				2m length	
Keyboard	KB-0225	1211815	IBM	unshielded	FCC DOC
				Data cable of	
				2m length	
				unshielded	
				and 1.8m length	
Printer	LaserJet 1015	CNFG029476	HP	AC Mains cable	DOC

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: 0 Date: 2009-0		TEST REPORT	Set.	Page 6 of 65		
				Data cable of		
				2m length		
				unshielded		
				and 1.8m length		
Printer	LaserJet 1022	CNBG591GM7	HP	AC Mains cable	DOC	
				Data cable of		
				1.5m length		
				unshielded and		
				1.8m length AC		
Monitor	FP51G	ET47604175CLO	BENQ	Mains cable	FCC DOC	
				Data cable of		
				1.5m length		
				unshielded and		
				1.8m length AC		
Monitor	6331-4CN	23-DNWX3	IBM	Mains cable	FCC DOC	

			1.8m length	
PC	8434	 IBM	AC Mains cable	FCC DOC
			Data cable of	
Mouse	M-F105	 L.SEletron	1.5m length	FCC DOC

#### 3.0 Technical Details

#### 3.1 Investigations Requested Perform Electromagnetic Interference [EMI] tests for FCC Requirement.

#### 3.2 Test Standards

FCC Part 15 Subpart B: 2008


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### 4.0 Conducted Power line Test




EUT: Equipment Under Test

#### 4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 500hm/50uH as specified by section 5.1 of ANSI C63.4 –2003. Cables and peripherals were moved to find the maximum emission levels for each frequency.

Block diagram of Test setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### 4.3 Power line conducted Emission Limit

	Class A Li	mits dB(µV)	Class B Limits dB(µV)		
Frequency(MHz)	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level	
$0.15 \sim 0.50$	79.00	66.00	66.00~56.00*	56.00~46.00*	
$0.50~\sim~5.00$	73.00	60.00	56.00	46.00	
$5.00 \sim 30.00$	73.00	60.00	60.00	50.00	

Notes: 1. \*decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

#### 4.4 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Page 9 of 65

#### A: Conducted Emission on Line Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Adaptor used for test Read CF Card Model No.: ADS-24S-12 1224GPCU (Made by HONOR)

#### **Results:** Pass Please refer to following diagram for individual



Eraguanay	Reading(dB µ V)				Limit	
Frequency (MHz)	Live	e Neutral		Neutral		V)
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.151	57.10	51.20			65.93	55.93
0.246	47.90	46.10			61.89	51.89
3.471	33.99	25.99			56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### B: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)


Pass

EUT set Condition:
Adaptor used for test

**Results:** 

Read CF Card Model No.: ADS-24S-12 1224GPCU (Made by HONOR)

Please refer to following diagram for individual



Frequency (MHz)		Reading	Limit			
	Live		Neutral		(dB µ V)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150			57.20	51.10	65.96	55.96
0.245			47.90	46.10	61.91	51.91
1.227			38.79	36.59	56.00	46.00
3.529			35.61	26.91	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 11 of 65

#### C: Conducted Emission on Line Terminal of the power line (150kHz to 30MHz)


Play USB

EUT set Condition: Adaptor used for test

Model No.: ADS-24S-12 1224GPCU (Made by HONOR)

#### Results: Pass

Please refer to following diagram for individual




Frequency (MHz)		Reading	Limi	t		
	Live		Neutral		(dB µ V)	
(IVIIIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.151	59.90	51.10			65.93	55.93
0.246	47.90	46.10			61.89	51.89
1.231	39.09	36.69			56.00	46.00
3.465	32.18	22.78			56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### D: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)



Frequency (MHz)		Reading	Limit			
	Live		Neutral		(dB µ V)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150			57.10	51.10	65.96	55.96
0.245			48.00	46.10	61.91	51.91
1.229			39.19	36.59	56.00	46.00
3.647			35.96	35.06	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### E: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

Memory

EUT set Condition: Adaptor used for test

Model No.: ADS-24S-12 1224GPCU (Made by HONOR)

# **Results:** Pass Please refer to following diagram for individual File :DF-R5X Data :#11 Date: 2009/05/06 Time: 20:34:57 80.0 dBuV Qp: AVG: 40 www.houppy 0.0 0.150 0.5 (MHz) 5 30.000


Frequency (MHz)		Reading	Limit			
	Live		Neutral		(dB µ V)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150	56.90	50.90			65.96	55.96
0.246	47.80	47.80			61.89	51.89
1.227	38.69	38.69			56.00	46.00
3.643	38.56	38.56			56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### F: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)



Frequency (MHz)		Reading	Limi	t		
	Live		Neutral		(dB µ V)	
(WITZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150			57.30	51.60	66.00	56.00
0.244			47.90	46.10	61.94	51.94
1.227			38.69	36.59	59.86	49.86
3.579			37.83	33.93	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 15 of 65

#### G: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Adaptor used for test Connected to PC Model No.: ADS-24S-12 1224GPCU (Made by HONOR)

## Results: Pass




Ī	Eraguanau		Reading	Limi	t		
	Frequency (MHz)	Live		Neutr	al	(dB µ	V)
	(WITZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
	0.150	53.30	46.40			65.96	55.96
	0.233	43.99	35.19	-		62.33	52.33
ſ	3.461	40.48	35.88			56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### H: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)



Frequency		Reading	Limit			
	Live		Neutral		(dB µ V)	
(MHz)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150			53.60	47.00	65.99	55.99
0.235			45.89	35.69	62.26	52.26
1.229			35.99	30.59	56.00	46.00
3.467			39.39	35.09	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 17 of 65

#### I: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Adaptor used for test Play SD Card Model No.: ADS-24S-12 1224GPCU (Made by HONOR)

Results: Pass



Eraguanay		Reading	Limi	t		
Frequency (MHz)	Live		Neutr	al	(dB μ   Quasi-peak   65.92   61.90	V)
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.151	57.00	50.80			65.92	55.92
0.245	47.80	46.00			61.90	51.90
3.760	38.80	33.70			56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### J: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

Pass

EUT set Condition:	Play SD Card
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)

## **Results:**



Frequency (MHz)		Reading	Limit			
	Live		Neutral		(dB µ V)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150			57.40	51.40	65.98	55.98
0.245			47.80	46.00	61.90	51.90
1.228			38.29	36.99	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 19 of 65

#### K: Conducted Emission on Line Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Adaptor used for test Play SD Card Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)

## Results: Pass

Please refer to following diagram for individual



Frequency		Reading	Limi	t		
	Live		Neutral		(dB µ V)	
(MHz)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0150	47.50	46.50			65.98	55.98
4.563	40.53	26.03			56.00	46.00
0.590	44.47	34.77			56.00	46.00
15.952	46.06	37.76			60.00	50.00
22.031	47.72	40.32			60.00	50.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### L: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Play SD Card
Adaptor used for test	Model No.: XI

Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)

Results: Pass Please refer to following diagram for individual



Frequency (MHz)		Reading	Limit			
	Live		Neutral		(dB µ V)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150			48.30	46.60	65.96	55.96
0.194			49.35	36.05	63.85	53.85
1.216			39.99	26.49	56.00	46.00
17.541			38.90	26.90	60.00	50.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 21 of 65

#### M: Conducted Emission on Line Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Adaptor used for test Play CF Card Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)

# Results: Pass



Eraguanay	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Neutral		(dB µ V)	
(MHZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.151	47.40	46.10			65.92	55.92
0.600	45.18	32.48			56.00	46.00
15.824	46.37	38.47			60.00	50.00
22.368	46.54	38.74			60.00	50.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### N: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Play CF Card
Adaptor used for test	Model No.: XKD-C20

Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)

Results:PassPlease refer to following diagram for individual



Eroquonay		Reading	Limit			
Frequency (MHz)	Live		Neutral		(dB µ V)	
(MHZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150			47.30	45.80	65.97	55.97
0.576			44.95	30.95	56.00	46.00
15.893			45.16	35.26	60.00	50.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 23 of 65

#### O: Conducted Emission on Line Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Adaptor used for test Play USB Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)

# Results:PassPlease refer to following diagram for individual



Eraguanay	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Neutral		(dB µ V)	
(MHZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150	47.50	45.70			65.96	55.96
0.563	33.24	18.14			56.00	46.00
10.825	44.58	33.68			60.00	50.00
16.425	48.84	40.64			60.00	50.00
22.013	47.02	39.12			60.00	50.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### P: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

Play USB

EUT set Condition:
Adaptor used for test

Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)

Results: Pass Please refer to following diagram for individual



Frequency (MHz)		Reading	Limit			
	Live		Neutral		(dB µ V)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150			47.00	45.50	65.97	55.97
0.563			34.40	28.44	56.00	46.00
1.768			43.01	28.11	56.00	46.00
16.130			46.85	37.55	60.00	50.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### Q: Conducted Emission on Line Terminal of the power line (150kHz to 30MHz)

Memory

EUT set Condition: Adaptor used for test

Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)

Results: Pass Please refer to following diagram for individual



Eraguanay	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Neutral		(dB µ V)	
(MHz)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150	47.10	45.70			65.96	55.96
0.595	45.87	34.77			56.00	46.00
11.905	43.56	31.86			60.00	50.00
16.689	48.13	39.33			60.00	50.00
21.821	47.21	39.21			60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### R: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

Results:	Pass
EUT set Condition:	Memory
Adaptor used for test	Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)



Eroquonov		Reading	Limit			
Frequency (MHz)	Live		Neutral		(dB µ V)	
(MHZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150			47.10	45.50	65.97	55.97
0.596			46.87	31.27	56.00	46.00
16.238			47.55	39.05	60.00	50.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 27 of 65

#### S: Conducted Emission on Line Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Adaptor used for test Connect to PC Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)

# Results: Pass



Frequency (MHz)	Reading(dB µ V)				Limit	
	Live		Neutral		(dB µ V)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.594	48.17	37.27			56.00	46.00
0.684	33.27	19.57			56.00	46.00
2.857	39.64	26.04			56.00	46.00
11.773	47.26	35.36			60.00	50.00
16.536	50.44	42.04			60.00	50.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

**Results:** 




#### T: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Connect to PC
Adaptor used for test	Model No.: XKD-C2000

Pass

Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)

# Please refer to following diagram for individual



Frequency (MHz)	Reading(dB µ V)			Limit		
	Live	Live N		Neutral		V)
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.473			43.74	32.14	56.45	46.45
0.597			47.87	3.97	56.00	46.00
1.230			42.79	35.29	56.00	46.00
11.475			47.97	36.17	60.00	50.00
16.559			50.64	41.74	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 29 of 65

- 5.0 Radiated Disturbance Test
- 5.1 Schematics of the test



#### 5.2 Test Method and test Procedure:

The EUT was tested according to ANSI C63.4 –2003, The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak 0values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 30 of 65



#### 5.3 Radiated Emission Limit

Frequency Range (MHz)	Distance (m)	Field strength (dB $\mu$ V/m)
30-88	3	40.00
88-216	3	43.50
216-960	3	46.00
Above 960	3	54.00

Note: The lower limit shall apply at the transition frequencies

#### 5.4 Test result

The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### A: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: H Date: 5.MAY.2009 22:54:45

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	32.41	Н	43.50
312.280	37.04	Н	46.00
623.160	37.02	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




#### B: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: V Date: 5.MAY.2009 22:58:09

	Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
	156.000	36.45	V	43.50
ſ	461.000	36.39	V	46.00
	781.160	41.68	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




#### C: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Play SD
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)
Level:	Class B
<b>Results:</b>	PASS

Please refer to following diagram for individual

Picture of the test



Comment: H Date: 5.MAY.2009 22:35:51

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	35.95	Н	43.50
311.720	39.82	Н	46.00
461.000	35.93	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




#### D: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition:	Play SD
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: V Date: 5.MAY.2009 22:32:39

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	37.21	V	43.50
460.960	40.04	V	46.00
781.160	40.72	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### E: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Play CF
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: H Date: 5.MAY.2009 22:39:21

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	35.36	Н	43.50
311.720	39.90	Н	46.00
624.880	37.69	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




#### F: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition:	Play CF
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: V Date: 5.MAY.2009 22:42:00

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	37.69	V	43.50
460.960	39.76	V	46.00
838.080	40.47	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




## G: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Play USB
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)
Level:	Class B
<b>Results:</b>	PASS

Please refer to following diagram for individual

Picture of the test



Comment: H Date: 5.MAY.2009 22:50:07

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.040	34.80	Н	43.50
299.440	37.38	Н	46.00
312.280	39.56	Н	46.00
624.880	38.13	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




## H: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition:	Play USB
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: V Date: 5.MAY.2009 22:46:10

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	36.81	V	43.50
461.000	39.54	V	46.00
838.080	40.15	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




# I Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Connect to PC
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)
Level:	Class B
<b>Results:</b>	PASS

Please refer to following diagram for individual

Picture of the test



Comment: H Date: 6.MAY.2009 21:57:18

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
144.000	29.60	Н	43.50
156.000	34.53	Н	43.50
419.160	39.49	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




#### J Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition:	Connect to PC
Adaptor used for test	Model No.: ADS-24S-12 1224GPCU (Made by HONOR)
Level:	Class B
<b>Results:</b>	PASS

Please refer to following diagram for individual

Picture of the test



Comment: V Date: 6.MAY.2009 22:00:17

I	Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
	50.880	34.18	V	40.00
	166.140	32.71	V	43.50
ſ	419.160	38.94	V	46.00
	779.720	42.08	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




# K Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Connect to PC
Adaptor used for test	Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)
Level:	Class B
<b>Results:</b>	PASS

Please refer to following diagram for individual

Picture of the test



Comment: H Date: 5.MAY.2009 22:03:50

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
144.000	41.40	Н	43.50
240.000	37.53	Н	46.00
311.720	39.13	Н	46.00
720.000	31.60	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




## L Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition:	Connect to PC
Adaptor used for test	Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)
Level:	Class B
<b>Results:</b>	PASS

Please refer to following diagram for individual

Picture of the test



Comment: V Date: 5.MAY.2009 22:00:35

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
144.000	37.20	V	43.50
156.000	37.46	V	43.50
460.960	38.79	V	46.00
842.000	41.19	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




# M Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: H Date: 5.MAY.2009 21:21:03

Ī	Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
	156.000	37.37	Н	43.50
ſ	312.320	38.76	Н	46.00
	623.160	37.49	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




## N Radiated Disturbance In Vertical (30MHz ---1000MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)
Level:	Class B
<b>Results:</b>	PASS

Please refer to following diagram for individual

Picture of the test



Comment: V Date: 5.MAY.2009 21:17:41

Ī	Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
	156.000	36.08	V	43.50
	461.000	41.70	V	46.00
	842.280	42.90	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




#### O Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Play SD
Adaptor used for test	Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: H Date: 5.MAY.2009 21:25:37

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	35.31	Н	43.50
245.480	41.55	Н	46.00
461.000	37.58	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



# P Radiated Disturbance In Vertical (30MHz---1000MHz)

Results:	PASS
Level:	Class B
Adaptor used for test	Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)
EUT set Condition:	Play SD

Please refer to following diagram for individual

Picture of the test



Comment: V Date: 5.MAY.2009 21:28:47

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	35.31	V	43.50
245.480	41.55	V	46.00
461.000	37.58	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




## Q Radiated Disturbance In Horizontal (30MHz----1000MHz)

Play USB
Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)
Class B
PASS

Please refer to following diagram for individual

Picture of the test



Comment: H Date: 5.MAY.2009 21:44:06

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	34.89	Н	43.50
312.280	36.73	Н	46.00
461.000	36.18	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




# R Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition:	Play USB
Adaptor used for test	Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: V Date: 5.MAY.2009 21:40:15

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	36.01	V	43.50
456.360	40.99	V	46.00
838.040	41.03	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### S Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Play CF Card
Adaptor used for test	Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: H Date: 5.MAY.2009 21:49:49

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	34.83	Н	43.50
311.720	38.62	Н	46.00
461.000	35.86	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




# T Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition:	Play CF
Adaptor used for test	Model No.: XKD-C2000IC12.0-24-US (Made by MOSO)
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test



Comment: V Date: 5.MAY.2009 21:53:12

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
156.000	38.07	V	43.50
460.720	38.90	V	46.00
838.080	41.02	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 51 of 65


#### 6.0 FCC ID Label

# FCC ID: V37-6213D-15

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

#### Mark Location:



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 52 of 65

#### 7.0 Photo of testing

7.1 Conducted test View-

Connect to PC



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 53 of 65

7.2 Radiated emission test view--



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 54 of 65

7.3 Photo for the EUT



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 55 of 65



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 56 of 65



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 57 of 65



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 58 of 65



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.








The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 60 of 65




The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.






The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.








The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 65 of 65



-End of the report-

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.