







ISO/IEC17025 Accredited Lab.

Report No: FCC 0904241 File reference No: 2009-05-12

Applicant: WIN ACCORD LTD.

Product: Digital Photo Frame

Brand Name: N/A

Model No: DF07205-14-XXX (X=A-Z, 0-9, a-z)

Test Standards: FCC Part 15 Subpart B: 2008

Test result:

It is herewith confirmed and found to comply with the requirements

set up by ANSI C63.4&FCC Part 15 regulations for the evaluation of

electromagnetic compatibility

Approved By

Jack Chung

Jack Chung

Manager

Dated: May 12, 2009

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. Chegongmiao, FuTian District, Shenzhen, CHINA.

Tel (755) 83448688 Fax (755) 83442996

Report No: 0904241 Page 2 of 47

Date: 2009-05-12



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC- Registration No.: IC5205A-01

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-01.

Page 3 of 47

Report No: 0904241 Date: 2009-05-12



Test Report Conclusion Content

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Test Uncertainty.	4
1.5	Submitted Sample	4
1.6	Test Duration.	4
2.0	List of Measurement Equipment.	5
2.1	Conducted Emission Test.	5
2.2	Radiated electromagnetic disturbance test.	5
2.3	Auxiliary Equipment	5
3.0	Technical Details	6
3.1	Investigations Requested	6
3.2	Test Standards	6
4.0	Power line Conducted Emission Test.	7
5.0	Radiated Disturbance Test	21
6.0	FCC ID Label	35
7.0	Photo of testing	36

Date: 2009-05-12



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

Address: East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao, FuTian District,

Shenzhen, CHINA.

Telephone: (755) 83448688 Fax: (755) 83442996

1.2 Applicant Details

Applicant: WIN ACCORD LTD.

Address: 12F, NO. 225, SEC 5, 105 SONG SHAN DIST., NAN JING EAST ROAD, TAIPEI,

TAIWAN

Telephone: 02-2749 3837 Fax: 02-2749-3918

1.3 Description of EUT

Product: Digital Photo Frame
Manufacturer: WIN ACCORD LTD.

Address: 12F, NO. 225, SEC 5, 105 SONG SHAN DIST., NAN JING EAST ROAD,

AIPEI, TAIWAN

Brand Name: N/A

Model Number: DF07205-14-XXX (X=A-Z, 0-9, a-z)

Additional Model Number: PAN7000DW

The adapter Model No.: XKD-C2000IC5.0-12W (Made by MOSO)

Rating: Input: 100-240V, 0.5A Max, 50/60Hz Output: 5V, 2A The adapter Model No.: ADS-12G-06 05010GPCU (Made by HONOR)
Rating: Input: 100-240V, 0.3A Max, 50/60Hz Output: 5V, 2A

Remark: Just the model names and appearance color are different.

Rating: Input: DC 5V, Current 2A

1.4 Submitted Sample(s): 1 Sample

1.5 Test Duration: 2009-04-30 to 2009-05-12

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB Radiated Emissions Uncertainty =4.7dB

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 5 of 47

Report No: 0904241 Date: 2009-05-12



1.7 Test Engineer

The sample tested by

Print Name: Terry Tang

2.0 List of Measurement Equipment

2.1 Conducted Emission Test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESCS30	830245/009	RS	2009.2.23	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
LISN	NTFM8132	8132137	SCHWARZBECK	2009.2.24	1Year
LISN	NTFM8134	8134109	SCHWARZBECK	2009.2.24	1Year
LISN	NTFM8136	8136102	SCHWARZBECK	2009.2.24	1Year

2.2 Radiated electromagnetic disturbance test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESCS30	830245/009	RS	2009.2.23	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
Spectrum Analyzer(with					
Tracking Generator)	MS2661C	MT72089	ANRITSU	2009.2.23	1Year
Amplifier	MH648A	M20494	ANRITSU	2009.2.24	1Year
Bilog Antenna	CBL6101C	2576	CHASE	2009.2.23	1Year

2.3 Auxiliary Equipment

Name	Model No.	Serial No.	Manufacturer	Cable	FCC ID/DOC
				Data cable of	
				2m length	
Keyboard	KB-0225	1211815	IBM	unshielded	FCC DOC
				Data cable of	
				1.5m length	
				unshielded and	
				1.8m length AC	
Printer	LaserJet 1015	CNFG029476	HP	Mains cable	DOC

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 6 of 47

Report No: 0904241 Date: 2009-05-12

				Data cable of	
				1.5m length	
				unshielded and	
				1.8m length AC	
Printer	LaserJet 1022	CNBG591GM7	HP	Mains cable	DOC
				Data cable of	
				1.5m length	
				unshielded and	
				1.8m length AC	
Monitor	6331-4CN	23-DNWX3	IBM	Mains cable	FCC ID

				1.8m length	
PC	8434		IBM	AC Mains cable	FCC DOC
				Data cable of	
Mouse	OM860XC	HM0509	BIGCOW	1.5m length	FCC DOC

3.0 Technical Details

3.1 Investigations Requested
Perform Electromagnetic Interference [EMI] tests for FCC Requirement.


3.2 Test Standards

FCC Part 15 Subpart B: 2008



4.0 Conducted Power line Test

4.1 Schematics of the test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2003. Cables and peripherals were moved to find the maximum emission levels for each frequency. Test Voltage; 120V~, 60Hz

Block diagram of Test setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 8 of 47

Report No: 0904241 Date: 2009-05-12



4.3 Power line conducted Emission Limit

Frequency(MHz)	Class A Li	mits $dB(\mu V)$	Class B Limits $dB(\mu V)$		
Trequency(MHZ)	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level	
$0.15 \sim 0.50$	79.00	66.00	66.00~56.00*	56.00~46.00*	
$0.50 \sim 5.00$	73.00	60.00	56.00	46.00	
5.00 ~ 30.00	73.00	60.00	60.00	50.00	

Notes:

- 1. *decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

4.4 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.


A: Conducted Emission on Line Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Memory

Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Working Voltage: 120V~ 60Hz

Results: Pass



Emagnaman		Reading	Limi	t		
Frequency (MHz)	Live		Live Neutral		$(dB \mu V)$	
(MHZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.331	42.49	17.89			59.41	49.41
0.385	39.35	15.85			58.16	48.16
0.845	38.54	16.14			56.00	46.00




B: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Memory


Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Working Voltage: 120V~ 60Hz

Results: Pass



Empayamay		Reading	Limit			
Frequency (MHz)	Live		Neutral		$(dB \mu V)$	
(MHZ)	Quasi-peak Averag		Quasi-peak	Average	Quasi-peak	Average
0.332			39.59	17.29	59.69	49.39
0.400			40.07	15.27	57.84	47.84
0.586			38.26	11.86	56.00	46.00
1.037			36.32	14.12	56.00	46.00
1.555			35.82	12.92	56.00	46.00




EUT set Condition: Play SD

Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Working Voltage: 120V~ 60Hz

Results: Pass



Eraguanay		Reading	Limit			
Frequency (MHz)	Live		Neutral		$(dB \mu V)$	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.326	53.02	45.02			59.54	49.54
0.641	51.01	42.58			56.00	46.00
0.709	49.21	38.56			56.00	46.00
1.202	49.55	39.30			56.00	46.00
1.661	48.56	38.56			56.00	46.00
2.116	49.68	38.99			56.00	46.00




D: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play SD

Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Working Voltage: 120V~ 60Hz

Results: Pass



Eraguanay		Reading		Limit		
Frequency (MHz)	Live		Neutral		$(dB \mu V)$	
(MHZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.315			54.07	45.24	59.84	49.84
0.679			50.64	38.02	56.00	46.00
1.211			49.10	39.64	56.00	46.00
1.621			48.18	37.83	56.00	46.00
2.179			47.05	39.90	56.00	46.00


E: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Connected to PC

Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Working Voltage: 120V~ 60Hz

Results: Pass



Eraguanav		Reading	(dB μ V)		Limit	
Frequency (MHz)	Live	;	Neutral		$(dB \mu V)$	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.326	46.39	21.89			59.54	49.54
0.401	44.97	19.07			57.82	47.82
0.788	42.48	19.68			56.00	46.00
1.016	39.91	17.91			56.00	46.00
1.285	38.31	17.11			56.00	46.00
1.803	37.62	19.52			56.00	46.00




F: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Connected to PC


Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Working Voltage: 120V~ 60Hz

Results: Pass



Engayonary		Reading	Limit			
Frequency (MHz)	Live	;	Neutral		$(dB \mu V)$	
(MITZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.328			44.09	20.09	59.49	49.49
0.385			41.75	14.75	58.16	48.16
0.574			39.05	10.65	56.00	46.00
0.776			41.76	12.86	56.00	46.00
1.025			39.11	13.11	56.00	46.00
1.385			38.05	13.35	56.00	46.00




EUT set Condition: Memory

Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Working Voltage: 120V~ 60Hz

Results: Pass



Engguenav		Reading	Limit			
Frequency (MHz)	Live	e Neutral		(dB µ V)		
(MHZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.189	46.74	19.44			64.08	54.08
0.252	47.81	19.01			61.68	51.68




H: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Memory


Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Working Voltage: 120V~ 60Hz

Results: Pass



Frequency (MHz)		Reading	Limit			
	Live	ve Neutral		$(dB \mu V)$		
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.190			55.94	24.34	64.01	54.01
0.250			47.31	17.21	61.73	51.73




EUT set Condition: Play SD

Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Working Voltage: 120V~ 60Hz

Results: Pass



Frequency (MHz)		Reading	Limit			
	Live	e Neutral		$(dB \mu V)$		
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.150	51.29	38.81			65.97	55.97




J: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play SD


Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Working Voltage: 120V~ 60Hz

Results: Pass



Engage		Reading	Limit				
Frequency (MHz)	Live	Live		Neutral		(dB µ V)	
(MHZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average	
0.151			50.91	48.23	65.92	55.92	
0.206	-1		45.89	34.22	63.35	53.35	




EUT set Condition: Connect to PC

Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Working Voltage: 120V~ 60Hz

Results: Pass



Eroguanav		Reading	Limit				
Frequency (MHz)	Live	Live Neutral		al	(dB µ)	$(dB \mu V)$	
(MITZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average	
0.187	56.84	30.04			64.13	54.13	
0.251	48.81	22.81			61.72	51.72	
0.311	42.07	12.37			59.94	49.94	




M: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Connect to PC (Adapter made by MOSO)

Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Working Voltage: 120V~ 60Hz

Results: Pass



Engguenav		Reading	Limit			
Frequency (MHz)	Live	Live Neutral		$(dB \mu V)$		
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.186			56.54	31.34	64.20	54.20
0.246			48.60	25.90	61.87	51.87
0.306			34.37	15.67	60.08	50.08


Page 21 of 47

Report No: 0904241 Date: 2009-05-12



5.0 Radiated Disturbance Test


5.1 Schematics of the test




5.2 Test Method and test Procedure:

The EUT was tested according to ANSI C63.4 –2003, The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak 0values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

Test Voltage: 120V~, 60Hz Block diagram of Test setup







5.3 Radiated Emission Limit

Frequency Range (MHz)	Distance (m)	Field strength (dB µ V/m)
30-88	3	40.00
88-216	3	43.50
216-960	3	46.00
Above 960	3	54.00

Note: The lower limit shall apply at the transition frequencies

5.4 Test result

The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

Page 23 of 47

Report No: 0904241 Date: 2009-05-12



A: Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Memory

Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 11.MAY.2009 10:19:19

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	Limit@3m (dBµV/m)
77.920	21.64	Н	40.00
176.960	26.65	Н	43.50

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 24 of 47

Report No: 0904241 Date: 2009-05-12



B: Radiated Disturbance In Vertical (30MH2----1000MHz)


EUT set Condition: Memory

Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 11.MAY.2009 10:21:15

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
103.240	26.95	V	43.50
487.040	37.04	V	46.00
638.600	39.74	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Play SD

Adaptor used for test Model No.: ADS-12G-06 05010GPCU


Level: Class B **Results: PASS** Please refer to following diagram for individual

Picture of the test



RBW 120 kHz Marker 1 [Tl] MT 50 µs 35.59 dBpV/m PREAMP OFF GHz





11. MAY. 2009 10:39:15 Date:

30 MHz

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m ($dB\mu V/m$)
77.520	30.89	Н	40.00
85.160	29.91	Н	40.00
441.560	37.27	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 26 of 47

Report No: 0904241 Date: 2009-05-12



D: Radiated Disturbance In Vertical (30MHz---1000MHz)


EUT set Condition: Play SD

Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 11.MAY.2009 10:31:01

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	$Limit@3m (dB\mu V/m)$
78.040	27.06	V	40.00
533.360	36.23	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 27 of 47

Report No: 0904241 Date: 2009-05-12



E: Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Connect to PC

Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 11.MAY.2009 10:12:08

30 MHz

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
137.280	37.36	Н	43.50
144.000	30.21	Н	43.50
196.880	32.11	Н	43.50
245.400	40.20	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 28 of 47

Report No: 0904241 Date: 2009-05-12



Radiated Disturbance In Vertical (30MHz----1000MHz) F:

EUT set Condition: Connect to PC

Adaptor used for test Model No.: ADS-12G-06 05010GPCU

Level: Class B **PASS Results:**


Please refer to following diagram for individual

Picture of the test



120 kHz Marker 1 [Tl] мт 50 µs 37.83 dBuV/m PREAMP OFF 500.960000000 MHz GHz





RBW

11.MAY.2009 10:08:32 Date:

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
36.160	35.56	V	40.00
127.640	31.93	V	43.50
510.920	40.41	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 29 of 47

Report No: 0904241 Date: 2009-05-12



G: Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Connect to PC

Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 11.MAY.2009 09:58:51

30 MHz

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
84.200	32.63	Н	40.00
145.760	37.01	Н	43.50
247.600	33.00	Н	46.00
719.920	38.39	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 30 of 47

Report No: 0904241 Date: 2009-05-12



H: Radiated Disturbance In Vertical (30MHz----1000MHz)

EUT set Condition: Connect to PC


Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Level: Class B
Results: PASS
Please refer to following diagram for individual

Picture of the test



RBW 120 kHz Marker 1 [T1] MT 50 μs 40.27 dBμV/m



Date: 11.MAY.2009 10:04:03

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
36.520	34.41	V	40.00
197.480	37.28	V	43.50
500.520	38.06	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 31 of 47

Report No: 0904241 Date: 2009-05-12



I: Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Memory

Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 11.MAY.2009 09:17:35

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	Limit@3m ($dB\mu V/m$)
176640	25.83	Н	40.00
638.240	37.61	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 32 of 47

Report No: 0904241 Date: 2009-05-12



J: Radiated Disturbance In Vertical (30MHz---1000MHz)


EUT set Condition: Memory

Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 11.MAY.2009 09:35:03

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	Limit@3m ($dB\mu V/m$)
553.480	39.24	V	46.00
636.680	40.13	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



K: Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Play SD

Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 11.MAY.2009 09:42:29

30 MHz

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	Limit@3m ($dB\mu V/m$)
73.640	27.71	Н	40.00
442.480	37.33	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 34 of 47

Report No: 0904241 Date: 2009-05-12



L: Radiated Disturbance In Vertical (30MHz----1000MHz)


EUT set Condition: Play SD

Adaptor used for test Model No.: XKD-C2000IC5.0-12W

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 11.MAY.2009 09:40:51

Ī	Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
	553.200	38.67	V	46.00
	636.920	38.38	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 35 of 47

Report No: 0904241 Date: 2009-05-12



6.0 FCC ID Label

FCC ID: V37-6222-PD7DN

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:






Photo of testing

Conducted test View—

Connect to PC




Page 37 of 47

Report No: 0904241 Date: 2009-05-12



7.2 Radiated emission test view--

Connect to PC



Page 38 of 47

Report No: 0904241 Date: 2009-05-12



Photo for the EUT



Page 39 of 47





Page 40 of 47





Page 41 of 47





Page 42 of 47









The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 44 of 47





Page 45 of 47





Page 46 of 47





Page 47 of 47

Report No: 0904241 Date: 2009-05-12





-End of the report-