



卓時檢測
TIMEWAY TESTING LABORATORY



ISO/IEC17025 Accredited Lab.

Report No: FCC 0907288

File reference No: 2009-08-10

Applicant: WIN ACCORD LTD.

Product: Digital Photo Frame

Brand Name: N/A

Model No: DF15001-05-XXX (X=A-Z,a-z,0-9)

Test Standards: FCC Part 15 Subpart B: 2008

Test result: It is herewith confirmed and found to comply with the requirements set up by ANSI C63.4&FCC Part 15 regulations for the evaluation of electromagnetic compatibility

Approved By

Terry Tong

Manager

Dated: August 10, 2009

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. Chegongmiao, FuTian District, Shenzhen, CHINA.

Tel (755) 83448688 Fax (755) 83442996



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC- Registration No.: IC5205A-01

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-01.

VCCI- Registration No.: R-3015 and C-3332

The EMC Laboratory has been registered and fully described in a report filed with the (VCCI) Voluntary Control Council for Interference. The acceptance letter from the VCCI is maintained in our files. Registration IC No.: R-3015 and C-3332

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion
Content

1.0	General Details	4
1.1	Test Lab Details.....	4
1.2	Applicant Details.....	4
1.3	Description of EUT	4
1.4	Test Uncertainty.....	4
1.5	Submitted Sample.....	4
1.6	Test Duration.....	4
2.0	List of Measurement Equipment	5
2.1	Conducted Emission Test.....	5
2.2	Radiated electromagnetic disturbance test.....	5
2.3	Auxiliary Equipment.....	5
2.4	I/O Cable.....	5
3.0	Technical Details	6
3.1	Investigations Requested.....	6
3.2	Test Standards.....	6
4.0	Power line Conducted Emission Test	7
5.0	Radiated Disturbance Test	28
6.0	FCC Label	49
7.0	Photo of testing	50

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



1.0 General Details

1.1 Test Lab Details

Name : SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD
Address: East 5/Block 4, Anhua Industrial Zone, No.8,Tairan Rd. CheGongMiao, FuTian District, Shenzhen, CHINA.
Telephone: (755) 83448688
Fax: (755) 83442996

1.2 Applicant Details

Applicant: WIN ACCORD LTD.
Address: 12F, NO.225, SEC 5, 105 SONG SHAN DIST., NAN JING EAST ROAD, TAIPEI. TAIWAN
Telephone: 02-2749-3837
Fax: 02-2749-3918

1.3 Description of EUT

Product: Digital Photo Frame
Manufacturer: WIN ACCORD LTD.
Address: 12F, NO.225, SEC 5, 105 SONG SHAN DIST., NAN JING EAST ROAD, TAIPEI. TAIWAN
Brand Name: N/A
Model Number: DF15001-05-XXX (X=A-Z,a-z,0-9)
Additional Model Number: DF1024、DF1025、DF1026、PAN1500DWPT、PAN1500DWPTFR、PAN1502W02

The adapter Model No.: XKD-C2000IC12.0-24W-US (Made by MOSO)

Rating: Input: 100-240V~, 0.8A Max, 60Hz Output:12V, 2A

The adapter Model No.: ADS-24S-12 1224GPCU (Made by HONOR)

Rating: Input: 100-240~, 0.7A Max, 60Hz Output: 12V, 2A

Rating: Output: 12V, 2A

Remark: Just the model names and appearance color are different.

1.4 Submitted Sample: 1 Sample

1.5 Test Duration

2009-07-27 to 2009-08-10

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB

Radiated Emissions Uncertainty =4.7dB

1.7 Test Engineer

The sample tested by _____

Leo Lau

Print Name: Leo Lau

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



2.0 List of Measurement Equipment

2.1 Conducted Emission Test

Name	Model No.	Serial No.	Manufacturer	Calibration Date	Calibration Cycle
EMI Test Receiver	ESH3	860905/006	RS	2009.2.22	1Year
Coaxial Switch	EMSW18	--	EM Electronics Corporation	N/A	N/A
Spectrum Analyzer	ESA-L1500A	US37451154	HP	2009.2.22	1Year
LISN	ESH3-Z5	100294	RS	2009.2.22	1Year
LISN	ESH3-Z5	100253	RS	2009.2.22	1Year

2.2 Radiated electromagnetic disturbance test

Name	Model No.	Serial No.	Manufacturer	Calibration Date	Calibration Cycle
EMI Test Receiver	ESCS30	830245/009	RS	2009.2.22	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
Spectrum Analyzer	HP8595E	3441A00893	HP	2009.2.22	1Year
Amplifier	8657B	3208U02589	HP	2009.2.22	1Year
Bilog Antenna	VULB9163	9163/340	Schwarebeck	2009.2.22	1Year

2.3 Auxiliary Equipment

Name	Model No.	Serial No.	Manufacturer	Cable	FCC ID/DOC
Monitor	FP51G	ET47604175CLO	BENQ	Data cable of 1.5m length unshielded and 1.8m length AC Mains cable	FCC DOC
Monitor	6331-4CN	23-DNWX3	IBM	Data cable of 1.5m length unshielded and 1.8m length AC Mains cable	FCC DOC
Notebook	8434	--	Dell	--	FCC DOC
Earphone	HS555DS	--	SUTAIN	1.5m length Unshielded cable	FCC DOC
Mouse	--	--	DELL	Data cable of 1.5m length	FCC DOC

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No: 0907288

Date: 2009-08-10

Page 6 of 57



3.0 Technical Details

3.1 Investigations Requested

Perform Electromagnetic Interference [EMI] tests for FCC Requirement.

3.2 Test Standards

FCC Part 15 Subpart B: 2008

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer, supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, the Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



4.0 Conducted Power line Test

4.1 Schematics of the test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2003. Cables and peripherals were moved to find the maximum emission levels for each frequency.

Test Voltage: 120V~, 60Hz

Block diagram of Test setup



4.3 Power line conducted Emission Limit

Frequency(MHz)	Class A Limits dB(μV)		Class B Limits dB(μV)	
	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level
0.15 ~ 0.50	79.00	66.00	66.00~56.00*	56.00~46.00*
0.50 ~ 5.00	73.00	60.00	56.00	46.00
5.00 ~ 30.00	73.00	60.00	60.00	50.00

- Notes:
- *decreasing linearly with logarithm of frequency.
 - The tighter limit shall apply at the transition frequencies

4.4 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



A: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play Memory
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit	
	Live		Neutral		(dBµV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.607	48.08	38.38	-	-	56.00	46.00
0.153	55.33	46.62	-	-	65.79	55.79
0.254	47.46	44.34	-	-	61.63	51.63
0.762	41.95	30.05	-	-	56.00	46.00
4.567	46.62	39.25	-	-	56.00	46.00
23.009	45.38	36.48	-	-	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



B: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play Memory
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit (dBµV)	
	Live		Neutral		Quasi-peak	Average
	Quasi-peak	Average	Quasi-peak	Average		
0.150	-	-	55.28	45.36	65.99	55.99
0.208	-	-	49.28	47.13	63.28	53.28
0.319	-	-	45.53	42.59	59.73	49.73
0.609	-	-	48.29	38.89	56.00	46.00
0.731	-	-	45.52	33.92	56.00	46.00
4.500	-	-	45.80	38.56	56.00	46.00
21.988	-	-	49.12	39.82	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



C: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play USB
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBμV)				Limit	
	Live		Neutral		(dBμV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.156	54.20	45.84	-	-	65.66	55.66
0.214	51.40	36.53	-	-	63.04	53.04
0.589	48.26	38.06	-	-	56.00	46.00
1.343	46.82	37.09	-	-	56.00	46.00
4.624	46.41	41.53	-	-	56.00	46.00
10.090	49.58	44.26	-	-	60.00	50.00
21.087	54.45	44.51	-	-	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



D: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play USB
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit (dBµV)			
	Live		Neutral		Quasi-peak		Average	
	Quasi-peak	Average	Quasi-peak	Average				
0.157	-	-	53.12	43.70	65.61	55.61		
0.325	-	-	47.65	41.19	59.56	49.56		
0.593	-	-	45.87	38.17	56.00	46.00		
0.729	-	-	44.91	33.41	56.00	46.00		
4.540	-	-	45.90	41.89	56.00	46.00		
11.245	-	-	51.15	44.31	60.00	50.00		
21.744	-	-	48.80	39.60	60.00	50.00		


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



E: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play CF
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit (dBµV)	
	Live		Neutral		Quasi-peak	Average
	Quasi-peak	Average	Quasi-peak	Average		
0.155	54.68	45.55	-	-	65.72	55.72
0.206	51.88	45.18	-	-	63.37	53.37
0.323	48.74	43.24	-	-	59.63	49.63
0.608	49.46	39.57	-	-	56.00	46.00
1.825	46.59	41.21	-	-	56.00	46.00
2.994	45.98	39.27	-	-	56.00	46.00
4.573	45.74	38.28	-	-	56.00	46.00
6.682	47.37	44.32	-	-	60.00	50.00
21.295	54.01	43.23	-	-	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



F: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play CF
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit	
	Live		Neutral		(dBµV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.153	-	-	54.29	43.28	65.83	55.83
0.321	-	-	47.38	44.38	59.67	49.67
0.618	-	-	49.84	37.80	56.00	46.00
1.157	-	-	46.59	37.59	56.00	46.00
2.418	-	-	45.11	38.11	56.00	46.00
4.498	-	-	45.68	38.18	56.00	46.00
11.529	-	-	51.14	44.42	60.00	50.00
21.262	-	-	49.68	40.48	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



G: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Connect to PC
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit	
	Live		Neutral		(dBµV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.158	53.99	45.59	-	-	65.57	55.57
0.210	52.35	48.21	-	-	63.19	53.19
0.357	49.49	45.01	-	-	58.78	48.78
0.625	52.70	42.90	-	-	56.00	46.00
3.565	52.92	36.84	-	-	56.00	46.00
5.906	56.80	45.99	-	-	60.00	50.00
21.286	46.63	46.03	-	-	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



H: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Connect to PC
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit	
	Live		Neutral		(dBµV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.616	-	-	53.19	42.89	56.00	46.00
0.157	-	-	51.13	41.41	65.58	55.58
0.366	-	-	48.25	45.53	58.58	48.58
0.741	-	-	51.14	42.13	56.00	46.00
2.349	-	-	51.31	37.67	56.00	46.00
5.737	-	-	57.60	47.51	60.00	50.00
21.015	-	-	55.21	46.48	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



I: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play SD
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBμV)				Limit (dBμV)			
	Live		Neutral		Quasi-peak		Average	
	Quasi-peak	Average	Quasi-peak	Average				
0.165	38.82	31.92	-	-	65.20	55.20		
0.251	48.86	44.45	-	-	61.70	51.70		
0.601	46.88	37.68	-	-	56.00	46.00		
1.257	43.50	36.60	-	-	56.00	46.00		
23.651	45.72	36.22	-	-	60.00	50.00		


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



J: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play SD
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit (dBµV)	
	Live		Neutral			
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.202	-	-	49.65	45.95	63.53	53.53
0.300	-	-	50.25	41.95	60.23	50.23
0.603	-	-	48.40	41.77	56.00	46.00
23.662	-	-	52.46	41.91	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



K: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play Memory
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBμV)				Limit	
	Live		Neutral		(dBμV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.180	57.91	36.55	-	-	64.45	54.45
0.231	56.86	48.31	-	-	62.50	52.40
0.325	45.54	43.78	-	-	59.58	49.58
1.157	41.25	40.42	-	-	56.00	46.00
2.998	40.79	38.11	-	-	56.00	46.00
21.003	43.27	39.21	-	-	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



L: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play Memory
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit (dBµV)	
	Live		Neutral		Quasi-peak	Average
	Quasi-peak	Average	Quasi-peak	Average		
0.180	-	-	58.06	36.97	64.48	54.48
0.231	-	-	56.59	43.19	62.39	52.39
0.325	-	-	45.19	44.11	59.56	49.56
1.157	-	-	40.55	37.61	56.00	46.00
3.000	-	-	40.76	37.96	56.00	46.00
21.001	-	-	43.30	40.75	60.00	50.00

The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



M: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)


EUT set Condition: Play CF

Model No: ADS-24S-12 1224GPCU (Made by HONOR)

Level Class B

Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit	
	Live		Neutral		(dBµV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.180	57.08	35.70	-	-	64.46	54.46
0.231	55.55	44.61	-	-	62.38	52.38
0.324	45.06	42.63	-	-	59.60	49.60
1.156	39.29	33.13	-	-	56.00	46.00
2.999	37.05	32.70	-	-	56.00	46.00
20.999	37.24	34.23	-	-	60.00	50.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



N: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play CF
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBμV)				Limit	
	Live		Neutral		(dBμV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.180	-	-	57.72	44.54	64.45	54.45
0.232	-	-	55.50	41.67	62.37	52.37
0.323	-	-	45.10	42.71	59.63	49.63
1.156	-	-	39.68	37.69	56.00	46.00
8.999	-	-	35.73	31.82	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



O: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Connect to PC
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBμV)				Limit	
	Live		Neutral		(dBμV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.179	55.97	37.86	-	-	64.52	54.52
0.238	51.23	46.04	-	-	62.16	52.16
3.702	44.86	40.70	-	-	56.00	46.00
5.769	46.93	40.41	-	-	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



P: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUTset Condition: Connect to PC
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit (dBµV)	
	Live		Neutral			
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.178	-	-	56.32	47.39	64.56	54.56
0.237	-	-	51.00	46.06	62.19	52.19
3.705	-	-	44.45	30.30	56.00	46.00
5.778	-	-	46.11	36.03	60.00	50.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Q: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play USB
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBμV)				Limit	
	Live		Neutral		(dBμV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.180	55.95	46.86	-	-	64.47	54.47
0.231	54.35	45.36	-	-	62.38	52.38
0.324	44.75	42.43	-	-	59.60	49.60
1.155	39.36	36.70	-	-	56.00	46.00
3.467	42.28	37.30	-	-	56.00	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



R: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUTset Condition: Play USB
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBμV)				Limit (dBμV)	
	Live		Neutral		Quasi-peak	Average
	Quasi-peak	Average	Quasi-peak	Average		
0.179	-	-	55.73	42.83	64.52	54.52
0.233	-	-	54.12	46.66	62.33	52.33
1.155	-	-	40.00	37.98	56.00	46.00
3.467	-	-	42.46	27.74	56.00	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



S: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play SD
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit (dBµV)	
	Live		Neutral			
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.180	57.83	43.23	-	-	64.48	54.48
0.232	53.89	46.19	-	-	62.36	52.36


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



T: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUTset Condition: Play SD
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Reading(dBµV)				Limit	
	Live		Neutral		(dBµV)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.179	-	-	56.63	42.63	64.50	54.50
0.233	-	-	53.79	46.39	62.31	52.31

The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5.0 Radiated Disturbance Test


5.1 Schematics of the test



5.2 Test Method and test Procedure:

The EUT was tested according to ANSI C63.4 –2003, The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak 0values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters. Test Voltage: 120V~, 60Hz

Block diagram of Test setup



5.3 Radiated Emission Limit

Frequency Range (MHz)	Distance (m)	Field strength (dB μ V/m)
30-88	3	40.00
88-216	3	43.50
216-960	3	46.00
Above 960	3	54.00

Note: The lower limit shall apply at the transition frequencies

5.4 Test result

The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120kHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



A: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Play Memory
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 10:50:30

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
129.000	28.08	H	43.50
165.000	28.44	H	43.50
243.000	39.29	H	46.00
307.200	34.31	H	46.00
351.080	32.06	H	46.00
504.040	33.88	H	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



B: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Play Memory
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: PASS

Please refer to following diagram for individual
Picture of the test



Date: 30.JUL.2009 10:45:20

Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBμV/m)
45.000	31.50	V	40.00
103.560	29.59	V	43.50
130.840	29.32	V	43.50
183.000	28.18	V	43.50
244.600	30.37	V	46.00
429.440	33.94	V	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



C: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Play USB
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 11:14:16

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
129.840	28.61	H	43.50
183.040	30.92	H	43.50
237.680	39.08	H	46.00
273.000	37.28	H	46.00
642.040	37.15	H	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



D: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Play USB
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 11:15:38

Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBμV/m)
48.040	27.61	V	40.00
92.240	29.25	V	43.50
126.680	32.44	V	43.50
237.080	34.97	V	46.00
345.040	34.08	V	46.00

The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




E: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Connect to PC
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



RBW 120 kHz Marker 1 [T1]
 MT 50 μs 32.19 dBμV/m
 PREAMP OFF 352.56000000 MHz



Date: 30.JUL.2009 11:09:34

Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBμV/m)
45.000	24.63	H	40.00
128.960	28.48	H	43.50
168.000	35.45	H	43.50
235.760	38.73	H	46.00
648.040	37.59	H	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



F: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Connect to PC
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 11:05:51

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
51.000	32.72	V	40.00
63.000	27.83	V	40.00
95.840	30.96	V	43.50
121.000	32.37	V	43.50
166.640	30.92	V	43.50
352.280	36.29	V	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



G: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Play CF
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 10:55:10

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
129.04	30.18	H	43.50
141.76	28.22	H	43.50
177.00	31.48	H	43.50
239.72	35.41	H	46.00
332.04	39.56	H	46.00

The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




H: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Play CF
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



RBW 120 kHz Marker 1 [T1]
 MT 50 μs 28.87 dBμV/m
 Att 0 dB PREAMP OFF 333.04000000 MHz



Date: 30.JUL.2009 11:00:46

Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBμV/m)
45.04	29.87	V	40.00
96.76	29.48	V	43.50
130.64	32.38	V	43.50
183.00	28.13	V	43.50
435.36	36.65	V	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



I: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Play SD
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 12:14:45

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
123.00	28.85	H	43.50
189.00	32.98	H	43.50
243.68	34.39	H	46.00
267.04	36.87	H	46.00
672.04	38.32	H	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



J: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Play SD
Model No: XKD-C2000IC12.0-24W-US (Made by MOSO)
Level: Class B
Results: PASS

Please refer to following diagram for individual
Picture of the test



Date: 30.JUL.2009 12:12:17

Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBμV/m)
44.96	29.14	V	40.00
69.04	26.51	V	40.00
95.96	32.43	V	43.50
136.52	33.64	V	43.50
279.04	31.92	V	46.00
352.00	35.46	V	46.00
441.04	39.02	V	46.00

The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




K: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Play Memory
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



RBW 120 kHz Marker 1 [T1]
 MT 50 μs 32.14 dBμV/m
 Att 0 dB PREAMP OFF 600.04000000 MHz



Date: 30.JUL.2009 11:30:10

Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBμV/m)
123.04	25.55	H	43.50
183..04	28.35	H	43.50
231.44	37.95	H	46.00
339.00	31.89	H	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



L: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Play Memory
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 11:31:59

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
45.00	27.26	V	40.00
102.04	25.78	V	43.50
135.00	27.49	V	43.50
245.24	32.43	V	43.50
441.04	34.98	V	43.50


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



M: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Play USB
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: PASS

Please refer to following diagram for individual Picture of the test



Date: 30.JUL.2009 11:25:30

Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBμV/m)
128.96	28.62	H	43.50
177.00	29.97	H	43.50
237.96	41.83	H	46.00
261.04	37.01	H	46.00
600.08	35.92	H	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



N: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Play USB
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 11:21:19

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
47.92	29.15	V	40.00
54.00	23.88	V	40.00
107.12	28.88	V	43.50
130.52	27.07	V	43.50
232.12	32.68	V	46.00
352.32	34.47	V	46.00

The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




O: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Play SD
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



RBW 120 kHz Marker 1 [T1]
 MT 50 μs 29.98 dBμV/m
 Att 0 dB PREAMP OFF 351.00000000 MHz



Date: 30.JUL.2009 12:05:34

Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBμV/m)
123.04	26.63	H	43.50
155.12	28.01	H	43.50
189.04	26.39	H	43.50
261.04	39.59	H	46.00
606.72	42.02	H	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



P: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Play SD
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 12:07:32

Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBμV/m)
45.00	28.77	V	40.00
102.96	29.76	V	43.50
129.00	29.23	V	43.50
165.00	27.81	V	43.50
352.56	34.12	V	46.00
392.64	36.21	V	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Q: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Connect to PC
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 11:40:40

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
168.00	35.65	H	43.50
183.32	36.55	H	43.50
236.76	38.39	H	46.00
265.32	41.83	H	46.00
293.76	40.52	H	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



R: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Connect to PC
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the tes



Date: 30.JUL.2009 11:37:02

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
51.00	34.63	V	40.00
70.28	31.28	V	40.00
95.64	31.70	V	43.50
145.20	29.45	V	43.50
204.00	34.80	V	43.50
266.84	36.65	V	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



S: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Play CF
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 11:46:52

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
129.00	29.05	H	43.50
177.00	29.07	H	43.50
219.00	32.04	H	46.00
237.04	36.59	H	46.00
261.00	38.36	H	46.00


The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



T: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Play CF
Model No: ADS-24S-12 1224GPCU (Made by HONOR)
Level: Class B
Results: PASS

Please refer to following diagram for individual
 Picture of the test



Date: 30.JUL.2009 11:48:37

Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBμV/m)
45.00	27.14	V	40.00
107.36	29.14	V	43.50
129.00	29.27	V	43.50
273.04	27.88	V	46.00
352.52	34.03	V	46.00

The report refers only to the sample tested and does not apply to the bulk.
 This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
 In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



6.0 FCC ID Label

FCC ID: V37-6226LG15

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



FCC ID Label Location

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



7.0 Photo of testing

7.1 Conducted test View--

AC Mains



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



7.2 Radiated emission test view--

Playing



The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



7.3 Photo for the EUT



Front View



Back View




The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer, supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Interior View



Interior View



The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Interior View



The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer, supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report, The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the Shenzhen Timeway Technology Consulting Co., Ltd to his customer. Supplier or other persons directly concerned. Shenzhen Timeway Technology Consulting Co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting Co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Appendix



-End of the report-

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.