





| Report No: File reference No: | FCC 0907048 : 2009-07-13 | | | |
|---|---|--|--|--|
| Applicant: | WIN ACCORD LTD. | | | |
| Product: | Digital Photo Frame | | | |
| Brand Name: | Brookstone | | | |
| Model No: | SKU630855; MyLife 8inch Digital Frame; Brookstone 8inch Fighter | | | |
| Test Standards: | FCC Part 15 Subpart B: 2008 | | | |
| Test result: | It is herewith confirmed and found to comply with the requirements set up by ANSI C63.4&FCC Part 15 regulations for the evaluation of electromagnetic compatibility | | | |
| Approved By Tang-Tang | | | | |
| Terry Tong | | | | |
| Manager | | | | |
| Dated: | July 13, 2009 | | | |
| | | | | |
| Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at | | | | |
| SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD | | | | |
| East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. Chegongmiao, FuTian District, Shenzhen, | | | | |

CHINA. Tel (755) 83448688 Fax (755) 83442996



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC- Registration No.: IC5205A-01

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-01.

VCCI- Registration No.: R-3015 and C-3332

The EMC Laboratory has been registered and fully described in a report filed with the (VCCI) Voluntary Control Council for Interference. The acceptance letter from the VCCI is maintained in our files. Registration IC No.: R-3015 and C-3332

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Test Report Conclusion



| | Content | |
|-----|---|----|
| 1.0 | General Details | 4 |
| 1.1 | Test Lab Details | 4 |
| 1.2 | Applicant Details | 4 |
| 1.3 | Description of EUT | 4 |
| 1.4 | Test Uncertainty | 4 |
| 1.5 | Submitted Sample | 4 |
| 1.6 | Test Duration | 4 |
| 2.0 | List of Measurement Equipment | 5 |
| 2.1 | Conducted Emission Test | 5 |
| 2.2 | Radiated electromagnetic disturbance test | 5 |
| 2.3 | Auxiliary Equipment | 5 |
| 3.0 | Technical Details | 6 |
| 3.1 | Investigations Requested | 6 |
| 3.2 | Test Standards | 6 |
| 4.0 | Power line Conducted Emission Test | 7 |
| 5.0 | Radiated Disturbance Test | 25 |
| 6.0 | FCC ID Label | 43 |
| 7.0 | Photo of testing | 44 |
| | | |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



1.0 General Details

1.1

Test Lab DetailsName :SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTDAddress:East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao, FuTian District,
Shenzhen, CHINA.Telephone:(755) 83448688Fax:(755) 83442996

1.2 Applicant Details

Applicant:WIN ACCORD LTD.Address:12F,NO.225,SEC 5,105 SONG SHAN DIST.,NAN JING EAST ROAD, TAIPEI,
TAIWAN, R.O.CTelephone:02-2749 3837Fax:02-2749 3918

1.3 Description of EUT

| Product: | Digital Photo Frame |
|---------------|--|
| Manufacturer: | WIN ACCORD LTD. |
| Address: | 12F, NO.225, SEC 5, 105 SONG SHAN DIST., NAN JING EAST ROAD, TAIPEI. |
| | TAIWAN |
| Brand Name: | Brookstone |

Model Number: SKU630855; MyLife 8inch Digital Frame; Brookstone 8inch Fighter

Additional Model Number: N/A

The adapter Model No.: XKD-C2000IC5.0-12W (Made by MOSO)

Rating: Input: 100-240V, 0.5A Max, 50/60Hz Output: 5V, 2A

The adapter Model No.: ADS-12G-06 05010GPCU (Made by HONOR)

Rating: Input: 100-240V, 0.3A Max, 50/60Hz Output: 5V, 2A

Remark: just model names and appearance color are different

Rating: Input: DC 5V, Current 2A

1.4 Submitted Sample(s): 1 Sample

The sample tested by

- 1.5 Test Duration: 2009-07-07 to 2009-07-13
- 1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB Radiated Emissions Uncertainty =4.7dB

1.7 Test Engineer

Print Name: Leo Lau

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



2.0 List of Measurement Equipment

2.1 Conducted Emission Test

| | | | | Calibration | Calibration |
|-------------------|-----------|------------|--------------|-------------|-------------|
| Name | Model No. | Serial No. | Manufacturer | Date | Cycle |
| EMI Test Receiver | ESCS30 | 830245/009 | RS | 2009.2.23 | 1Year |
| Coaxial Switch | MP59B | M70585 | ANRITSU | N/A | N/A |
| LISN | NTFM8132 | 8132137 | SCHWARZBECK | 2009.2.24 | 1Year |
| LISN | NTFM8134 | 8134109 | SCHWARZBECK | 2009.2.24 | 1Year |
| LISN | NTFM8136 | 8136102 | SCHWARZBECK | 2009.2.24 | 1Year |

2.2 Radiated electromagnetic disturbance test

| | | | | Calibration | Calibration |
|------------------------|-----------|------------|--------------|-------------|-------------|
| Name | Model No. | Serial No. | Manufacturer | Date | Cycle |
| EMI Test Receiver | ESCS30 | 830245/009 | RS | 2009.2.23 | 1Year |
| Coaxial Switch | MP59B | M70585 | ANRITSU | N/A | N/A |
| Spectrum Analyzer(with | | | | | |
| Tracking Generator) | MS2661C | MT72089 | ANRITSU | 2009.2.23 | 1Year |
| Amplifier | MH648A | M20494 | ANRITSU | 2009.2.24 | 1Year |
| Bilog Antenna | CBL6101C | 2576 | CHASE | 2009.2.23 | 1Year |
| | | | | | |

2.3 Auxiliary Equipment

| Name | Model No. | Serial No. | Manufacturer | Cable | FCC ID/DOC |
|----------|--------------|------------|--------------|-----------------|------------|
| | | | | Data cable of | |
| | | | | 2m length | |
| Keyboard | KB-0225 | 1211815 | IBM | unshielded | FCC DOC |
| | | | | Data cable of | |
| | | | | 2m length | |
| | | | | unshielded | |
| | | | | and 1.8m length | |
| Printer | BOISB-027-00 | CNFG029476 | EPSON | AC Mains cable | DOC |
| | | | | Data cable of | |
| | | | | 1.5m length | |
| | | | | unshielded and | |
| | | | | 1.8m length AC | |
| Monitor | 6331-4CN | 23-DNWX3 | IBM | Mains cable | FCC ID |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 6 of 56

| | | | | 1.8m length | |
|-------|---------|--------|--------|----------------|---------|
| PC | 8434 | | IBM | AC Mains cable | FCC DOC |
| | | | | Data cable of | |
| Mouse | OM860XC | HM0509 | BIGCOW | 1.5m length | FCC DOC |

3.0 **Technical Details**


- 3.1 Investigations Requested Perform Electromagnetic Interference [EMI] tests for FCC Requirement.
- Test Standards 3.2 FCC Part 15 Subpart B: 2008

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



4.0 Conducted Power line Test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 500hm/50uH as specified by section 5.1 of ANSI C63.4 –2003. Cables and peripherals were moved to find the maximum emission levels for each frequency. Test Voltage: 120V~, 60Hz

Block diagram of Test setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



4.3 Power line conducted Emission Limit

| | Class A Li | Class A Limits $dB(\mu V)$ | | nits dB(µV) |
|-------------------|------------------|----------------------------|------------------|---------------|
| Frequency(MHz) | Quasi-peak Level | Average Level | Quasi-peak Level | Average Level |
| $0.15~\sim~0.50$ | 79.00 | 66.00 | 66.00~56.00* | 56.00~46.00* |
| $0.50~\sim~5.00$ | 73.00 | 60.00 | 56.00 | 46.00 |
| $5.00 \sim 30.00$ | 73.00 | 60.00 | 60.00 | 50.00 |

Notes: 1. *decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

4.4 Test Results


The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





| Englishow | | Reading | (dB µ V) | | Limi | t |
|--------------------|------------|---------|------------|---------|------------|---------|
| Frequency (MHz) | Live | ; | Neutr | al | (dB µ | V) |
| (101112) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.294 | | | 46.62 | 30.29 | 60.39 | 50.39 |
| 0.516 | | | 48.61 | 34.58 | 56.00 | 46.00 |
| 0.697 | | | 38.37 | 32.68 | 56.00 | 46.00 |
| 1.364 | | | 33.01 | 29.14 | 56.00 | 46.00 |
| 2.225 | | | 37.86 | 32.43 | 56.00 | 46.00 |
| 3.158 | | | 38.57 | 30.60 | 56.00 | 46.00 |


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 10 of 56

Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)



| Eroquonov | | Reading | (dB µ V) | | Limit | |
|--------------------|------------|---------|------------|---------|------------|---------|
| Frequency (MHz) | Live | ; | Neutral | | (dB µ V) | |
| (IVITIZ) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.291 | 49.95 | 24.65 | | | 60.49 | 50.49 |
| 0.370 | 45.63 | 17.63 | | | 58.49 | 48.49 |
| 0.506 | 45.58 | 16.08 | | | 56.00 | 46.00 |
| 0.651 | 41.53 | 13.73 | | | 56.00 | 46.00 |
| 1.305 | 42.32 | 17.62 | | | 56.00 | 46.00 |
| 2.052 | 38.62 | 17.72 | | | 56.00 | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





| Fraguanay | | Reading | (dB µ V) | Limit | | |
|--------------------|------------|---------|------------|---------|------------|---------|
| Frequency (MHz) | Live | • | Neutr | al | (dB µ V) | |
| (11112) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.305 | | | 47.01 | 45.56 | 60.11 | 50.11 |
| 0.517 | | | 43.61 | 39.00 | 56.00 | 46.00 |
| 0.979 | | | 38.12 | 30.70 | 56.00 | 46.00 |
| 1.384 | | | 39.48 | 25.82 | 56.00 | 46.00 |
| 2.185 | | | 42.26 | 39.68 | 56.00 | 46.00 |
| 2.986 | | | 38.52 | 19.92 | 56.00 | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

| EUT set Condition: | Play SD |
|-----------------------|---------------------------------|
| Adaptor used for test | Model No.: ADS-12G-06 05010GPCU |
| Level: | Class B |
| Results: | Pass |

Please refer to following diagram for individual



| Fraguanay | Reading(dB µ V) | | | | Limit | | |
|--------------------|-----------------|---------|------------|---------|------------|---------|--|
| Frequency (MHz) | Live | ; | Neutral | | (dB µ V) | | |
| (IVIIIZ) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average | |
| 0.537 | 41.21 | 14.51 | | | 56.00 | 46.00 | |
| 0.697 | 41.38 | 12.48 | | | 56.00 | 46.00 | |
| 0.844 | 35.23 | 8.73 | | | 56.00 | 46.00 | |
| 0.900 | 37.19 | 10.29 | | | 56.00 | 46.00 | |
| 1.590 | 37.04 | 14.64 | | | 56.00 | 46.00 | |
| 1.713 | 37.69 | 13.39 | | | 56.00 | 46.00 | |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

0.0 0.150



30.000

EUT set Condition: Memory Adaptor used for test Model No.: ADS-12G-06 05010GPCU Level: Class B **Results:** Pass Please refer to following diagram for individual File :DF08007-04-XXX Data :#1 Date: 2009/07/10 Time: 14:32:13 80.0 dBuV Qp: AVG: Wyman plant my my Without

| E | | Reading | Limit | | | | |
|--------------------|------------|---------|------------|---------|------------|----------|--|
| Frequency (MHz) | Live | | Neutr | Neutral | | (dB µ V) | |
| (IVITIZ) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average | |
| 0.299 | | | 44.66 | 18.06 | 60.27 | 50.27 | |
| 0.516 | | | 42.39 | 11.59 | 56.00 | 46.00 | |
| 0.778 | | | 38.26 | 13.56 | 56.00 | 46.00 | |
| 1.210 | | | 41.08 | 10.58 | 56.00 | 46.00 | |
| 1.577 | | | 39.43 | 12.23 | 56.00 | 46.00 | |
| 2.004 | | | 35.30 | 13.60 | 56.00 | 46.00 | |

(MHz)

5

The report refers only to the sample tested and does not apply to the bulk.

0.5

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

| Pass |
|---------------------------------|
| Class B |
| Model No.: ADS-12G-06 05010GPCU |
| Memory |
| |

Please refer to following diagram for individual




| Frequency (MHz) | Reading(dB µ V) | | | | Limit | | |
|--------------------|-----------------|---------|------------|---------|------------|---------|--|
| | Live | | Neutr | Neutral | | V) | |
| (IVIIIZ) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average | |
| 0.298 | 47.76 | 24.16 | | | 60.28 | 50.28 | |
| 0.373 | 44.84 | 15.34 | | | 58.43 | 48.43 | |
| 0.561 | 41.94 | 13.14 | | | 56.00 | 46.00 | |
| 1.024 | 40.81 | 13.41 | | | 56.00 | 46.00 | |
| 1.293 | 41.02 | 18.62 | | | 56.00 | 46.00 | |
| 2.700 | 38.38 | 16.78 | | | 56.00 | 46.00 | |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





| Frequency | | Reading | Limit | | | |
|-----------|------------|---------|------------|---------|------------|---------|
| | Live | | Neutral | | (dB µ V) | |
| (MHz) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.305 | | | 46.96 | 18.96 | 60.09 | 50.09 |
| 0.516 | | | 44.59 | 12.69 | 56.00 | 46.00 |
| 0.719 | | | 44.10 | 14.20 | 56.00 | 46.00 |
| 0.926 | | | 42.72 | 14.82 | 56.00 | 46.00 |
| 1.555 | | | 41.92 | 12.42 | 56.00 | 46.00 |
| 3.368 | | | 40.15 | 12.35 | 56.00 | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

| Pass |
|---------------------------------|
| Class B |
| Model No.: ADS-12G-06 05010GPCU |
| Connected to PC |
| |

Please refer to following diagram for individual



| Frequency | Reading(dB µ V) | | | Limit | | |
|-----------|-----------------|---------|------------|---------|------------|---------|
| | Live | | Neutral | | (dB µ V) | |
| (MHz) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.300 | 49.06 | 23.86 | | | 60.22 | 50.22 |
| 0.777 | 43.66 | 19.26 | | | 56.00 | 46.00 |
| 0.944 | 44.04 | 17.94 | | | 56.00 | 46.00 |
| 1.480 | 42.59 | 19.39 | | | 56.00 | 46.00 |
| 2.181 | 43.07 | 18.17 | | | 56.00 | 46.00 |
| 3.426 | 37.57 | 15.47 | | | 56.00 | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





| Frequency (MHz) | | Reading(dB µ V) Limit | | | | t |
|--------------------|------------|-----------------------|------------|---------|------------|----------|
| | Live | Live | | Neutral | | (dB µ V) |
| (IVITIZ) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.184 | | | 55.54 | 20.64 | 64.28 | 54.28 |
| 0.246 | | | 47.70 | 18.40 | 61.88 | 51.88 |
| 0.307 | | | 40.77 | 15.87 | 60.05 | 50.05 |
| 13.136 | | | 32.64 | 20.64 | 60.00 | 50.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Time: 14:55:01

Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

| EUT set Condition: | Memory |
|-----------------------|-------------------------------|
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| Level: | Class B |
| Results: | Pass |

Please refer to following diagram for individual

File :DF08007-04-XXX Data :#7 80.0 dBuV



Date: 2009/07/10

| Frequency (MHz) | | Reading | (dB µ V) | μV) Limit | | |
|--------------------|------------|---------|------------|-----------|------------|---------|
| | Live | | Neutral | | (dB µ V) | |
| (IVITIZ) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.183 | 56.34 | 20.54 | | | 64.32 | 54.32 |
| 0.243 | 47.70 | 16.90 | | | 61.97 | 51.97 |
| 0.307 | 41.47 | 15.07 | | | 60.04 | 50.04 |
| 13.109 | 32.04 | 20.34 | | | 60.00 | 50.00 |

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

| Results: | Pass |
|-----------------------|-------------------------------|
| Level: | Class B |
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| EUT set Condition: | Play SD |

Please refer to following diagram for individual




| Frequency (MHz) | Reading(dB µ V) | | | | Limit | | |
|--------------------|-----------------|---------|------------|---------|------------|---------|--|
| | Live | | Neutral | | (dB µ V) | | |
| (MHZ) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average | |
| 0.185 | | | 54.04 | 17.64 | 64.22 | 54.22 | |
| 0.243 | | | 41.30 | 17.90 | 61.99 | 51.99 | |
| 13.300 | | | 30.43 | 18.23 | 60.00 | 50.00 | |
| 0.307 | | | 38.67 | 12.37 | 60.04 | 50.04 | |

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)



Please refer to following diagram for individual



| Erecuency | Reading(| | | (dB µ V) | | Limit | |
|--------------------|------------|---------|------------|----------|------------|---------|--|
| Frequency (MHz) | Live | | Neutral | | (dB µ V) | | |
| (101112) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average | |
| 0.185 | 53.44 | 14.94 | | | 64.26 | 54.26 | |
| 0.248 | 46.30 | 12.00 | | | 61.80 | 51.80 | |
| 0.317 | 39.18 | 14.08 | | | 59.79 | 49.79 | |
| 12.863 | 31.34 | 20.84 | | | 60.00 | 50.00 | |

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

| Results: | Pass |
|-----------------------|-------------------------------|
| Level: | Class B |
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| EUT set Condition: | Play USB |

Please refer to following diagram for individual



| Eroquonou | | Reading | (dB µ V) | | Limit | |
|-----------|----------------|---------|------------|---------|------------|---------|
| (MHz) | Frequency Live | | Neutral | | (dB µ V) | |
| (WITIZ) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.185 | | | 55.24 | 18.44 | 64.22 | 54.22 |
| 0.246 | | | 45.80 | 19.60 | 61.88 | 51.88 |
| 0.309 | | | 39.37 | 10.17 | 59.98 | 49.98 |
| 12.838 | | | 32.44 | 23.04 | 60.00 | 50.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Time: 15:06:10

Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

| EUT set Condition: | Play USB |
|-----------------------|-------------------------------|
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| Level: | Class B |
| Results: | Pass |

| Please refer to following dia | gram for individual |
|-------------------------------|---------------------|
| File :DF08007-04-XXX | Data :#10 |
| 90.0 dB.M | |



Date: 2009/07/10

| Eracuanay | | Reading | Limit | | | |
|--------------------|------------|---------|------------|---------|------------|---------|
| Frequency (MHz) | Live | | Neutral | | (dB µ V) | |
| (IVIIIZ) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.185 | 53.74 | 16.24 | | | 64.26 | 54.26 |
| 0.248 | 46.00 | 10.30 | | | 61.82 | 51.82 |
| 0.317 | 38.78 | 14.28 | | | 59.78 | 49.78 |
| 12.917 | 31.34 | 22.04 | | | 60.00 | 50.00 |

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

| EUT set Condition: | Connect to PC |
|-----------------------|-------------------------------|
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| Level: | Class B |
| Results: | Pass |

Please refer to following diagram for individual



| Erecuency | | Reading | Limit | | | |
|--------------------|------------|---------|------------|---------|------------|---------|
| Frequency (MHz) | Live | | Neutral | | (dB µ V) | |
| (WITIZ) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.183 | | | 54.64 | 24.44 | 64.34 | 54.34 |
| 0.247 | | | 47.60 | 20.40 | 61.85 | 51.85 |
| 0.309 | | | 40.87 | 19.87 | 59.98 | 49.98 |
| 12.809 | | | 34.94 | 23.04 | 60.00 | 50.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Time: 9:52:21

Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

| EUT set Condition: | Connect to PC |
|-----------------------|-------------------------------|
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| Level: | Class B |
| Results: | Pass |

Please refer to following diagram for individual File :DF08007-04-XXX Data :#14 80.0 dBuV



Date: 2009/07/11

| Eraguanay | | Reading | Limit | | | |
|--------------------|------------|---------|------------|---------|------------|---------|
| Frequency (MHz) | Live | | Neutral | | (dB µ V) | |
| (11112) | Quasi-peak | Average | Quasi-peak | Average | Quasi-peak | Average |
| 0.185 | 55.04 | 27.24 | | | 64.23 | 54.23 |
| 0.246 | 46.80 | 19.00 | | | 61.89 | 51.89 |
| 0.305 | 39.46 | 14.86 | | | 60.08 | 50.08 |
| 12.816 | 35.24 | 23.24 | | | 60.00 | 50.00 |


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 25 of 56

- 5.0 Radiated Disturbance Test
- 5.1 Schematics of the test




5.2 Test Method and test Procedure:

The EUT was tested according to ANSI C63.4 –2003, The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak 0values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

Test Voltage: 120V~, 60Hz

Block diagram of Test setup




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 26 of 56



5.3 Radiated Emission Limit

| Frequency Range (MHz) | Distance (m) | Field strength (dB μ V/m) |
|-----------------------|--------------|-------------------------------|
| 30-88 | 3 | 40.00 |
| 88-216 | 3 | 43.50 |
| 216-960 | 3 | 46.00 |
| Above 960 | 3 | 54.00 |

Note: The lower limit shall apply at the transition frequencies

5.4 Test result

The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 27 of 56

A: Radiated Disturbance In Horizontal (30MHz----1000MHz)

| EUT set Condition: | Connected to PC |
|-----------------------|---------------------------------|
| Adaptor used for test | Model No.: ADS-12G-06 05010GPCU |
| Level: | Class B |
| Results: | PASS |
| Results: | PASS |

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 10:51:07

| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 150.32 | 39.39 | Н | 43.50 |
| 179.92 | 33.60 | Н | 43.50 |
| 270.56 | 37.44 | Н | 46.00 |
| 389.16 | 35.03 | Н | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




B: Radiated Disturbance In Vertical (30MHz---1000MHz)

| EUT set Condition: | Connected to PC |
|-----------------------|---------------------------------|
| Adaptor used for test | Model No.: ADS-12G-06 05010GPCU |
| Level: | Class B |
| Results: | PASS |

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 10:53:34

| acc | 10.001.2001 | £0.55.51 | | |
|-----|-----------------|-------------------|------------------|-------------------|
| | Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
| | 150.28 | 40.62 | V | 43.50 |
| | 179.72 | 35.40 | V | 43.50 |
| | 209.72 | 35.34 | V | 43.50 |
| | 269.48 | 36.04 | V | 46.00 |
| | 397.96 | 35.12 | V | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




C: Radiated Disturbance In Horizontal (30MHz----1000MHz)

| EUT set Condition: | Memory |
|-----------------------|---------------------------------|
| Adaptor used for test | Model No.: ADS-12G-06 05010GPCU |
| Level: | Class B |
| Results: | PASS |
| | |

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 11:14:30

| [| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|---|-----------------|-------------------|------------------|-------------------|
| | 149.72 | 37.73 | Н | 43.50 |
| | 209.72 | 31.82 | Н | 43.50 |
| | 270.60 | 36.22 | Н | 46.00 |
| | 368.60 | 35.32 | Н | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




D: Radiated Disturbance In Vertical (30MHz---1000MHz)

| Memory |
|---------------------------------|
| Model No.: ADS-12G-06 05010GPCU |
| Class B |
| PASS |
| |

Please refer to following diagram for individual

Picture of the test



| Date: 10.JUL.20 | 09 11:10:36 |
|-----------------|-------------|
|-----------------|-------------|

| 1010021200 | 21 10 30 | | |
|-----------------|-------------------|------------------|-------------------|
| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
| 87.08 | 31.21 | V | 40.00 |
| 150.28 | 41.88 | V | 43.50 |
| 156.68 | 38.90 | V | 43.50 |
| 209.72 | 35.98 | V | 43.50 |
| 269.44 | 36.30 | V | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 31 of 56

E: Radiated Disturbance In Horizontal (30MHz----1000MHz)

| EUT set Condition: | Play USB |
|-----------------------|---------------------------------|
| Adaptor used for test | Model No.: ADS-12G-06 05010GPCU |
| Level: | Class B |
| Results: | PASS |
| | |

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 10:59:18

| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 150.22 | 35.86 | Н | 43.50 |
| 209.72 | 35.57 | Н | 43.50 |
| 270.56 | 34.17 | Н | 46.00 |
| 389.68 | 35.41 | Н | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




F: Radiated Disturbance In Vertical (30MHz---1000MHz)

| EUT set Condition: | Play USB |
|-----------------------|---------------------------------|
| Adaptor used for test | Model No.: ADS-12G-06 05010GPCU |
| Level: | Class B |
| Results: | PASS |

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 10:56:46

| | Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|---|-----------------|-------------------|------------------|-------------------|
| | 149.72 | 40.89 | V | 43.50 |
| | 180.28 | 34.99 | V | 43.50 |
| ſ | 209.72 | 38.05 | V | 43.50 |
| ſ | 150.32 | 34.27 | V | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



OGPCU

Page 33 of 56


G: Radiated Disturbance In Horizontal (30MHz----1000MHz)

| Level: | Class B |
|-----------------------|---------------------------------|
| Adaptor used for test | Model No.: ADS-12G-06 05010GPCU |
| EUT set Condition: | Play SD (Adapter made by HONOR) |

Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 11:02:33

| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 120.00 | 30.71 | Н | 43.50 |
| 150.32 | 33.28 | Н | 43.50 |
| 209.72 | 33.13 | Н | 43.50 |
| 269.44 | 34.53 | Н | 46.00 |
| 389.48 | 38.87 | Н | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




H: Radiated Disturbance In Vertical (30MHz---1000MHz)

| EUT set Condition: | Play SD |
|-----------------------|---------------------------------|
| Adaptor used for test | Model No.: ADS-12G-06 05010GPCU |
| Level: | Class B |
| Results: | PASS |
| | |

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 11:05:19

| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 150.28 | 40.49 | V | 43.50 |
| 179.72 | 35.54 | V | 43.50 |
| 209.76 | 35.26 | V | 43.50 |
| 270.60 | 35.75 | V | 46.00 |
| 390.88 | 34.77 | V | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





G: Radiated Disturbance In Horizontal (30MHz----1000MHz)

| EUT set Condition: | Connect to PC |
|-----------------------|-------------------------------|
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| Level: | Class B |
| Results: | PASS |

Please refer to following diagram for individual

Picture of the test





| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 130.00 | 36.01 | Н | 43.50 |
| 149.72 | 38.34 | Н | 43.50 |
| 210.32 | 36.00 | Н | 43.50 |
| 269.48 | 36.68 | Н | 46.00 |
| 389.52 | 41.27 | Н | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




H: Radiated Disturbance In Vertical (30MHz---1000MHz)

| EUT set Condition: | Connect to PC |
|-----------------------|-------------------------------|
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| Level: | Class B |
| Results: | PASS |

Please refer to following diagram for individual

Picture of the test



| Date: | 10.JUL.2009 | 10:43:22 |
|-------|-------------|----------|
| | | |

| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 130.00 | 37.61 | V | 43.50 |
| 149.72 | 39.28 | V | 43.50 |
| 209.72 | 32.96 | V | 43.50 |
| 270.60 | 35.92 | V | 46.00 |
| 389.20 | 36.11 | V | 46.00 |
| 533.36 | 38.53 | V | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




I: Radiated Disturbance In Horizontal (30MHz----1000MHz)

| Memory |
|-------------------------------|
| Model No.: XKD-C2000IC5.0-12W |
| Class B |
| PASS |
| |

Please refer to following diagram for individual

Picture of the test



| Date: | 10.JUL.2009 | 10:11:53 |
|-------|-------------|----------|
|-------|-------------|----------|

| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 149.72 | 36.33 | Н | 43.50 |
| 209.72 | 34.74 | Н | 43.50 |
| 269.48 | 36.68 | Н | 46.00 |
| 389.20 | 36.33 | Н | 46.00 |
| 712.41 | 37.61 | Н | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




J: Radiated Disturbance In Vertical (30MHz -- 1000MHz)

| EUT set Condition: | Memory |
|-----------------------|-------------------------------|
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| Level: | Class B |
| Results: | PASS |

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 10:19:04

| 10.000.2009 | 10:10:01 | | |
|-----------------|--|---|---|
| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
| 92.32 | 27.11 | V | 43.50 |
| 149.72 | 36.92 | V | 43.50 |
| 209.72 | 29.78 | V | 43.50 |
| 269.44 | 33.12 | V | 46.00 |
| 389.20 | 35.83 | V | 46.00 |
| | Frequency (MHz) 92.32 149.72 209.72 269.44 | Frequency (MHz)Level@3m (dBμV/m)92.3227.11149.7236.92209.7229.78269.4433.12 | Frequency (MHz)Level@3m (dBμV/m)Antenna Polarity92.3227.11V149.7236.92V209.7229.78V269.4433.12V |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





K: Radiated Disturbance In Horizontal (30MHz----1000MHz)

| Play SD |
|-------------------------------|
| Model No.: XKD-C2000IC5.0-12W |
| Class B |
| PASS |
| |

Please refer to following diagram for individual

Picture of the test





| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 130.00 | 33.11 | Н | 43.50 |
| 149.72 | 34.61 | Н | 43.50 |
| 210.28 | 38.63 | Н | 43.50 |
| 270.60 | 33.34 | Н | 46.00 |
| 389.48 | 41.42 | Н | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




L: Radiated Disturbance In Vertical (30MHz---1000MHz)

| EUT set Condition: | Play SD |
|-----------------------|-------------------------------|
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| Level: | Class B |
| Results: | PASS |
| | |

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 10:35:09

| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 130.00 | 38.17 | V | 43.50 |
| 150.28 | 40.80 | V | 43.50 |
| 209.72 | 35.95 | V | 43.50 |
| 269.48 | 34.92 | V | 46.00 |
| 389.48 | 36.33 | V | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




M: Radiated Disturbance In Horizontal (30MHz----1000MHz)

| EUT set Condition: | Play USB |
|-----------------------|-------------------------------|
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| Level: | Class B |
| Results: | PASS |
| | |

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 10:27:43

| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 156.00 | 31.30 | Н | 43.50 |
| 209.72 | 32.75 | Н | 43.50 |
| 270.60 | 35.92 | Н | 46.00 |
| 389.16 | 35.08 | Н | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




N: Radiated Disturbance In Vertical (30MHz---1000MHz)

| EUT set Condition: | Play USB |
|-----------------------|-------------------------------|
| Adaptor used for test | Model No.: XKD-C2000IC5.0-12W |
| Level: | Class B |
| Results: | PASS |
| | |

Please refer to following diagram for individual

Picture of the test



Date: 10.JUL.2009 10:24:00

| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| 150.28 | 36.39 | V | 43.50 |
| 209.72 | 30.13 | V | 43.50 |
| 269.44 | 34.62 | V | 46.00 |
| 394.68 | 32.19 | V | 46.00 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 43 of 56

6.0 FCC ID Label

FCC ID: V37-BST8DNAUO

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



FCC ID Label Location

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 44 of 56

Photo of testing 7.0

7.1 Conducted test View-

Connect to PC




The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 45 of 56

7.2 Radiated emission test view--

Connect to PC




The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 46 of 56

7.3 Photo for the EUT



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 48 of 56



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 51 of 56



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 54 of 56



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





-End of the report-

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.