





Report No: File reference No:	FCC 0902028 : 2009-02-20
The reference two	2007-02-20
Applicant:	WIN ACCORD LTD.
Product:	Digital Photo Frame
Brand Name:	N/A
Model No:	DF07007-03-XXX (X=A-Z, 0-9, a-z)
Test Standards:	FCC Part 15 Subpart B: 2008
Test result:	It is herewith confirmed and found to comply with the requirements set up by ANSI C63.4&FCC Part 15 regulations for the evaluation of electromagnetic compatibility
Approved By	
Approved By Jack Chung	
Jack Chung	
Manager	
Dated:	February 20, 2009
	ng herein relate only to the sample tested eports is issued errors and omissions exempt and is subject to
SHENZHEN '	TIMEWAY TECHNOLOGY CONSULTING CO LTD
East 5/Block 4, Anh	nua Industrial Zone, No.8, Tairan Rd. Chegongmiao, FuTian District, Shenzhen, CHINA.
	T_{e1} (755) 83448688 F_{ex} (755) 83442006

Tel (755) 83448688 Fax (755) 83442996



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC- Registration No.: IC5205A-01

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-01.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Test Report Conclusion



	Content	
1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Test Uncertainty	4
1.5	Submitted Sample	4
1.6	Test Duration	4
2.0	List of Measurement Equipment	5
2.1	Conducted Emission Test	5
2.2	Radiated electromagnetic disturbance test	5
2.3	Auxiliary Equipment	5
3.0	Technical Details	6
3.1	Investigations Requested	6
3.2	Test Standards	6
4.0	Power line Conducted Emission Test	7
5.0	Radiated Disturbance Test	25
6.0	FCC ID Label	43
7.0	Photo of testing	44

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



1.0 General Details

1.1

Test Lab Deta	Test Lab Details					
Name :	SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD					
Address:	East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao, FuTian District,					
	Shenzhen, CHINA.					
Telephone:	(755) 83448688					
Fax:	(755) 83442996					

1.2 Applicant Details

Applicant:	WIN ACCORD LTI) .					
Address:	12F,NO.225,SEC	5,105	SONG	SHAN	DIST.,NAN	JING	EAST
	ROAD, TAIPEI, TAI	WAN,R.O	.C				
Telephone:	02-2749 3837						
Fax:	02-2749-3918						

1.3 Description of EUT

Product:	Digital Photo Frame					
Manufacturer:	WIN ACCORD LTD.					
Address:	Shatou Section. Zhen'an Road, Chang'an, Town, Dongguan City					
Brand Name:	N/A					
Model Number:	Model Number: DF07007-03-XXX (X=A-Z, 0-9, a-z)					
Additional Model N	umber: PAN7001W01-SP, P17002AW, BP07A					
Rating: Input: DC	5V, Current 2A					
Remark: Just model	names and appearance color are different.					
The adapter Model 1	No.: XKD-C2000IC5.0-12W (Made by MOSO)					
Rating: Inp	out: 100-240V, 0.5A Max, 50/60Hz Output: 5V, 2A					
The adapter Model No.: ADS-12G-06 05010GPCU (Made by HONOR)						
Rating: Ir	nput: 100-240V, 0.3A Max, 50/60Hz Output: 5V, 2A					

1.4 Submitted Sample(s): 2 Samples

1.6

- 1.5 Test Duration: 2009-02-10 to 2009-02-20
 - Test Uncertainty Conducted Emissions Uncertainty =3.6dB Radiated Emissions Uncertainty =4.7dB

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



1.7 Test Engineer The sample tested by

Print Name: Terry Tang

2.0 List of Measurement Equipment

2.1Conducted Emission Test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESCS30	830245/009	RS	2009.2.23	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
LISN	NTFM8132	8132137	SCHWARZBECK	2009.2.24	1Year
LISN	NTFM8134	8134109	SCHWARZBECK	2009.2.24	1Year
LISN	NTFM8136	8136102	SCHWARZBECK	2009.2.24	1Year

2.2 Radiated electromagnetic disturbance test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESCS30	830245/009	RS	2009.2.23	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
Spectrum Analyzer(with					
Tracking Generator)	MS2661C	MT72089	ANRITSU	2009.2.23	1Year
Amplifier	MH648A	M20494	ANRITSU	2009.2.24	1Year
Bilog Antenna	CBL6101C	2576	CHASE	2009.2.23	1Year

2.3 Auxiliary Equipment

Name	Model No.	Serial No.	Manufacturer	Cable	FCC ID/DOC
				Data cable of	
				2m length	
Keyboard	KB-0225	1211815	IBM	unshielded	FCC DOC
				Data cable of	
				2m length	
				unshielded	
				and 1.8m length	
Printer	BOISB-027-00	CNFG029476	EPSON	AC Mains cable	DOC
Monitor	6331-4CN	23-DNWX3	IBM	Data cable of	FCC ID

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: 0902028 Date: 2009-02-20		TEST REPORT		Page 6 of 56	
			<i>y</i>	1.5m length	
				unshielded and	
				1.8m length AC	
				Mains cable	
				1.8m length	
PC	8434		IBM	AC Mains cable	FCC DOC
				Data cable of	
Mouse	OM860XC	HM0509	BIGCOW	1.5m length	FCC DOC

OGY DEL

3.0 **Technical Details**

3.1 Investigations Requested Perform Electromagnetic Interference [EMI] tests for FCC Requirement.


3.2 Test Standards FCC Part 15 Subpart B: 2008

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



4.0 Conducted Power line Test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 500hm/50uH as specified by section 5.1 of ANSI C63.4 -2003. Cables and peripherals were moved to find the maximum emission levels for each frequency. Actual working voltage and frequency: 120~, 60Hz

Block diagram of Test setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



4.3 Power line conducted Emission Limit

	Class A Li	mits dB(µV)	Class B Lin	nits dB(µV)
Frequency(MHz)	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level
$0.15~\sim~0.50$	79.00	66.00	66.00~56.00*	56.00~46.00*
$0.50~\sim~5.00$	73.00	60.00	56.00	46.00
$5.00 \sim 30.00$	73.00	60.00	60.00	50.00

Notes: 1. *decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

4.4 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Play USB
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Working Voltage:	120V~ 60Hz
Results:	Pass

Please refer to following diagram for individual

80.0 dBuV



Frequency (MHz)		Reading	Limit			
	Live		Neutral		(dB µ V)	
(WITZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.305			45.06	13.46	60.10	50.10
0.380			42.84	8.74	58.27	48.27
0.517			42.69	10.79	56.00	46.00
0.811			40.00	10.10	56.00	46.00
1.081			39.53	9.43	56.00	46.00
1.271			38.81	9.61	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 10 of 56

Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Play USB
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Working Voltage:	120V~ 60Hz
Results:	Pass
Please refer to following dia	agram for individual





Fraguanay	Reading(dB µ V)			Limit		
Frequency (MHz)	Live		Neutral		(dB µ V)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.313	48.47	22.17			59.88	49.88
0.377	44.64	13.64			58.33	48.33
0.661	41.34	16.54			56.00	46.00
1.466	39.79	20.19			56.00	46.00
2.873	37.75	15.95			56.00	46.00
4.766	35.51	15.11			56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

Results:	Pass
Working Voltage:	120V~ 60Hz
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
EUT set Condition:	Play SD

Please refer to following diagram for individual

80.0 dBuV



Eroquanav	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Neutral		(dB µ V)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.334			44.90	8.40	59.35	49.35
0.404			42.47	9.37	57.76	47.76
0.598			41.88	5.88	56.00	46.00
0.889			40.38	9.38	56.00	46.00
1.565			40.93	9.13	56.00	46.00
3.261			35.90	9.70	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Play SD
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Working Voltage:	120V~ 60Hz
Results:	Pass
Please refer to following of	diagram for individual





Fraguanay	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Neutral		(dB µ V)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.333	47.69	17.39			59.37	49.37
0.390	47.05	19.45			58.06	48.06
0.585	45.16	19.36			56.00	46.00
0.835	44.33	20.33			56.00	46.00
1.537	41.71	19.61			56.00	46.00
2.364	39.35	16.95			56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Working Voltage:	120V~ 60Hz
Results:	Pass

Please refer to following diagram for individual

80.0 dBuV



Erecuency	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Neutral		(dB µ V)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.332			44.79	8.09	59.39	49.39
0.387			43.45	9.75	58.13	48.13
0.609			40.29	5.99	56.00	46.00
1.566			40.23	8.63	56.00	46.00
3.120			36.55	11.65	56.00	46.00
4.255			38.30	15.20	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Working Voltage:	120V~ 60Hz
Results:	Pass
Please refer to following	g diagram for individual





Fraguanay	Reading(dB µ V)			Limit		
Frequency (MHz)	Live	Live		Neutral		V)
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.337	48.90	21.50			59.28	49.28
0.389	46.95	19.75			58.08	48.08
0.572	45.65	22.25			56.00	46.00
1.081	43.23	19.23			56.00	46.00
1.883	40.25	16.45			56.00	46.00
3.294	37.62	18.42			56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

Results:	Pass
Working Voltage:	120V~ 60Hz
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
EUT set Condition:	Connected to PC

Please refer to following diagram for individual

80.0 dBuV



Eroouorou	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Neutral		(dB µ V)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.216			45.37	10.27	62.94	52.94
0.332			54.19	11.79	59.40	49.40
0.402			51.37	13.37	57.80	47.80
0.673			48.65	16.55	56.00	46.00
1.647			46.96	13.76	56.00	46.00
3.897			49.16	20.36	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Connected to PC				
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU				
Working Voltage:	120V~ 60Hz				
Results:	Pass				
Please refer to following diagram for individual					





Eraquanay	Reading(dB µ V)				Limit	
Frequency (MHz)	Live	Live		Neutral		V)
(IVIIIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.333	54.39	19.49			59.38	49.38
0.390	53.05	20.95			58.05	48.05
0.901	48.40	24.40			56.00	46.00
1.307	47.02	21.22			56.00	46.00
2.253	48.90	21.30			56.00	46.00
4.063	49.73	23.93			56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W
Working Voltage:	120V~ 60Hz
Results:	Pass

Please refer to following diagram for individual

80.0 dBuV



Engguangy	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Live Neutral		(dB µ V)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.182			52.53	23.93	64.39	54.39
0.243			45.00	26.30	61.99	51.99
0.305			38.46	21.16	60.10	50.10

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W
Working Voltage:	120V~ 60Hz
Results:	Pass
Please refer to following dia	gram for individual





Fraguanay	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		ive Neutral		(dB µ V)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.183	53.23	24.63			64.35	54.35
0.245	45.90	27.90			61.82	51.92
0.306	38.87	24.37			60.08	50.08

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 19 of 56

Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

Results:	Pass
Working Voltage:	120V~ 60Hz
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W
EUT set Condition:	Play SD

Please refer to following diagram for individual

80.0 dBuV



Eraguanay	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Live Neutral		(dB µ V)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.179			50.73	27.63	64.51	54.51
0.242			45.20	26.70	62.01	52.01
0.294			35.65	20.05	60.40	50.40

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Play SD
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W
Working Voltage:	120V~ 60Hz
Results:	Pass
Please refer to following dia	gram for individual





Fraguanay	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Live Neutral		(dB µ V)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.186	52.54	28.64			64.21	54.21
0.243	45.00	26.10			61.99	51.99
0.300	36.56	22.16			60.23	50.23

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

Results:	Pass
Working Voltage:	120V~ 60Hz
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W
EUT set Condition:	Play USB

Please refer to following diagram for individual

80.0 dBuV



Eraguanay	Reading(dB µ V)				Limit	
Frequency (MHz)	Live		Neutral		(dB µ V)	
(11112)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.184			52.34	35.14	64.29	54.29
0.250			44.71	28.71	61.57	51.57
0.307			37.57	21.17	60.05	50.05

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Play USB	
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W	
Working Voltage:	120V~ 60Hz	
Results:	Pass	
Please refer to following diagram for individual		





Fraguanay	Reading(dB µ V)			Limit		
Frequency (MHz)	Live	;	Neutr	al	(dB µ	V)
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.184	52.34	26.14			64.30	54.30
0.249	45.01	24.41			61.77	51.77
0.300	28.96	17.16			60.22	50.22

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Connect to PC
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W
Working Voltage:	120V~ 60Hz
Results:	Pass

Please refer to following diagram for individual

80.0 dBuV



Erecuency	Reading		(dB µ V)		Limit	
Frequency (MHz)	Live	e Neutral		(dB µ V)		
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.178			55.13	28.33	64.56	54.56
0.239			47.09	25.59	62.12	52.12
0.304			41.26	21.56	60.13	50.13
0.619			39.10	26.90	56.00	46.00
7.127			39.91	34.51	56.00	46.00
21.860			32.81	24.01	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition:	Connect to PC	
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W	
Working Voltage:	120V~ 60Hz	
Results:	Pass	
Please refer to following diagram for individual		

80.0 dBuV



Fraquanay	Reading		$g(dB \mu V)$		Limit	
Frequency (MHz)	Live	;	Neutr	al	(dB µ V)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.176	53.43	24.13			64.63	54.63
0.236	45.89	20.79			62.21	52.21
0.617	39.20	27.40			56.00	46.00
3.523	30.91	15.11			56.00	46.00
7.539	40.93	37.03			56.00	46.00
21.963	32.02	22.52			56.00	46.00


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 25 of 56

- 5.0 Radiated Disturbance Test
- 5.1 Schematics of the test



5.2 Test Method and test Procedure:

The EUT was tested according to ANSI C63.4 –2003, The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak 0values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 26 of 56



5.3 Radiated Emission Limit

Frequency Range (MHz)	Distance (m)	Field strength (dB μ V/m)
30-88	3	40.00
88-216	3	43.50
216-960	3	46.00
Above 960	3	54.00

Note: The lower limit shall apply at the transition frequencies

5.4 Test result

The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



A: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Connected to PC
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Level:	Class B
Results:	PASS
Please refer to following di	agram for individual
Picture of the test	

80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
243.400	33.77	Н	46.00
391.325	41.72	Н	46.00
422.850	39.84	Н	46.00
451.950	38.06	Н	46.00
796.300	41.13	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 28 of 56

B: Radiated Disturbance In Vertical (30MHz----1000MHz)

EUT set Condition:	Connected to PC
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Level:	Class B
Results:	PASS
Please refer to following dia	agram for individual
Picture of the test	

80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
32.425	34.96	V	40.00
61.425	33.73	V	40.00
66.375	33.26	V	40.00
93.050	33.10	V	43.50
667.775	42.33	V	46.00
796.300	42.50	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



C: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Level:	Class B
Results:	PASS
Please refer to following o	liagram for individual
Picture of the test	

80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
389.125	43.71	Н	46.00
422.850	40.85	Н	46.00
791.450	41.12	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 30 of 56

D: Radiated Disturbance In Vertical (30MHz----1000MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Level:	Class B
Results:	PASS
Please refer to following dia	agram for individual
Picture of the test	

80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
54.250	35.21	V	40.00
61.525	34.56	V	40.00
68.800	33.43	V	40.00
93.050	31.21	V	43.50
393.750	34.17	V	46.00
791.450	42.89	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 31 of 56

E: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Play USB	
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU	
Level:	Class B	
Results:	PASS	
Please refer to following diagram for individual		

Picture of the test

80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
390.826	44.34	Н	46.00
422.850	42.10	Н	46.00
512.575	39.98	Н	46.00
813.275	43.42	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



F: Radiated Disturbance In Vertical (30MHz----1000MHz)

EUT set Condition:	Play USB
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Level:	Class B
Results:	PASS
Please refer to following di	agram for individual
Picture of the test	

80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
54.250	35.56	V	40.00
61.525	34.37	V	40.00
93.050	32.07	V	43.50
796.300	43.22	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 33 of 56

E: Radiated Disturbance In Horizontal (30MHz----1000MHz)

UT set Condition: Adaptor used for te	Play st Model	SD No.: ADS-12G-06 05010	GPCU	
evel:	Class B			
lesults:	PASS			
lease refer to follow	wing diagram for indivi	dual		
icture of the test				
30.0 dBu¥/m				
				QP:
				Margin: —
				ç ,
40				
			L MAA	MUMMAN
				MMM
		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1 LW	
	$\sim$ A	1 M M	NWW.	
	$-\infty$	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
0.0				
30.000 40 5	0 60 70	(MHz)	300 400	500 600 700 1000

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
390.750	43.82	Н	46.00
910.275	43.54	Н	46.00
961.200	43.22	Н	54.00

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



# F: Radiated Disturbance In Vertical (30MHz----1000MHz)

EUT set Condition:	Play SD
Adaptor used for test	Model No.: ADS-12G-06 05010GPCU
Level:	Class B
Results:	PASS
Please refer to following dia	agram for individual
Picture of the test	

80.0 dBu∀/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
54.250	36.17	V	40.00
61.525	35.61	V	40.00
93.050	32.64	V	43.50

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### Page 35 of 56

# G: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Connect to PC	
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W	
Level:	Class B	
Results:	PASS	
Please refer to following diagram for individual		

Picture of the test

#### 80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
214.300	38.26	Н	43.50
221.575	38.53	Н	46.00
371.925	42.21	Н	46.00
413.150	41.22	Н	46.00
719.962	41.38	Н	46.00
794.687	42.93	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




# H: Radiated Disturbance In Vertical (30MHz----1000MHz)

EUT set Condition:	Connect to PC			
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W			
Level:	Class B			
Results:	PASS			
Please refer to following diagram for individual				

Picture of the test

#### 80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
30.003	36.09	V	40.00
340.400	40.77	V	46.00
502.875	40.31	V	46.00
791.050	41.66	V	46.00
934.525	41.77	V	46.00

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



## I: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Memory	
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W	
Level:	Class B	
Results:	PASS	
Please refer to following diagram for individual		
Picture of the test		





Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
389.148	45.19	Н	46.00
796.300	43.11	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




## J: Radiated Disturbance In Vertical (30MHz----1000MHz)

EUT set Condition:	Memory
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W
Level:	Class B
Results:	PASS

Please refer to following diagram for individual

Picture of the test

80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
32.425	36.98	V	40.00
93.050	32.41	V	43.50
393.750	38.17	V	46.00
791.450	41.53	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### Page 39 of 56


## K: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition:	Play SD
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W
Level:	Class B
<b>Results:</b>	PASS
Discourse frontes for 11 and in a	1'

Please refer to following diagram for individual

Picture of the test

80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
389.141	44.78	Н	46.00
665.350	40.08	Н	46.00
869.050	41.60	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 40 of 56

## L: Radiated Disturbance In Vertical (30MHz----1000MHz)

EUT set Condition:	Play SD	
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W	
Level:	Class B	
Results:	PASS	
Please refer to following diagram for individual		

Picture of the test 80.0 dBuV/m



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
32.425	35.89	V	40.00
93.050	31.99	V	43.50
396.175	38.11	V	46.00
978.725	39.87	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 41 of 56

## M: Radiated Disturbance In Horizontal (30MHz----1000MHz)

Play USB	
Model No.: XKD-C2000IC5.0-12W	
Class B	
PASS	
Please refer to following diagram for individual	

Picture of the test



	Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
	389.141	44.10	Н	46.00
ĺ	796.300	41.56	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




#### Page 42 of 56

## N: Radiated Disturbance In Vertical (30MHz----1000MHz)

EUT set Condition:	Play USB
Adaptor used for test	Model No.: XKD-C2000IC5.0-12W
Level:	Class B
Results: PASS	
Please refer to following diagram for individual	

Picture of the test



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
30.000	36.67	V	40.00
93.050	31.33	V	43.50
391.325	35.71	V	46.00
793.875	41.44	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 43 of 56


### 6.0 FCC ID Label

# FCC ID: V37-CD6210A7-169

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

## Mark Location:



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 44 of 56

#### Photo of testing 7.0

7.1 Conducted test View-

Connect to PC Adapter made by HONOR



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 45 of 56




The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 46 of 56

7.2 Radiated emission test view--


Adapter made by HONOR




The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 47 of 56






The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Photo for the EUT 7.3



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 48 of 56



Page 49 of 56



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 50 of 56



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Page 51 of 56



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Adapter made by HONOR (ADS-12G-06 05010GPCU)



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Adaptor made by MOSO (XKD-C2000IC5.0-12W)



-End of the report-

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.