







ISO/IEC17025 Accredited Lab.

Report No: FCC 0906105 File reference No: 2009-06-23

Applicant: WIN ACCORD LTD.

Product: Digital Photo Frame

Brand Name: N/A

Model No: DF03507-04-XXX (X=A-Z,a-z,0-9)

Test Standards: FCC Part 15 Subpart B: 2008

Test result: It is herewith confirmed and found to comply with the requirements

set up by ANSI C63.4&FCC Part 15 regulations for the evaluation of

electromagnetic compatibility

Approved By

Tang Tong

Terry Tang

Manager

Dated: June 23, 2009

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. Chegongmiao, FuTian District, Shenzhen, CHINA.

Tel (755) 83448688 Fax (755) 83442996

Report No: 0906105 Page 2 of 49

Date: 2009-06-23



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC-Registration No.: IC5205A-01

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-01.

VCCI- Registration No.: R-3015 and C-3332

The 3m Semi-anechoic chamber and Shielded Room of Shenzhen Timeway Technology Consulting Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-3015 and C-3332 respectively. Date of Registration: March 26, 2009. Valid until March 25, 2012

Page 3 of 49

Report No: 0906105 Date: 2009-06-23



Test Report Conclusion Content

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Test Uncertainty.	4
1.5	Submitted Sample	4
1.6	Test Duration	4
2.0	List of Measurement Equipment.	5
2.1	Conducted Emission Test.	5
2.2	Radiated electromagnetic disturbance test.	5
2.3	Auxiliary Equipment	5
3.0	Technical Details	6
3.1	Investigations Requested	6
3.2	Test Standards.	6
4.0	Power line Conducted Emission Test.	7
5.0	Radiated Disturbance Test	23
6.0	FCC Label.	39
7.0	Photo of testing	40

Page 4 of 49

Report No: 0906105 Date: 2009-06-23



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

Address: East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao, FuTian

District, Shenzhen, CHINA.

Telephone: (755) 83448688 Fax: (755) 83442996

1.2 Applicant Details

Applicant: WIN ACCORD LTD.

Address: 12F, NO.225, SEC 5, 105 SONG SHAN DIST., NAN JING EAST

ROAD, TAIPEI. TAIWAN

Telephone: 02-2749-3837 Fax: 02-2749-3918

1.3 Description of EUT

Product: Digital Photo Frame
Manufacturer: WIN ACCORD LTD.

Address: 12F, NO.225, SEC 5,105 SONG SHAN DIST., NAN JING EAST ROAD, TAIPEI.

TAIWAN

Brand Name: N/A

Model Number: DF03507-04-XXX (X=A-Z,a-z,0-9)

Additional Model Number: PAN3502W02, PAN3553W02, PAN3502W02FR

Rating: Input: DC 5V, 500mA

Power Supply:

ADS-7.5Z-06 05003GPCU (Made by HONOR); Input:100-240V~, 50/60Hz, 0.3A, Output: DC5V,0.5A XKD-C0500IC 5.0-5W (Made by MOSO); Input:100-240V~, 50/60Hz, 0.25A, Output: DC5V,0.5A ZDA050050US (Made by E-TEK); Input:100-240V~, 50/60Hz, 0.15A, Output: DC5V,0.5A

Remark: Just model names and appearance color are different for the marketing requirement.

1.4 Submitted Sample:

1 Sample

1.5 Test Duration:

2009-06-12 to 2009-06-23

1.6 Test Uncertainty

Conducted Emissions Uncertainty = 3.6dB Radiated Emissions Uncertainty = 4.7dB

The report refers only to the sample tested and does not apply to the bulk.



1.7 Test Engineer

The sample tested by

Print Name: Paul Tang

2.0 List of Measurement Equipment

2.1 Conducted Emission Test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESH3	860905/006	RS	2009.2.22	1Year
			EM Electronics		
Coaxial Switch	EMSW18		Corporation	N/A	N/A
Spectrum Analyzer	ESA-L1500A	US37451154	HP	2009.2.22	1Year
LISN	ESH3-Z5	100294	RS	2009.2.22	1Year
LISN	ESH3-Z5	100253	RS	2009.2.22	1Year

2.2 Radiated electromagnetic disturbance test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESCS30	830245/009	RS	2009.2.22	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
Spectrum Analyzer	HP8595E	3441A00893	HP	2009.2.22	1Year
Amplifier	8657B	3208U02589	HP	2009.2.22	1Year
Bilog Antenna	VULB9163	9163/340	Schwarebeck	2009.2.22	1Year

2.3 Auxiliary Equipment

Name	Model No.	Serial No.	Manufacturer	Cable	FCC ID/DOC
				Data cable of	
				2m length	
Keyboard	KB-0225	1211815	IBM	unshielded	FCC DOC
				Data cable of	
				2m length	
				unshielded	
				and 1.8m length	
Printer	LaserJet 1015	CNFG029476	HP	AC Mains cable	DOC
Printer	LaserJet 1022	CNBG591GM7	HP	Data cable of	DOC

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 6 of 49

Report No: 0906105 Date: 2009-06-23

OLOGY DEVELOP	
TEST REPORT	

				2m length	
				unshielded	
				and 1.8m length	
				AC Mains cable	
				Data cable of	
				1.5m length	
				unshielded and	
				1.8m length AC	
Monitor	FP51G	ET47604175CLO	BENQ	Mains cable	FCC DOC
				Data cable of	
				1.5m length	
				unshielded and	
				1.8m length AC	
Monitor	6331-4CN	23-DNWX3	IBM	Mains cable	FCC DOC
				1.8m length	
PC	8434		IBM	AC Mains cable	FCC DOC
				Data cable of	
Mouse	M-F105		L.SEletron	1.5m length	FCC DOC

3.0 **Technical Details**

3.1 Investigations Requested

Perform Electromagnetic Interference [EMI] tests for FCC Requirement.


3.2 Test Standards

FCC Part 15 Subpart B: 2008



4.0 Conducted Power line Test

4.1 Schematics of the test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2003. Cables and peripherals were moved to find the maximum emission levels for each frequency.

Actual Working Voltage and Frequency: 120V~, 60Hz

Block diagram of Test setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 8 of 49

Report No: 0906105 Date: 2009-06-23



4.3 Power line conducted Emission Limit

Eraguanay (MHz)	Class A Li	mits dB(μV)	Class B Limits dB(µV)		
Frequency(MHz)	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level	
$0.15 \sim 0.50$	79.00	66.00	66.00~56.00*	56.00~46.00*	
$0.50 \sim 5.00$	73.00	60.00	56.00	46.00	
5.00 ~ 30.00	73.00	60.00	60.00	50.00	

Notes:

- 1. *decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

4.4 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.



A: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Memory

Adaptor used for test Model No.: ZDA050050US (Made by E-TEK)

Level Class B
Results: Pass

Please refer to following diagram for individual

File :DF03507-04-XXX Data #1 Date: 09/06/15/ Time: 10/33/13
90.0 dBpW

40

40

0.0 S (MHz) 5 30.000

Enaguanav		Reading	Limit			
Frequency (MHz)	Live		Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.360	43.12	28.52	-	-	58.73	48.73
1.165	40.97	26.87	-	-	56.00	46.00
2.594	38.44	26.44	-	-	56.00	46.00
4.925	41.37	26.87	-	-	56.00	46.00




B: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Memory

Adaptor used for test Model No.: ZDA050050US (Made by E-TEK)

Level Class B
Results: Pass



Enaguanav		Reading	Limit			
Frequency (MHz)	Live		Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.446	-	-	41.21	36.71	56.95	46.95
1.073	-	-	41.83	32.83	56.00	46.00
2.592	-	-	40.14	31.44	56.00	46.00
4.739	-	-	39.00	28.40	56.00	46.00




C: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play SD Card

Adaptor used for test Model No.: ZDA050050US (Made by E-TEK)

Level Class B
Results: Pass



Engguenav		Reading	Limit			
Frequency (MHz)	Live		Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.357	43.62	29.22	-	1	58.79	48.79
1.067	38.73	28.53	-	-	56.00	46.00
1.785	40.61	30.01	-	-	56.00	46.00
3.305	38.62	26.02	-	-	56.00	46.00
4.823	43.53	28.63	-	-	56.00	46.00




D: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play SD Card

Adaptor used for test Model No.: ZDA050050US (Made by E-TEK)

Level Class B
Results: Pass



Enaguanay		Reading	Limit			
Frequency (MHz)	Live		Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.357	-	-	43.32	34.12	58.79	48.79
1.072	-	-	42.13	32.43	56.00	46.00
1.787	-	-	42.02	32.42	56.00	46.00
4.822	-	-	39.53	30.33	56.00	46.00




E: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play SD Card

Adaptor used for test Model No.: ADS-7.5Z-0605003 GPCU (Made by HONOR)

Level Class B
Results: Pass



Engguenav		Reading	Limit			
Frequency (MHz)	Live		Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.327	42.79	21.59	-	-	59.51	49.51
0.388	41.85	27.75			58.11	48.11
0.425	41.04	26.69			57.33	47.33
0.545	40.72	17.42	-	-	56.00	46.00




F: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Play SD Card

Adaptor used for test Model No.: ADS-7.5Z-0605003 GPCU (Made by HONOR)

Level Class B
Results: Pass

Please refer to following diagram for individual



Emaguanay		Reading	g(dBµV)		Limit	
Frequency (MHz)	Live		Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.324	-	-	44.18	24.08	59.59	49.49
0.385	-	-	43.35	29.15	58.16	48.16
0.424	-	-	44.29	22.79	57.37	47.37
1.148	-	-	40.46	24.66	56.00	46.00
1.747	-	-	40.10	26.10	56.00	46.00
2.593	-	-	38.14	29.04	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.




G: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Memory

Adaptor used for test Model No.: ADS-7.5Z-0605003 GPCU (Made by HONOR)

Level Class B
Results: Pass

Please refer to following diagram for individual



Engguenav		Reading	g(dBµV)		Limit	
Frequency (MHz)	Live	;	Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.395	44.95	24.45	-	-	58.05	48.05
0.309	43.97	30.27	-	-	60.00	50.00
0.436	42.60	26.50	-	-	57.13	47.13
0.542	41.31	23.71	-	-	56.00	46.00
1.151	39.06	25.36	-	-	56.00	46.00
2.066	37.23	22.73	-	-	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.




H: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Memory

Adaptor used for test Model No.: ADS-7.5Z-0605003 GPCU (Made by HONOR)

Level Class F Results: Pass



Eraguanav		Reading	Limit			
Frequency (MHz)	Live		Live Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.323	-	-	43.78	27.98	59.63	49.63
0.389	-	-	44.25	24.35	58.08	48.08
0.421	-	-	44.19	20.49	57.42	47.42
1.084	-	-	40.33	23.63	56.00	46.00




I: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Memory

Adaptor used for test Model: XKD-C0500IC 5.0-5W (Made by MOSO)

Level Class B
Results: Pass



Eroguanav		Reading		Limi	t	
Frequency (MHz)	Live		Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
1.715	38.79	20.69	-	-	56.00	46.00




J: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Memory

Adaptor used for test Model: XKD-C0500IC 5.0-5W (Made by MOSO)

Level Class B
Results: Pass



Engguenav		Reading	g(dBµV)		Limi	t
Frequency (MHz)	Live		Neutral		$(dB\mu V)$	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
1.702	-	-	34.98	17.28	56.00	46.00




K: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Read SD Card

Adaptor used for test Model: XKD-C0500IC 5.0-5W (Made by MOSO)

Level Class B
Results: Pass



Engguenav		Reading	Limit			
Frequency (MHz)	Live		Live Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.317	40.28	20.88	-	-	59.78	49.78
1.700	41.38	24.78	-	-	56.00	46.00
0.483	39.76	22.27	-	-	56.28	46.28
2.480	42.03	26.12	-	-	56.00	46.00



Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Read SD Card

Adaptor used for test Model: XKD-C0500IC 5.0-5W (Made by MOSO)

Level Class B **Results: Pass**

Please refer to following diagram for individual

File:DF03507-04-XXX Data :#11 Date: 2009/06/15 Time: 11:35:26 80.0 dBpW Qpc AVG:



Eraguanav	Reading(dBµV)				Limi	t
Frequency (MHz)	Live		Neutral		(dBµV)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
1.698	-	-	35.58	11.68	56.00	46.00



M: Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Connect to PC

Level Class B
Results: Pass

Please refer to following diagram for individual

File :DF03507-04-XXX Data :#31 Date: 2009/06/15 Time: 16:26:09

90.0 dB vV

40

0.0 0.0 0.0 0.5 (MHz) 5 30.000

Eraguanay		Reading(dBμV)			Limit	
Frequency (MHz)	Live		Neutr	al	(dBµV)	
(IVITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.201	52.48	44.98			63.57	53.57
0.465	45.67	41.45			56.59	46.59
0.867	43.92	38.57			56.00	46.00
1.266	46.70	43.65			56.00	46.00
1.785	44.46	41.14			56.00	46.00
2.384	43.16	40.82			56.00	46.00


The report refers only to the sample tested and does not apply to the bulk.



N: Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Connect to PC

Level Class B
Results: Pass



Eroguanav		Reading	Limit			
Frequency (MHz)	Live		Neutr	al	(dBµV)	
(MHZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.201			46.81	39.16	63.56	53.56
0.470			45.21	43.51	56.51	46.51
0.734			45.14	43.23	56.00	46.00
1.276			45.14	43.90	56.00	46.00
1.802			44.46	39.29	56.00	46.00
2.354			44.75	43.68	56.00	46.00


Page 23 of 49

Report No: 0906105 Date: 2009-06-23



5.0 Radiated Disturbance Test

5.1 Schematics of the test




5.2 Test Method and test Procedure:


The EUT was tested according to ANSI C63.4 –2003, The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak 0values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

Actual Working Voltage and Frequency: 120V~, 60Hz

Block diagram of Test setup







5.3 Radiated Emission Limit

Frequency Range (MHz)	Distance (m)	Field strength (dB µ V/m)
30-88	3	40.00
88-216	3	43.50
216-960	3	46.00
Above 960	3	54.00

Note: The lower limit shall apply at the transition frequencies

5.4 Test result

The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

Page 25 of 49

Report No: 0906105 Date: 2009-06-23



A: Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Memory

Adaptor used for test Model: XKD-C0500IC 5.0-5W (Made by MOSO)

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Comment: H

Date: 20.JUN.2009 17:07:45


Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
168.04	30.04	Н	43.50
840.12	38.85	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

1 GHz





Radiated Disturbance In Vertical (30MHz --- 1000MHz)


EUT set Condition: Memory

Adaptor used for test Model: XKD-C0500IC 5.0-5W (Made by MOSO)

Level: Class B **Results: PASS**

Please refer to following diagram for individual

Picture of the test



Comment: V

20.JUN.2009 17:04:35 Date:

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
108.00	31.61	V	43.50
168.00	32.61	V	43.50
648.12	38.13	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 27 of 49

Report No: 0906105 Date: 2009-06-23



C: Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Read SD Card

Adaptor used for test Model: XKD-C0500IC 5.0-5W (Made by MOSO)

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Comment: H

Date: 20.JUN.2009 17:13:29

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
276.04	40.05	Н	46.00
540.08	40.21	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



D: Radiated Disturbance In Vertical (30MHz---1000MHz)


EUT set Condition: Read SD Card

Adaptor used for test Model: XKD-C0500IC 5.0-5W (Made by MOSO)

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Comment: V

Date: 20.JUN.2009 17:16:22

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
108.00	32.43	V	43.50
153.52	31.46	V	43.50
216.04	33.34	V	46.00
372.04	37.36	V	46.00
504.08	38.59	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

Page 29 of 49

Report No: 0906105 Date: 2009-06-23



E: Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Memory

Adaptor used for test Model: ADS-7.5Z-0605003 GPCU (Made by HONOR)

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 18.JUN.2009 18:18:06

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	Limit@3m ($dB\mu V/m$)
330.52	36.10	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.



F: Radiated Disturbance In Vertical (30MHz --- 1000MHz)

EUT set Condition: Memory

Adaptor used for test Model: ADS-7.5Z-0605003 GPCU (Made by HONOR)

Level: Class B
Results: PASS


Please refer to following diagram for individual

Picture of the test

%

RBW 120 kHz Marker 1 [T1]

MT 50 μs 23.76 dBμV/m



Date: 18.JUN.2009 18:19:18

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
924.12	41.30	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

Page 31 of 49

Report No: 0906105 Date: 2009-06-23



G: Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Read SD Card

Adaptor used for test Model: ADS-7.5Z-0605003 GPCU (Made by HONOR)

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 18.JUN.2009 18:12:04

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
252.04	36.17	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

Page 32 of 49

Report No: 0906105 Date: 2009-06-23



H: Radiated Disturbance In Vertical (30MHz---1000MHz)


EUT set Condition: Read SD Card

Adaptor used for test Model: ADS-7.5Z-0605003 GPCU (Made by HONOR)

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Date: 18.JUN.2009 18:10:02

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	Limit@3m ($dB\mu V/m$)
252.04	31.74	V	46.00

The report refers only to the sample tested and does not apply to the bulk.



Radiated Disturbance In Horizontal (30MHz----1000MHz) I:

EUT set Condition: Read SD Card

Adaptor used for test Model: ZDA050050US (Made by E-TEK)

Level: Class B **Results: PASS**


Please refer to following diagram for individual

Picture of the test



RBW 120 kHz Marker 1 [T1] мт

 $29.57 \text{ } dB\mu\text{V/m}$ 50 µs



Comment: H

Date: 18.JUN.2009 16:41:49

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	$Limit@3m (dB\mu V/m)$
135.20	31.60	Н	43.50
276.04	36.10	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Radiated Disturbance In Vertical (30MHz --- 1000MHz) J:

EUT set Condition: Read SD Card

Adaptor used for test Model: ZDA050050US (Made by E-TEK)

Level: Class B **Results: PASS**


Please refer to following diagram for individual

Picture of the test



RBW 120 kHz Marker 1 [T1]

МТ 50 µs



Comment: H

Date: 18.JUN.2009 16:39:36

Frequency (I	MHz) Lev	vel@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
132.04		30.80	V	43.50

The report refers only to the sample tested and does not apply to the bulk.



K: Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Memory

Adaptor used for test Model: ZDA050050US (Made by E-TEK)

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Comment: H

Date: 18.JUN.2009 16:45:44

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	Limit@3m (dBµV/m)
132.00	32.30	Н	43.50
840.12	41.50	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.



Radiated Disturbance In Vertical (30MHz----1000MHz)


EUT set Condition: Memory


Adaptor used for test Model: ZDA050050US (Made by E-TEK)

Level: Class B **PASS Results:**

Please refer to following diagram for individual

Picture of the test





Comment: H

30 MHz

Date: 18.JUN.2009 16:47:16

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	$Limit@3m (dB\mu V/m)$
840.12	40.70	V	46.00
924.12	40.20	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No: 0906105 Date: 2009-06-23




Radiated Disturbance In Horizontal (30MHz----1000MHz)


EUT set Condition: Connect to PC

Level: Class B **Results: PASS**

Please refer to following diagram for individual

Picture of the test





Date: 18.JUN.2009 18:51:33

Frequency (MHz)	Level@3m ($dB\mu V/m$)	Antenna Polarity	Limit@3m ($dB\mu V/m$)
180.00	34.90	Н	43.50
336.04	37.10	Н	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

1 GHz

Report No: 0906105 Date: 2009-06-23



Radiated Disturbance In Vertical (30MHz----1000MHz)

EUT set Condition: Connect to PC

Level: Class B **Results: PASS**

Please refer to following diagram for individual


Picture of the test

70




dΒμV

RBW 120 kHz Marker 1 [T1] $33.00 \text{ dB}\mu\text{V/m}$ MT50 µs PREAMP OFF 336.080000000 MHz



Att 0 dB



18.JUN.2009 18:53:01 Date:

30 MHz

Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
168.04	31.20	V	43.50
840.12	38.90	V	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 39 of 49

Report No: 0906105 Date: 2009-06-23




6.0 FCC ID Label

FCC ID: V37-PD35LG

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:




Report No: 0906105 Date: 2009-06-23



Photo of testing

7.1 Conducted test View--



7.2 Radiated emission test view--



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 41 of 49

Report No: 0906105 Date: 2009-06-23



Photo for the EUT



Page 42 of 49





Page 43 of 49





Page 44 of 49





Page 45 of 49





Page 46 of 49





Page 47 of 49





Page 48 of 49





Page 49 of 49

Report No: 0906105 Date: 2009-06-23





-End of the report-