

P

NOTE: Jawbone's Noise Shield Technology is on by default. Whenever Jawbone is turned on or a call is received or placed,

3 You Are Now Ready To Use Jawbone CALL SOMEONE YOU WANT TO IMPRESS!

3 You Are Now Ready To Use Jawbone

ENTER PASSKEY 0000

"SEARCH FOR NEW DEVICES"

IN YOUR BLUETOOTH MENU,

PRESS JAWBONE POWER BUTTON FOR THREE SECONDS

2 Pair

JAWBONE FOR 20 MINUTES


1 Charge

Get Going Quick

## Quick Start Guide

JAWBONE


### Box Contents



- A Jawbone Headset
- B Earloop
- C 6 Earbuds
- D Talk Button
- E Power Button
- F Voice Activity Sensor

- G USB Charger
- H Wall Charger

### 1 Charging



- You can charge your Jawbone headset via the wall charger, or via USB on your computer.
- Place the Jawbone headset in the socket with the JAWBONE logo facing upward.

- Charge the battery fully on first use.
- Charge time is 2 hours.
- The indicator light is RED while headset is charging.
- The Indicator light is WHITE when the headset is fully charged.
- The indicator light flashes RED when the battery is low.

### 2 Pairing

- Your Jawbone headset automatically goes into pairing mode the first time you turn it on.
- In pairing mode, the indicator light flashes RED & WHITE
- Put your mobile phone in pairing mode (see your mobile phone user manual).
- Enter passkey 0000

- To manually put your headset in pairing mode, hold down the power button for 6 seconds until the indicator light flashes RED & WHITE.
- Pairing mode lasts for 3 minutes, or until successful pairing.

### 3 Fit

- Place the earloop (additional text TBA).
- The Jawbone headset includes 6 different earbuds to maximize comfort. Try each to find the one that is best for you.

- Jawbone's patented Noise Shield requires contact with your face. Make sure the Voice Activity Sensor (VAS) is touching your skin.

### 4 Talk

- Turn the Jawbone headset ON or OFF by pressing the Power button for 3 seconds.
- To ANSWER A CALL, press the Talk button.

- To REJECT A CALL, press the Power button while your phone is ringing.
- To CHANGE THE VOLUME during a call, press the Power button to cycle through the 5 volume levels.
- To TURN NOISE SHIELD OFF or back on during a call, press the Power button for 3 seconds.

NOTE: Noise Shield is always on by default.

### 5 More

- To RESET THE HEADSET, plug it into a power source and hold down the Talk and Power buttons for 10 seconds.
- To INITIATE VOICE DIALING, press the Talk button when the headset is on, but not during a call and then speak a command.
- To REDIAL THE LAST NUMBER called, press the Talk button twice while the headset is on, but not during a call.

For additional information visit [jawbone.com/support](http://jawbone.com/support)

Y

## **FCC statement in User's Manual (for class B)**

### **"Federal Communications Commission (FCC) Statement**

This Equipment has been tested and found to comply with the limits for a class B digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

### FCC Caution:

- 1.The device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:
  - (1) This device may not cause harmful interference, and
  - (2) this device must accept any interference received, including interference that may cause undesired operation.
- 2.This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter.
3. Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user authority to operate the equipment.

### IC Statement

In addition to the requirements of Section 7.1.5 in RSS-Gen, the device's shall also contain the following or equivalent statement: "Privacy of communications may not be ensured when using this telephone".

If privacy is provided as a standard feature, the privacy notice may be omitted provided that full justification accompanies the equipment certification application for evaluation by Industry Canada.