





BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC80SISO_Ant1_5290




11AC80SISO_Ant1_5530




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC80SISO_Ant1_5610




11AC80SISO_Ant1_5775



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03





MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

Mode	TX Type	Freq. (MHz)	Maximum Conducted Output Power (dBm)		IC Maximum Conducted Output Power (dBm)	Equivalent Isotropically Radiated Power (dBm)		Verdict	Power Setting
			Ant1	Limit	Limit	Ant1	Limit		
802.11a	SISO	5180	12.88	≤24.00	/	14.88	≤22.34	Pass	13
		5200	14.13	≤24.00	/	16.13	≤22.35	Pass	14
		5240	14.41	≤24.00	/	16.41	≤22.33	Pass	14
		5260	14.75	≤24.00	≤23.35	16.75	≤29.35	Pass	14
		5300	14.74	≤24.00	≤23.36	16.74	≤29.36	Pass	14
		5320	14.54	≤24.00	≤23.37	16.54	≤29.37	Pass	14
		5500	13.68	≤24.00	≤23.32	15.68	≤29.32	Pass	14
		5580	9.10	≤24.00	≤23.39	11.1	≤29.39	Pass	14
		5700	10.11	≤24.00	≤23.35	12.11	≤29.35	Pass	14
		5720	10.18	≤24.00	≤22.30	12.18	≤28.30	Pass	14
		5720	10.17	≤30.00	≤30.00	12.17	/	Pass	14
		5745	10.71	≤30.00	≤30.00	12.71	/	Pass	14
		5785	11.02	≤30.00	≤30.00	13.02	/	Pass	14
		5825	11.26	≤30.00	≤30.00	13.26	/	Pass	14
802.11n (HT20)	SISO	5180	11.63	≤24.00	/	13.63	≤22.55	Pass	12
		5200	12.15	≤24.00	/	14.15	≤22.57	Pass	12
		5240	12.52	≤24.00	/	14.52	≤22.53	Pass	12
		5260	12.76	≤24.00	≤23.55	14.76	≤24.00	Pass	12
		5300	12.55	≤24.00	≤23.56	14.55	≤29.56	Pass	12
		5320	12.43	≤24.00	≤23.57	14.43	≤29.57	Pass	12
		5500	12.57	≤24.00	≤23.56	14.57	≤29.56	Pass	12
		5580	8.12	≤24.00	≤23.57	10.12	≤29.57	Pass	12
		5700	9.10	≤24.00	≤23.55	11.10	≤29.55	Pass	12
		5720	9.06	≤24.00	≤22.44	11.06	≤28.44	Pass	12



**BUREAU
VERITAS**

Test Report No.: W7L-P22060025RF03

		5720	9.10	≤30.00	≤30.00	11.1	/	Pass	12
		5745	10.16	≤30.00	≤30.00	12.16	/	Pass	12
		5785	10.75	≤30.00	≤30.00	12.75	/	Pass	12
		5825	10.78	≤30.00	≤30.00	12.78	/	Pass	12
802.11n (HT40)	SISO	5190	9.45	≤24.00	/	11.45	≤23.01	Pass	9
		5230	11.76	≤24.00	/	13.76	≤23.01	Pass	12
		5270	12.02	≤24.00	≤24.00	14.02	≤30.00	Pass	12
		5310	11.64	≤24.00	≤24.00	13.64	≤30.00	Pass	12
		5510	12.43	≤24.00	≤24.00	14.43	≤30.00	Pass	12
		5550	11.16	≤24.00	≤24.00	13.16	≤30.00	Pass	12
		5670	8.27	≤24.00	≤24.00	10.27	≤30.00	Pass	12
		5710	8.56	≤24.00	≤24.00	10.56	≤30.00	Pass	12
		5710	8.60	≤30.00	≤30.00	10.6	/	Pass	12
		5755	9.46	≤30.00	≤30.00	11.46	/	Pass	12
5795	9.99	≤30.00	≤30.00	11.99	/	Pass	12		
802.11ac (VHT20)	SISO	5180	9.81	≤24.00	/	11.81	≤22.55	Pass	10
		5200	10.21	≤24.00	/	12.21	≤22.55	Pass	10
		5240	10.62	≤24.00	/	12.62	≤22.56	Pass	10
		5260	10.77	≤24.00	≤23.57	12.77	≤24.00	Pass	10
		5300	10.62	≤24.00	≤23.56	12.62	≤29.56	Pass	10
		5320	10.62	≤24.00	≤23.58	12.62	≤29.58	Pass	10
		5500	10.83	≤24.00	≤23.55	12.83	≤29.55	Pass	10
		5580	6.02	≤24.00	≤23.57	8.02	≤29.57	Pass	10
		5700	6.92	≤24.00	≤23.59	8.92	≤29.59	Pass	10
		5720	7.12	≤24.00	≤22.46	9.12	≤28.46	Pass	10
		5720	7.35	≤30.00	≤30.00	9.35	/	Pass	10
		5745	8.03	≤30.00	≤30.00	10.03	/	Pass	10
		5785	8.27	≤30.00	≤30.00	10.27	/	Pass	10
		5825	8.82	≤30.00	≤30.00	10.82	/	Pass	10
802.11ac (VHT40)	SISO	5190	8.59	≤24.00	/	10.59	≤23.01	Pass	9
		5230	10.67	≤24.00	/	12.67	≤23.01	Pass	10
		5270	10.63	≤24.00	≤24.00	12.63	≤30.00	Pass	10
		5310	10.67	≤24.00	≤24.00	12.67	≤30.00	Pass	10
		5510	10.63	≤24.00	≤24.00	12.63	≤30.00	Pass	10
		5550	10.44	≤24.00	≤24.00	12.44	≤30.00	Pass	10



		5670	10.63	≤24.00	≤24.00	12.63	≤30.00	Pass	10
		5710	10.64	≤24.00	≤24.00	12.64	≤30.00	Pass	10
		5710	10.65	≤30.00	≤30.00	12.65	/	Pass	10
		5755	10.61	≤30.00	≤30.00	12.61	/	Pass	10
		5795	10.62	≤30.00	≤30.00	12.62	/	Pass	10
802.11ac (VHT80)	SISO	5210	8.23	≤24.00	/	10.23	≤23.01	Pass	7
		5290	10.37	≤24.00	≤24.00	12.37	≤30.00	Pass	10
		5530	10.40	≤24.00	≤24.00	12.40	≤30.00	Pass	10
		5610	10.32	≤24.00	≤24.00	12.32	≤30.00	Pass	10
		5690	10.36	≤24.00	≤24.00	12.36	≤30.00	Pass	10
		5690	10.35	≤30.00	≤30.00	12.35	/	Pass	10
		5775	10.43	≤30.00	≤30.00	12.43	/	Pass	10

Note: 1. Conducted Power=Measured Power +Duty Cycle Factor.

2. EIRP= Conducted Power +Ant Gain; Band1/2/3/4 Gain=2dBi.

MAXIMUM POWER SPECTRAL DENSITY

TEST RESULT

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	EIRP PSD [dBm/MHz]	EIRP PSD Limit[dBm/MHz]	Verdict
11A	Ant1	5180	1.95	≤11.00	3.95	≤10.00	PASS
		5200	2.29	≤11.00	4.29	≤10.00	PASS
		5240	3.81	≤11.00	5.81	≤10.00	PASS
		5260	2.29	≤11.00	4.29	/	PASS
		5300	2.06	≤11.00	4.06	/	PASS
		5320	1.84	≤11.00	3.84	/	PASS
		5500	0.91	≤11.00	2.91	/	PASS
		5580	-5.02	≤11.00	-3.02	/	PASS
		5700	-1.86	≤11.00	0.14	/	PASS
		5745	-2.97	≤30.00	-0.97	≤30.00	PASS
		5785	6.44	≤30.00	8.44	≤30.00	PASS
5825	6.51	≤30.00	8.51	≤30.00	PASS		
11N20SISO	Ant1	5180	8.09	≤11.00	10.09	≤10.00	PASS
		5200	8.03	≤11.00	10.03	≤10.00	PASS
		5240	9.06	≤11.00	11.06	≤10.00	PASS



		5260	-0.84	≤11.00	1.16	/	PASS
		5300	-1.1	≤11.00	0.9	/	PASS
		5320	-1.27	≤11.00	0.73	/	PASS
		5500	-0.94	≤11.00	1.06	/	PASS
		5580	-6.98	≤11.00	-4.98	/	PASS
		5700	-3.91	≤11.00	-1.91	/	PASS
		5745	4.29	≤30.00	6.29	≤30.00	PASS
		5785	4.48	≤30.00	6.48	≤30.00	PASS
		5825	3.95	≤30.00	5.95	≤30.00	PASS
11N40SISO	Ant1	5190	4.68	≤11.00	6.68	≤10.00	PASS
		5230	5.44	≤11.00	7.44	≤10.00	PASS
		5270	-8.55	≤11.00	-6.55	/	PASS
		5310	-8.91	≤11.00	-6.91	/	PASS
		5510	-7.29	≤11.00	-5.29	/	PASS
		5550	-7.26	≤11.00	-5.26	/	PASS
		5670	-10.92	≤11.00	-8.92	/	PASS
		5755	0.94	≤30.00	2.94	≤30.00	PASS
		5795	0.9	≤30.00	2.9	≤30.00	PASS
11AC20SISO	Ant1	5180	6.05	≤11.00	8.05	≤10.00	PASS
		5200	6.07	≤11.00	8.07	≤10.00	PASS
		5240	7.28	≤11.00	9.28	≤10.00	PASS
		5260	-8.07	≤11.00	-6.07	/	PASS
		5300	-8.6	≤11.00	-6.6	/	PASS
		5320	-8.77	≤11.00	-6.77	/	PASS
		5500	-7.77	≤11.00	-5.77	/	PASS
		5580	-8.06	≤11.00	-6.06	/	PASS
		5700	-11.54	≤11.00	-9.54	/	PASS
		5745	2.13	≤30.00	4.13	≤30.00	PASS
		5785	2	≤30.00	4	≤30.00	PASS
		5825	2.04	≤30.00	4.04	≤30.00	PASS
11AC40SISO	Ant1	5190	2.68	≤11.00	4.68	≤10.00	PASS
		5230	3.47	≤11.00	5.47	≤10.00	PASS
		5270	-12.65	≤11.00	-10.65	/	PASS
		5310	-13.01	≤11.00	-11.01	/	PASS
		5510	-10.87	≤11.00	-8.87	/	PASS



		5550	-9.93	≤11.00	-7.93	/	PASS
		5670	-14.18	≤11.00	-12.18	/	PASS
		5755	-1.64	≤30.00	0.36	≤30.00	PASS
		5795	-1.15	≤30.00	0.85	≤30.00	PASS
11AC80SISO	Ant1	5210	2.73	≤11.00	4.73	≤10.00	PASS
		5290	-5.41	≤11.00	-3.41	/	PASS
		5530	-5.87	≤11.00	-3.87	/	PASS
		5610	-11.29	≤11.00	-9.29	/	PASS
		5775	-0.8	≤30.00	1.2	≤30.00	PASS

- Note: 1.The Result and Limit is 10dBm EIRP PSD in the IC band 5.150-5250 GHz
2. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
3. The Duty Cycle Factor and RBW Factor is compensated in the graph.




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03

TEST GRAPHS

11A_Ant1_5180



11A_Ant1_5200



11A_Ant1_5240



BUREAU
VERITAS

Test Report No.: W7L-P22060025RF03



11A_Ant1_5260




11A_Ant1_5300



BUREAU
VERITAS


Test Report No.: W7L-P22060025RF03





BUREAU
VERITAS

Test Report No.: W7L-P22060025RF03



11A_Ant1_5580




11A_Ant1_5700



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11A_Ant1_5745



11A_Ant1_5785



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11A_Ant1_5825




11N20SISO_Ant1_5180



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11N20SISO_Ant1_5200




11N20SISO_Ant1_5240



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11N20SISO_Ant1_5260




11N20SISO_Ant1_5300



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11N20SISO_Ant1_5320



11N20SISO_Ant1_5500



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11N20SISO_Ant1_5745




11N20SISO_Ant1_5785



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11N20SISO_Ant1_5825



11N40SISO_Ant1_5190



BUREAU
VERITAS

Test Report No.: W7L-P22060025RF03



11N40SISO_Ant1_5230



11N40SISO_Ant1_5270



BUREAU
VERITAS

Test Report No.: W7L-P22060025RF03



11N40SISO_Ant1_5310



11N40SISO_Ant1_5510



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11N40SISO_Ant1_5550




11N40SISO_Ant1_5670



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC20SISO_Ant1_5300




11AC20SISO_Ant1_5320



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC20SISO_Ant1_5500



11AC20SISO_Ant1_5580




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC20SISO_Ant1_5700



11AC20SISO_Ant1_5745



BUREAU
VERITAS

Test Report No.: W7L-P22060025RF03



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC40SISO_Ant1_5670



11AC40SISO_Ant1_5755



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5210



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC80SISO_Ant1_5290




11AC80SISO_Ant1_5530



BUREAU
VERITAS

Test Report No.: W7L-P22060025RF03



11AC80SISO_Ant1_5610



11AC80SISO_Ant1_5775



**BUREAU
VERITAS**

Test Report No.: W7L-P22060025RF03





IC 26DB EMISSION MEASUREMENTS

TEST RESULT

TestMode	Antenna	Frequency[MHz]	Result	Limit[dBm]	Verdict
11A	Ant1	5240	seegraph	≤-27	PASS
11n20		5240	seegraph	≤-27	PASS
11n40		5230	seegraph	≤-27	PASS
11ac80		5210	seegraph	≤-27	PASS




BUREAU
VERITAS


Test Report No.: W7L-P22060025RF03

TEST GRAPHS

11A_Ant1_5240



11N20_Ant1_5240




11N40_Ant1_5230



BUREAU
VERITAS

Test Report No.: W7L-P22060025RF03





7 APPENDIX B ACROSS BAND

EMISSION BANDWIDTH TEST RESULT

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5720	21.800	5709.040	5730.840	---	---
		5720_UNII-2C	15.96	5709.040	5725	---	---
		5720_UNII-3	5.84	5725	5730.840	---	---
11N20SISO	Ant1	5720	21.120	5709.480	5730.600	---	---
		5720_UNII-2C	15.52	5709.480	5725	---	---
		5720_UNII-3	5.6	5725	5730.600	---	---
11N40SISO	Ant1	5710	39.120	5690.640	5729.760	---	---
		5710_UNII-2C	34.36	5690.640	5725	---	---
		5710_UNII-3	4.76	5725	5729.760	---	---
11AC20SISO	Ant1	5720	21.240	5709.440	5730.680	---	---
		5720_UNII-2C	15.56	5709.440	5725	---	---
		5720_UNII-3	5.68	5725	5730.680	---	---
11AC40SISO	Ant1	5710	39.360	5690.400	5729.760	---	---
		5710_UNII-2C	34.6	5690.400	5725	---	---
		5710_UNII-3	4.76	5725	5729.760	---	---
11AC80SISO	Ant1	5690	80.480	5650.320	5730.800	---	---
		5690_UNII-2C	74.68	5650.320	5725	---	---
		5690_UNII-3	5.8	5725	5730.800	---	---




BUREAU VERITAS


Test Report No.: W7L-P22060025RF03

TEST GRAPHS

11A_Ant1_5720



11N20SISO_Ant1_5720



11N40SISO_Ant1_5710




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC20SISO_Ant1_5720




11AC40SISO_Ant1_5710




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC80SISO_Ant1_5690





OCCUPIED CHANNEL BANDWIDTH TEST RESULT

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5720	17.109	5711.514	5728.623	---	---
		5720_UNII-2C	13.486	5711.514	5725	---	PASS
		5720_UNII-3	3.623	5725	5728.623	---	PASS
11N20SISO	Ant1	5720	17.968	5711.084	5729.052	---	---
		5720_UNII-2C	13.916	5711.084	5725	---	PASS
		5720_UNII-3	4.052	5725	5729.052	---	PASS
11N40SISO	Ant1	5710	36.169	5692.050	5728.219	---	---
		5710_UNII-2C	32.95	5692.050	5725	---	PASS
		5710_UNII-3	3.219	5725	5728.219	---	PASS
11AC20SISO	Ant1	5720	18.033	5711.019	5729.052	---	---
		5720_UNII-2C	13.981	5711.019	5725	---	PASS
		5720_UNII-3	4.052	5725	5729.052	---	PASS
11AC40SISO	Ant1	5710	36.248	5691.960	5728.208	---	---
		5710_UNII-2C	33.04	5691.960	5725	---	PASS
		5710_UNII-3	3.208	5725	5728.208	---	PASS
11AC80SISO	Ant1	5690	75.512	5652.719	5728.231	---	---
		5690_UNII-2C	72.281	5652.719	5725	---	PASS
		5690_UNII-3	3.231	5725	5728.231	---	PASS



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03


TEST GRAPHS






BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC20SISO_Ant1_5720




11AC40SISO_Ant1_5710



BUREAU
VERITAS

Test Report No.: W7L-P22060025RF03



11AC80SISO_Ant1_5690





MIN EMISSION BANDWIDTH

TEST RESULT B4

TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5720_UNII-3	3.12	5725	5728.120	0.5	PASS
11N20SISO	Ant1	5720_UNII-3	3.36	5725	5728.360	0.5	PASS
11N40SISO	Ant1	5710_UNII-3	2.76	5725	5727.760	0.5	PASS
11AC20SISO	Ant1	5720_UNII-3	3.52	5725	5728.520	0.5	PASS
11AC40SISO	Ant1	5710_UNII-3	2.76	5725	5727.760	0.5	PASS
11AC80SISO	Ant1	5690_UNII-3	2.6	5725	5727.600	0.5	PASS



BUREAU VERITAS


Test Report No.: W7L-P22060025RF03

TEST GRAPHS B4

11A_Ant1_5720_UNII-3



11N20SISO_Ant1_5720_UNII-3




11N40SISO_Ant1_5710_UNII-3




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC20SISO_Ant1_5720_UNII-3




11AC40SISO_Ant1_5710_UNII-3




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC80SISO_Ant1_5690_UNII-3





DUTY CYCLE

TEST RESULT


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	Ant1	5720	1.40	1.44	97.22
11N20SISO	Ant1	5720	1.31	1.35	97.04
11N40SISO	Ant1	5710	0.34	0.38	89.47
11AC20SISO	Ant1	5720	1.31	1.36	96.32
11AC40SISO	Ant1	5710	0.34	0.39	87.18
11AC80SISO	Ant1	5690	0.11	0.15	73.33



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03


TEST GRAPHS






BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC20SISO_Ant1_5720




11AC40SISO_Ant1_5710




BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11AC80SISO_Ant1_5690





MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5720_UNII-2C	-1.55	≤11.00	PASS
		5720_UNII-3	-8.03	≤30.00	PASS
11N20SISO	Ant1	5720_UNII-2C	-4.24	≤11.00	PASS
		5720_UNII-3	-10.88	≤30.00	PASS
11N40SISO	Ant1	5710_UNII-2C	-6.94	≤11.00	PASS
		5710_UNII-3	-13.07	≤30.00	PASS
11AC20SISO	Ant1	5720_UNII-2C	-6.5	≤11.00	PASS
		5720_UNII-3	-12.82	≤30.00	PASS
11AC40SISO	Ant1	5710_UNII-2C	-9.06	≤11.00	PASS
		5710_UNII-3	-15.09	≤30.00	PASS
11AC80SISO	Ant1	5690_UNII-2C	-8.91	≤11.00	PASS
		5690_UNII-3	-13.47	≤30.00	PASS

- Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03

TEST GRAPHS

11A_Ant1_5720_UNII-2C



11A_Ant1_5720_UNII-3




11N20SISO_Ant1_5720_UNII-2C



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11N20SISO_Ant1_5720_UNII-3




11N40SISO_Ant1_5710_UNII-2C



BUREAU VERITAS

Test Report No.: W7L-P22060025RF03



11N40SISO_Ant1_5710_UNII-3



11AC20SISO_Ant1_5720_UNII-2C