



Mode	36																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																													
ANT	SISO																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.10</td> <td>50.72</td> <td>68.30</td> <td>-17.58</td> <td>39.92</td> <td>34.98</td> <td>8.32</td> <td>32.50</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>49.23</td> <td>68.60</td> <td>-19.37</td> <td>38.34</td> <td>34.99</td> <td>8.40</td> <td>32.50</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.65</td> <td>54.06</td> <td>106.50</td> <td>-52.44</td> <td>42.94</td> <td>35.02</td> <td>8.60</td> <td>32.50</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>54.74</td> <td>110.91</td> <td>-56.17</td> <td>43.55</td> <td>35.03</td> <td>8.66</td> <td>32.50</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5630.10	50.72	68.30	-17.58	39.92	34.98	8.32	32.50	100	276	PEAK	2	5650.40	49.23	68.60	-19.37	38.34	34.99	8.40	32.50	100	276	PEAK	3	5704.65	54.06	106.50	-52.44	42.94	35.02	8.60	32.50	100	276	PEAK	4	5720.05	54.74	110.91	-56.17	43.55	35.03	8.66	32.50	100	276	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>93.33</td> <td>-----</td> <td>-----</td> <td>81.91</td> <td>35.06</td> <td>8.86</td> <td>32.50</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	93.33	-----	-----	81.91	35.06	8.86	32.50	100	276	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5630.10	50.72	68.30	-17.58	39.92	34.98	8.32	32.50	100	276	PEAK																																																																																																			
2	5650.40	49.23	68.60	-19.37	38.34	34.99	8.40	32.50	100	276	PEAK																																																																																																			
3	5704.65	54.06	106.50	-52.44	42.94	35.02	8.60	32.50	100	276	PEAK																																																																																																			
4	5720.05	54.74	110.91	-56.17	43.55	35.03	8.66	32.50	100	276	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5775.00	93.33	-----	-----	81.91	35.06	8.86	32.50	100	276	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>87.57</td> <td>-----</td> <td>-----</td> <td>76.15</td> <td>35.06</td> <td>8.86</td> <td>32.50</td> <td>100</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	87.57	-----	-----	76.15	35.06	8.86	32.50	100	276	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5775.00	87.57	-----	-----	76.15	35.06	8.86	32.50	100	276	AVERAGE																																																																																																			





Mode	36																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																									
ANT	SISO																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5775 to 5950 MHz. A red line represents the limit, and a blue line represents the signal. The signal is well below the limit. A peak is labeled 'PEAK_BE(B4)_16-24'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>53.55</td> <td>110.86</td> <td>-57.31</td> <td>42.07</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.58</td> <td>52.36</td> <td>105.32</td> <td>-52.96</td> <td>40.89</td> <td>35.12</td> <td>8.85</td> <td>32.50</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.98</td> <td>50.23</td> <td>68.22</td> <td>-17.99</td> <td>38.78</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.95</td> <td>52.09</td> <td>68.30</td> <td>-16.21</td> <td>40.65</td> <td>35.16</td> <td>8.78</td> <td>32.50</td> <td>100</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.98	53.55	110.86	-57.31	42.07	35.11	8.87	32.50	100	276	PEAK	2	5874.58	52.36	105.32	-52.96	40.89	35.12	8.85	32.50	100	276	PEAK	3	5924.98	50.23	68.22	-17.99	38.78	35.16	8.79	32.50	100	276	PEAK	4	5934.95	52.09	68.30	-16.21	40.65	35.16	8.78	32.50	100	276	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.98	53.55	110.86	-57.31	42.07	35.11	8.87	32.50	100	276	PEAK																																																															
2	5874.58	52.36	105.32	-52.96	40.89	35.12	8.85	32.50	100	276	PEAK																																																															
3	5924.98	50.23	68.22	-17.99	38.78	35.16	8.79	32.50	100	276	PEAK																																																															
4	5934.95	52.09	68.30	-16.21	40.65	35.16	8.78	32.50	100	276	PEAK																																																															





Mode	36																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																	
ANT	SISO																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>47.66</td> <td>74.00</td> <td>-26.34</td> <td>56.03</td> <td>37.84</td> <td>11.48</td> <td>57.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>45.73</td> <td>68.30</td> <td>-22.57</td> <td>49.97</td> <td>40.41</td> <td>13.19</td> <td>57.84</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11550.00	47.66	74.00	-26.34	56.03	37.84	11.48	57.69	--	--	Peak	2	17325.00	45.73	68.30	-22.57	49.97	40.41	13.19	57.84	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>47.45</td> <td>74.00</td> <td>-26.55</td> <td>55.82</td> <td>37.84</td> <td>11.48</td> <td>57.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>47.87</td> <td>68.30</td> <td>-20.43</td> <td>52.11</td> <td>40.41</td> <td>13.19</td> <td>57.84</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11550.00	47.45	74.00	-26.55	55.82	37.84	11.48	57.69	--	--	Peak	2	17325.00	47.87	68.30	-20.43	52.11	40.41	13.19	57.84	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11550.00	47.66	74.00	-26.34	56.03	37.84	11.48	57.69	--	--	Peak																																																																																							
2	17325.00	45.73	68.30	-22.57	49.97	40.41	13.19	57.84	--	--	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11550.00	47.45	74.00	-26.55	55.82	37.84	11.48	57.69	--	--	Peak																																																																																							
2	17325.00	47.87	68.30	-20.43	52.11	40.41	13.19	57.84	--	--	Peak																																																																																							

Note: Only the worst case has assessed 18G ~40GHz to test.



Mode	37																																																																																																																																																																									
	LF																																																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CHLF_5310MHz																																																																																																																																																																									
ANT	SISO																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
Peak	 <p>Date: 2024-06-18 FCC CLASS-B -6dB</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>113.42</td><td>19.88</td><td>43.50</td><td>-23.62</td><td>37.52</td><td>16.00</td><td>1.13</td><td>34.77</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>142.52</td><td>21.81</td><td>43.50</td><td>-21.69</td><td>36.93</td><td>18.35</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>287.05</td><td>23.91</td><td>46.00</td><td>-22.09</td><td>38.06</td><td>18.72</td><td>1.76</td><td>34.63</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>349.13</td><td>25.91</td><td>46.00</td><td>-20.09</td><td>38.37</td><td>20.20</td><td>1.94</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>695.42</td><td>26.71</td><td>46.00</td><td>-19.29</td><td>31.30</td><td>27.02</td><td>2.80</td><td>34.41</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>948.59</td><td>31.41</td><td>46.00</td><td>-14.59</td><td>32.71</td><td>29.74</td><td>3.26</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	113.42	19.88	43.50	-23.62	37.52	16.00	1.13	34.77	--	--	Peak	2	142.52	21.81	43.50	-21.69	36.93	18.35	1.25	34.72	--	--	Peak	3	287.05	23.91	46.00	-22.09	38.06	18.72	1.76	34.63	--	--	Peak	4	349.13	25.91	46.00	-20.09	38.37	20.20	1.94	34.60	--	--	Peak	5	695.42	26.71	46.00	-19.29	31.30	27.02	2.80	34.41	--	--	Peak	6	948.59	31.41	46.00	-14.59	32.71	29.74	3.26	34.30	--	--	Peak	 <p>Date: 2024-06-18 FCC CLASS-B -6dB</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>33.88</td><td>23.98</td><td>40.00</td><td>-16.02</td><td>39.82</td><td>18.46</td><td>0.57</td><td>34.87</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>141.55</td><td>23.03</td><td>43.50</td><td>-20.47</td><td>38.23</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>198.78</td><td>20.84</td><td>43.50</td><td>-22.66</td><td>38.01</td><td>16.05</td><td>1.48</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>448.07</td><td>22.62</td><td>46.00</td><td>-23.38</td><td>32.19</td><td>22.70</td><td>2.23</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>783.69</td><td>29.09</td><td>46.00</td><td>-16.91</td><td>32.66</td><td>27.76</td><td>3.00</td><td>34.33</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>948.59</td><td>30.69</td><td>46.00</td><td>-15.31</td><td>31.99</td><td>29.74</td><td>3.26</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	33.88	23.98	40.00	-16.02	39.82	18.46	0.57	34.87	--	--	Peak	2	141.55	23.03	43.50	-20.47	38.23	18.27	1.25	34.72	--	--	Peak	3	198.78	20.84	43.50	-22.66	38.01	16.05	1.48	34.70	--	--	Peak	4	448.07	22.62	46.00	-23.38	32.19	22.70	2.23	34.50	--	--	Peak	5	783.69	29.09	46.00	-16.91	32.66	27.76	3.00	34.33	--	--	Peak	6	948.59	30.69	46.00	-15.31	31.99	29.74	3.26	34.30	--	--	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																														
1	113.42	19.88	43.50	-23.62	37.52	16.00	1.13	34.77	--	--	Peak																																																																																																																																																															
2	142.52	21.81	43.50	-21.69	36.93	18.35	1.25	34.72	--	--	Peak																																																																																																																																																															
3	287.05	23.91	46.00	-22.09	38.06	18.72	1.76	34.63	--	--	Peak																																																																																																																																																															
4	349.13	25.91	46.00	-20.09	38.37	20.20	1.94	34.60	--	--	Peak																																																																																																																																																															
5	695.42	26.71	46.00	-19.29	31.30	27.02	2.80	34.41	--	--	Peak																																																																																																																																																															
6	948.59	31.41	46.00	-14.59	32.71	29.74	3.26	34.30	--	--	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																															
1	33.88	23.98	40.00	-16.02	39.82	18.46	0.57	34.87	--	--	Peak																																																																																																																																																															
2	141.55	23.03	43.50	-20.47	38.23	18.27	1.25	34.72	--	--	Peak																																																																																																																																																															
3	198.78	20.84	43.50	-22.66	38.01	16.05	1.48	34.70	--	--	Peak																																																																																																																																																															
4	448.07	22.62	46.00	-23.38	32.19	22.70	2.23	34.50	--	--	Peak																																																																																																																																																															
5	783.69	29.09	46.00	-16.91	32.66	27.76	3.00	34.33	--	--	Peak																																																																																																																																																															
6	948.59	30.69	46.00	-15.31	31.99	29.74	3.26	34.30	--	--	Peak																																																																																																																																																															



Mode	38																																																																																																																																																																																																	
	LF																																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CHLF_5775MHz																																																																																																																																																																																																	
ANT	SISO																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
Peak	 <p>Date: 2024-06-18 FCC CLASS-B -6dB</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>47.46</td><td>21.37</td><td>40.00</td><td>-18.63</td><td>36.06</td><td>19.62</td><td>0.69</td><td>35.00</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>143.49</td><td>23.41</td><td>43.50</td><td>-20.09</td><td>38.44</td><td>18.43</td><td>1.26</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>198.78</td><td>22.67</td><td>43.50</td><td>-20.83</td><td>39.84</td><td>16.05</td><td>1.48</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>349.13</td><td>25.89</td><td>46.00</td><td>-20.11</td><td>38.35</td><td>20.20</td><td>1.94</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>741.98</td><td>29.50</td><td>46.00</td><td>-16.50</td><td>33.46</td><td>27.51</td><td>2.93</td><td>34.40</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>869.05</td><td>31.12</td><td>46.00</td><td>-14.88</td><td>33.57</td><td>28.73</td><td>3.12</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	47.46	21.37	40.00	-18.63	36.06	19.62	0.69	35.00	--	--	Peak	2	143.49	23.41	43.50	-20.09	38.44	18.43	1.26	34.72	--	--	Peak	3	198.78	22.67	43.50	-20.83	39.84	16.05	1.48	34.70	--	--	Peak	4	349.13	25.89	46.00	-20.11	38.35	20.20	1.94	34.60	--	--	Peak	5	741.98	29.50	46.00	-16.50	33.46	27.51	2.93	34.40	--	--	Peak	6	869.05	31.12	46.00	-14.88	33.57	28.73	3.12	34.30	--	--	Peak	 <p>Date: 2024-06-18 FCC CLASS-B -6dB</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>33.88</td><td>26.20</td><td>40.00</td><td>-13.80</td><td>42.04</td><td>18.46</td><td>0.57</td><td>34.87</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>140.58</td><td>23.85</td><td>43.50</td><td>-19.65</td><td>39.13</td><td>18.20</td><td>1.24</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>194.90</td><td>23.34</td><td>43.50</td><td>-20.16</td><td>40.29</td><td>16.28</td><td>1.47</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>282.20</td><td>22.09</td><td>46.00</td><td>-23.91</td><td>36.42</td><td>18.57</td><td>1.74</td><td>34.64</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>601.33</td><td>26.99</td><td>46.00</td><td>-19.01</td><td>32.89</td><td>26.09</td><td>2.61</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>933.07</td><td>30.17</td><td>46.00</td><td>-15.83</td><td>31.87</td><td>29.38</td><td>3.22</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	33.88	26.20	40.00	-13.80	42.04	18.46	0.57	34.87	--	--	Peak	2	140.58	23.85	43.50	-19.65	39.13	18.20	1.24	34.72	--	--	Peak	3	194.90	23.34	43.50	-20.16	40.29	16.28	1.47	34.70	--	--	Peak	4	282.20	22.09	46.00	-23.91	36.42	18.57	1.74	34.64	--	--	Peak	5	601.33	26.99	46.00	-19.01	32.89	26.09	2.61	34.60	--	--	Peak	6	933.07	30.17	46.00	-15.83	31.87	29.38	3.22	34.30	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
1	47.46	21.37	40.00	-18.63	36.06	19.62	0.69	35.00	--	--	Peak																																																																																																																																																																																							
2	143.49	23.41	43.50	-20.09	38.44	18.43	1.26	34.72	--	--	Peak																																																																																																																																																																																							
3	198.78	22.67	43.50	-20.83	39.84	16.05	1.48	34.70	--	--	Peak																																																																																																																																																																																							
4	349.13	25.89	46.00	-20.11	38.35	20.20	1.94	34.60	--	--	Peak																																																																																																																																																																																							
5	741.98	29.50	46.00	-16.50	33.46	27.51	2.93	34.40	--	--	Peak																																																																																																																																																																																							
6	869.05	31.12	46.00	-14.88	33.57	28.73	3.12	34.30	--	--	Peak																																																																																																																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
1	33.88	26.20	40.00	-13.80	42.04	18.46	0.57	34.87	--	--	Peak																																																																																																																																																																																							
2	140.58	23.85	43.50	-19.65	39.13	18.20	1.24	34.72	--	--	Peak																																																																																																																																																																																							
3	194.90	23.34	43.50	-20.16	40.29	16.28	1.47	34.70	--	--	Peak																																																																																																																																																																																							
4	282.20	22.09	46.00	-23.91	36.42	18.57	1.74	34.64	--	--	Peak																																																																																																																																																																																							
5	601.33	26.99	46.00	-19.01	32.89	26.09	2.61	34.60	--	--	Peak																																																																																																																																																																																							
6	933.07	30.17	46.00	-15.83	31.87	29.38	3.22	34.30	--	--	Peak																																																																																																																																																																																							



39																																																																			
Band Edge - L																																																																			
Co-location_5.25-5.35_802.11n HT40_CH62_5310MHz+LTE B13																																																																			
ANT -																																																																			
Pol.	Horizontal																																																																		
Mode	Fundamental																																																																		
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5108.19</td> <td>50.57</td> <td>74.00</td> <td>-23.43</td> <td>40.75</td> <td>34.59</td> <td>7.89</td> <td>32.66</td> <td>100</td> <td>204</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>93.54</td> <td>68.30</td> <td>25.24</td> <td>83.14</td> <td>34.75</td> <td>8.22</td> <td>32.57</td> <td>100</td> <td>204</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5108.19	50.57	74.00	-23.43	40.75	34.59	7.89	32.66	100	204	PEAK	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5310.00	93.54	68.30	25.24	83.14	34.75	8.22	32.57	100	204	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																													
1	5108.19	50.57	74.00	-23.43	40.75	34.59	7.89	32.66	100	204	PEAK																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																													
1	5310.00	93.54	68.30	25.24	83.14	34.75	8.22	32.57	100	204	PEAK																																																								
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.36</td> <td>41.54</td> <td>54.00</td> <td>-12.46</td> <td>31.66</td> <td>34.61</td> <td>7.91</td> <td>32.64</td> <td>100</td> <td>204</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>87.13</td> <td>-----</td> <td>-----</td> <td>76.73</td> <td>34.75</td> <td>8.22</td> <td>32.57</td> <td>100</td> <td>204</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5141.36	41.54	54.00	-12.46	31.66	34.61	7.91	32.64	100	204	AVERAGE	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5310.00	87.13	-----	-----	76.73	34.75	8.22	32.57	100	204	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																													
1	5141.36	41.54	54.00	-12.46	31.66	34.61	7.91	32.64	100	204	AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																													
1	5310.00	87.13	-----	-----	76.73	34.75	8.22	32.57	100	204	AVERAGE																																																								



Mode	39																																					
	Band Edge - R																																					
	Co-location_ 5.25-5.35_ 802.11n HT40_ CH62_ 5310MHz+LTE B13																																					
ANT	SISO																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.35</td> <td>55.80</td> <td>74.00</td> <td>-18.20</td> <td>45.25</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>100</td> <td>204</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5350.35	55.80	74.00	-18.20	45.25	34.78	8.33	32.56	100	204	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																															
1	5350.35	55.80	74.00	-18.20	45.25	34.78	8.33	32.56	100	204	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>44.45</td> <td>54.00</td> <td>-9.55</td> <td>33.90</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> <td>100</td> <td>204</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5350.20	44.45	54.00	-9.55	33.90	34.78	8.33	32.56	100	204	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																															
1	5350.20	44.45	54.00	-9.55	33.90	34.78	8.33	32.56	100	204	AVERAGE																											



Mode	39																																																																																	
	Band Edge - L																																																																																	
	Co-location_5.25-5.35_802.11n HT40_CH62_5310MHz+LTE B13																																																																																	
ANT	SISO																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5093.62</td> <td>50.08</td> <td>74.00</td> <td>-23.92</td> <td>40.28</td> <td>34.58</td> <td>7.88</td> <td>32.66</td> <td>108</td> <td>227 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5093.62	50.08	74.00	-23.92	40.28	34.58	7.88	32.66	108	227 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>101.36</td> <td>68.30</td> <td>33.06</td> <td>90.95</td> <td>34.75</td> <td>8.23</td> <td>32.57</td> <td>108</td> <td>227 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5310.00	101.36	68.30	33.06	90.95	34.75	8.23	32.57	108	227 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5093.62	50.08	74.00	-23.92	40.28	34.58	7.88	32.66	108	227 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5310.00	101.36	68.30	33.06	90.95	34.75	8.23	32.57	108	227 PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5071.92</td> <td>41.58</td> <td>54.00</td> <td>-12.42</td> <td>31.82</td> <td>34.56</td> <td>7.87</td> <td>32.67</td> <td>108</td> <td>227 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5071.92	41.58	54.00	-12.42	31.82	34.56	7.87	32.67	108	227 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>95.23</td> <td>-----</td> <td>-----</td> <td>84.82</td> <td>34.75</td> <td>8.23</td> <td>32.57</td> <td>108</td> <td>227 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5310.00	95.23	-----	-----	84.82	34.75	8.23	32.57	108	227 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5071.92	41.58	54.00	-12.42	31.82	34.56	7.87	32.67	108	227 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5310.00	95.23	-----	-----	84.82	34.75	8.23	32.57	108	227 AVERAGE																																																																								



Mode	39																																									
	Band Edge - R																																									
	Co-location_5.25-5.35_802.11n HT40_CH62_5310MHz+LTE B13																																									
ANT	SISO																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.95</td> <td>60.86</td> <td>74.00</td> <td>-13.14</td> <td>50.31</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>108 227 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.95	60.86	74.00	-13.14	50.31	34.78	8.33	32.56								108 227 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																			
1 5350.95	60.86	74.00	-13.14	50.31	34.78	8.33	32.56																																			
							108 227 PEAK																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.80</td> <td>52.92</td> <td>54.00</td> <td>-1.08</td> <td>42.37</td> <td>34.78</td> <td>8.33</td> <td>32.56</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>108 227 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.80	52.92	54.00	-1.08	42.37	34.78	8.33	32.56								108 227 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																			
1 5350.80	52.92	54.00	-1.08	42.37	34.78	8.33	32.56																																			
							108 227 AVERAGE																																			



Mode	39																																																																																																	
	Harmonic																																																																																																	
	Co-location_5.25-5.35_802.11n HT40_CH62_5310MHz+LTE B13																																																																																																	
ANT	SISO																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Data: 5 Date: 2024-06-18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>46.17</td> <td>-27.83</td> <td>74.00</td> <td>56.43</td> <td>37.52</td> <td>10.93</td> <td>58.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>47.24</td> <td>-26.76</td> <td>74.00</td> <td>54.63</td> <td>39.24</td> <td>12.70</td> <td>59.33</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Level	Loss	Factor	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	10620.00	46.17	-27.83	74.00	56.43	37.52	10.93	58.71	---	---	Peak	2	15930.00	47.24	-26.76	74.00	54.63	39.24	12.70	59.33	---	---	Peak	<p>Data: 6 Date: 2024-06-18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>46.74</td> <td>-27.26</td> <td>74.00</td> <td>57.00</td> <td>37.52</td> <td>10.93</td> <td>58.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>46.38</td> <td>-27.62</td> <td>74.00</td> <td>53.77</td> <td>39.24</td> <td>12.70</td> <td>59.33</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Level	Loss	Factor	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	10620.00	46.74	-27.26	74.00	57.00	37.52	10.93	58.71	---	---	Peak	2	15930.00	46.38	-27.62	74.00	53.77	39.24	12.70	59.33	---	---	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																										
Freq	Level	Limit	Level	Level	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																											
1	10620.00	46.17	-27.83	74.00	56.43	37.52	10.93	58.71	---	---	Peak																																																																																							
2	15930.00	47.24	-26.76	74.00	54.63	39.24	12.70	59.33	---	---	Peak																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Limit	Level	Level	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																											
1	10620.00	46.74	-27.26	74.00	57.00	37.52	10.93	58.71	---	---	Peak																																																																																							
2	15930.00	46.38	-27.62	74.00	53.77	39.24	12.70	59.33	---	---	Peak																																																																																							


Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.97	1.391	0.719	1KHz
802.11n HT20	96.77	1.304	0.767	1KHz
802.11n HT40	93.73	0.649	1.540	3KHz
802.11ac VHT80	88.54	0.325	3.080	10KHz

802.11a






802.11n HT20



802.11n HT40





802.11ac VHT80

