



Mode	18																																																																	
	Harmonic																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																	
ANT	SISO																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11400.00 49.05 74.00 -24.95</td> <td>46.87</td> <td>38.12</td> <td>14.78</td> <td>50.72</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 17100.00 49.62 68.30 -18.68</td> <td>41.89</td> <td>42.00</td> <td>17.53</td> <td>51.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	dB	dB	cm	deg		1 11400.00 49.05 74.00 -24.95	46.87	38.12	14.78	50.72	---	---	Peak	2 17100.00 49.62 68.30 -18.68	41.89	42.00	17.53	51.80	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11400.00 48.88 74.00 -25.12</td> <td>46.70</td> <td>38.12</td> <td>14.78</td> <td>50.72</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 17100.00 49.86 68.30 -18.44</td> <td>42.13</td> <td>42.00</td> <td>17.53</td> <td>51.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	dB	dB	cm	deg		1 11400.00 48.88 74.00 -25.12	46.70	38.12	14.78	50.72	---	---	Peak	2 17100.00 49.86 68.30 -18.44	42.13	42.00	17.53	51.80	---	---	Peak
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	dB	dB	cm	deg																																																												
1 11400.00 49.05 74.00 -24.95	46.87	38.12	14.78	50.72	---	---	Peak																																																											
2 17100.00 49.62 68.30 -18.68	41.89	42.00	17.53	51.80	---	---	Peak																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	dB	dB	cm	deg																																																												
1 11400.00 48.88 74.00 -25.12	46.70	38.12	14.78	50.72	---	---	Peak																																																											
2 17100.00 49.86 68.30 -18.44	42.13	42.00	17.53	51.80	---	---	Peak																																																											







Mode	19																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																																															
ANT	SISO																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.06</td> <td>58.01</td> <td>74.00</td> <td>-15.99</td> <td>43.83</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>354</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.06	58.01	74.00	-15.99	43.83	34.87	11.09	31.78	354	266	PEAK	<p style="text-align: right;">Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>96.83</td> <td>-----</td> <td>-----</td> <td>82.74</td> <td>34.86</td> <td>11.06</td> <td>31.83</td> <td>354</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	96.83	-----	-----	82.74	34.86	11.06	31.83	354	266	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.06	58.01	74.00	-15.99	43.83	34.87	11.09	31.78	354	266	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5190.00	96.83	-----	-----	82.74	34.86	11.06	31.83	354	266	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.83</td> <td>48.15</td> <td>54.00</td> <td>-5.85</td> <td>33.97</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>354</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.83	48.15	54.00	-5.85	33.97	34.87	11.09	31.78	354	266	AVERAGE	<p style="text-align: right;">Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>91.05</td> <td>-----</td> <td>-----</td> <td>76.96</td> <td>34.86</td> <td>11.06</td> <td>31.83</td> <td>354</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	91.05	-----	-----	76.96	34.86	11.06	31.83	354	266	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.83	48.15	54.00	-5.85	33.97	34.87	11.09	31.78	354	266	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5190.00	91.05	-----	-----	76.96	34.86	11.06	31.83	354	266	AVERAGE																																																																					



Mode	19																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																								
ANT	SISO																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5383.19</td> <td>52.64</td> <td>74.00</td> <td>-21.36</td> <td>38.97</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>354</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5383.19	52.64	74.00	-21.36	38.97	34.82	10.92	32.07	354	266	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5383.19	52.64	74.00	-21.36	38.97	34.82	10.92	32.07	354	266	PEAK																														
Avg	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5373.76</td> <td>43.28</td> <td>54.00</td> <td>-10.72</td> <td>29.58</td> <td>34.83</td> <td>10.93</td> <td>32.06</td> <td>354</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5373.76	43.28	54.00	-10.72	29.58	34.83	10.93	32.06	354	266	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5373.76	43.28	54.00	-10.72	29.58	34.83	10.93	32.06	354	266	AVERAGE																														



Mode	19																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																																															
ANT	SISO																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.79</td> <td>62.47</td> <td>74.00</td> <td>-11.53</td> <td>48.29</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>200</td> <td>164</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5146.79	62.47	74.00	-11.53	48.29	34.87	11.09	31.78	200	164	PEAK	 <p style="text-align: right;">Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>99.26</td> <td>-----</td> <td>-----</td> <td>85.15</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>200</td> <td>164</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.26	-----	-----	85.15	34.86	11.07	31.82	200	164	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5146.79	62.47	74.00	-11.53	48.29	34.87	11.09	31.78	200	164	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5190.00	99.26	-----	-----	85.15	34.86	11.07	31.82	200	164	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.82</td> <td>49.92</td> <td>54.00</td> <td>-4.08</td> <td>35.74</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>200</td> <td>164</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.82	49.92	54.00	-4.08	35.74	34.87	11.09	31.78	200	164	AVERAGE	 <p style="text-align: right;">Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>92.94</td> <td>-----</td> <td>-----</td> <td>78.83</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>200</td> <td>164</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	92.94	-----	-----	78.83	34.86	11.07	31.82	200	164	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.82	49.92	54.00	-4.08	35.74	34.87	11.09	31.78	200	164	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5190.00	92.94	-----	-----	78.83	34.86	11.07	31.82	200	164	AVERAGE																																																																					



Mode	19																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																								
ANT	SISO																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.26</td> <td>52.62</td> <td>74.00</td> <td>-21.38</td> <td>38.89</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>200</td> <td>164</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5360.26	52.62	74.00	-21.38	38.89	34.83	10.94	32.04	200	164	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5360.26	52.62	74.00	-21.38	38.89	34.83	10.94	32.04	200	164	PEAK																														
Avg	<p>Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.59</td> <td>43.11</td> <td>54.00</td> <td>-10.89</td> <td>29.37</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>200</td> <td>164</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.59	43.11	54.00	-10.89	29.37	34.83	10.94	32.03	200	164	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5354.59	43.11	54.00	-10.89	29.37	34.83	10.94	32.03	200	164	AVERAGE																														



Mode	20																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11n_HT40_CH46_5230MHz																																																																											
ANT	SISO																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5031.63</td> <td>53.03</td> <td>74.00</td> <td>-20.97</td> <td>38.62</td> <td>34.89</td> <td>11.15</td> <td>31.63</td> <td>304</td> <td>179 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5031.63	53.03	74.00	-20.97	38.62	34.89	11.15	31.63	304	179 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>99.33</td> <td>-----</td> <td>-----</td> <td>85.32</td> <td>34.85</td> <td>11.04</td> <td>31.88</td> <td>304</td> <td>179 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	99.33	-----	-----	85.32	34.85	11.04	31.88	304	179 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5031.63	53.03	74.00	-20.97	38.62	34.89	11.15	31.63	304	179 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5230.00	99.33	-----	-----	85.32	34.85	11.04	31.88	304	179 PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5103.85</td> <td>43.76</td> <td>54.00</td> <td>-10.24</td> <td>29.49</td> <td>34.88</td> <td>11.11</td> <td>31.72</td> <td>304</td> <td>179 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5103.85	43.76	54.00	-10.24	29.49	34.88	11.11	31.72	304	179 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>93.22</td> <td>-----</td> <td>-----</td> <td>79.21</td> <td>34.85</td> <td>11.04</td> <td>31.88</td> <td>304</td> <td>179 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	93.22	-----	-----	79.21	34.85	11.04	31.88	304	179 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5103.85	43.76	54.00	-10.24	29.49	34.88	11.11	31.72	304	179 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5230.00	93.22	-----	-----	79.21	34.85	11.04	31.88	304	179 AVERAGE																																																																			



Mode	20																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																								
ANT	SISO																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.59</td> <td>52.87</td> <td>74.00</td> <td>-21.13</td> <td>39.22</td> <td>34.82</td> <td>10.91</td> <td>32.08</td> <td>304</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5394.59	52.87	74.00	-21.13	39.22	34.82	10.91	32.08	304	179	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5394.59	52.87	74.00	-21.13	39.22	34.82	10.91	32.08	304	179	PEAK																														
Avg	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.15</td> <td>43.86</td> <td>54.00</td> <td>-10.14</td> <td>30.13</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>304</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5359.15	43.86	54.00	-10.14	30.13	34.83	10.94	32.04	304	179	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5359.15	43.86	54.00	-10.14	30.13	34.83	10.94	32.04	304	179	AVERAGE																														



Mode	20																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11n_HT40_CH46_5230MHz																																																																															
ANT	SISO																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.97</td> <td>54.38</td> <td>74.00</td> <td>-19.62</td> <td>40.19</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5142.97	54.38	74.00	-19.62	40.19	34.87	11.09	31.77	100	218	PEAK	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>100.38</td> <td>-----</td> <td>-----</td> <td>86.37</td> <td>34.85</td> <td>11.04</td> <td>31.88</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5230.00	100.38	-----	-----	86.37	34.85	11.04	31.88	100	218	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5142.97	54.38	74.00	-19.62	40.19	34.87	11.09	31.77	100	218	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5230.00	100.38	-----	-----	86.37	34.85	11.04	31.88	100	218	PEAK																																																																					
Avg	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.63</td> <td>43.98</td> <td>54.00</td> <td>-10.02</td> <td>29.80</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5146.63	43.98	54.00	-10.02	29.80	34.87	11.09	31.78	100	218	AVERAGE	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>94.20</td> <td>-----</td> <td>-----</td> <td>80.19</td> <td>34.85</td> <td>11.04</td> <td>31.88</td> <td>100</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5230.00	94.20	-----	-----	80.19	34.85	11.04	31.88	100	218	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5146.63	43.98	54.00	-10.02	29.80	34.87	11.09	31.78	100	218	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5230.00	94.20	-----	-----	80.19	34.85	11.04	31.88	100	218	AVERAGE																																																																					



Mode	20																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																								
ANT	SISO																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5374.35</td> <td>53.30</td> <td>74.00</td> <td>-20.70</td> <td>39.60</td> <td>34.83</td> <td>10.93</td> <td>32.06</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5374.35	53.30	74.00	-20.70	39.60	34.83	10.93	32.06	100	218	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5374.35	53.30	74.00	-20.70	39.60	34.83	10.93	32.06	100	218	PEAK																														
Avg	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.81</td> <td>44.27</td> <td>54.00</td> <td>-9.73</td> <td>30.53</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.81	44.27	54.00	-9.73	30.53	34.83	10.94	32.03	100	218	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5351.81	44.27	54.00	-9.73	30.53	34.83	10.94	32.03	100	218	AVERAGE																														



Mode	21																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11n_HT40_CH54_5270MHz																																																																															
ANT	SISO																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5129.76</td> <td>53.65</td> <td>74.00</td> <td>-20.35</td> <td>39.44</td> <td>34.87</td> <td>11.10</td> <td>31.76</td> <td>306</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5129.76	53.65	74.00	-20.35	39.44	34.87	11.10	31.76	306	179	PEAK	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>100.43</td> <td>-----</td> <td>-----</td> <td>86.49</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>306</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	100.43	-----	-----	86.49	34.85	11.01	31.92	306	179	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5129.76	53.65	74.00	-20.35	39.44	34.87	11.10	31.76	306	179	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5270.00	100.43	-----	-----	86.49	34.85	11.01	31.92	306	179	PEAK																																																																					
Avg	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5046.79</td> <td>44.02</td> <td>54.00</td> <td>-9.98</td> <td>29.64</td> <td>34.89</td> <td>11.14</td> <td>31.65</td> <td>306</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5046.79	44.02	54.00	-9.98	29.64	34.89	11.14	31.65	306	179	AVERAGE	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>94.64</td> <td>-----</td> <td>-----</td> <td>80.70</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>306</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	94.64	-----	-----	80.70	34.85	11.01	31.92	306	179	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5046.79	44.02	54.00	-9.98	29.64	34.89	11.14	31.65	306	179	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5270.00	94.64	-----	-----	80.70	34.85	11.01	31.92	306	179	AVERAGE																																																																					



Mode	21																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																							
ANT	SISO																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.05</td> <td>59.55</td> <td>74.00</td> <td>-14.45</td> <td>45.81</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>306</td> <td>179 PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.05	59.55	74.00	-14.45	45.81	34.83	10.94	32.03	306	179 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5351.05	59.55	74.00	-14.45	45.81	34.83	10.94	32.03	306	179 PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.43</td> <td>46.66</td> <td>54.00</td> <td>-7.34</td> <td>32.92</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>306</td> <td>179 AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.43	46.66	54.00	-7.34	32.92	34.83	10.94	32.03	306	179 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5351.43	46.66	54.00	-7.34	32.92	34.83	10.94	32.03	306	179 AVERAGE																														



		21																																																																																			
Mode	Band Edge - L																																																																																				
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																				
ANT	SISO																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.48</td> <td>53.89</td> <td>74.00</td> <td>-20.11</td> <td>39.71</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>218 PEAK</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.48	53.89	74.00	-20.11	39.71	34.87	11.09	31.78	100	218 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>100.30</td> <td>-----</td> <td>-----</td> <td>86.36</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>100</td> <td>218 PEAK</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	100.30	-----	-----	86.36	34.85	11.01	31.92	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5146.48	53.89	74.00	-20.11	39.71	34.87	11.09	31.78	100	218 PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5270.00	100.30	-----	-----	86.36	34.85	11.01	31.92	100	218 PEAK																																																																											
Avg																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5134.60</td> <td>44.35</td> <td>54.00</td> <td>-9.65</td> <td>30.15</td> <td>34.87</td> <td>11.09</td> <td>31.76</td> <td>100</td> <td>218 AVERAGE</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.60	44.35	54.00	-9.65	30.15	34.87	11.09	31.76	100	218 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>93.58</td> <td>-----</td> <td>-----</td> <td>79.64</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>100</td> <td>218 AVERAGE</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	93.58	-----	-----	79.64	34.85	11.01	31.92	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5134.60	44.35	54.00	-9.65	30.15	34.87	11.09	31.76	100	218 AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5270.00	93.58	-----	-----	79.64	34.85	11.01	31.92	100	218 AVERAGE																																																																											



Mode	21																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																								
ANT	SISO																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.33</td> <td>59.84</td> <td>74.00</td> <td>-14.16</td> <td>46.10</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.33	59.84	74.00	-14.16	46.10	34.83	10.94	32.03	100	218	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5353.33	59.84	74.00	-14.16	46.10	34.83	10.94	32.03	100	218	PEAK																														
Avg	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.80</td> <td>47.54</td> <td>54.00</td> <td>-6.46</td> <td>33.80</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.80	47.54	54.00	-6.46	33.80	34.83	10.94	32.03	100	218	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5351.80	47.54	54.00	-6.46	33.80	34.83	10.94	32.03	100	218	AVERAGE																														







		22																																																																								
Mode	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11n_HT40_CH62_5310MHz																																																																									
ANT	SISO																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5040.49</td> <td>52.48</td> <td>74.00</td> <td>-21.52</td> <td>38.09</td> <td>34.89</td> <td>11.15</td> <td>31.65</td> <td>204 144 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5040.49	52.48	74.00	-21.52	38.09	34.89	11.15	31.65	204 144 PEAK	<p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>96.41</td> <td>-----</td> <td>-----</td> <td>82.56</td> <td>34.84</td> <td>10.98</td> <td>31.97</td> <td>204 144 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5310.00	96.41	-----	-----	82.56	34.84	10.98	31.97	204 144 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5040.49	52.48	74.00	-21.52	38.09	34.89	11.15	31.65	204 144 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5310.00	96.41	-----	-----	82.56	34.84	10.98	31.97	204 144 PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5041.73</td> <td>43.46</td> <td>54.00</td> <td>-10.54</td> <td>29.07</td> <td>34.89</td> <td>11.15</td> <td>31.65</td> <td>204 144 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5041.73	43.46	54.00	-10.54	29.07	34.89	11.15	31.65	204 144 AVERAGE	<p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>89.35</td> <td>-----</td> <td>-----</td> <td>75.50</td> <td>34.84</td> <td>10.98</td> <td>31.97</td> <td>204 144 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5310.00	89.35	-----	-----	75.50	34.84	10.98	31.97	204 144 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5041.73	43.46	54.00	-10.54	29.07	34.89	11.15	31.65	204 144 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5310.00	89.35	-----	-----	75.50	34.84	10.98	31.97	204 144 AVERAGE																																																																		



Mode	22																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																							
ANT	SISO																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.89</td> <td>61.80</td> <td>74.00</td> <td>-12.20</td> <td>48.06</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>204</td> <td>144 PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.89	61.80	74.00	-12.20	48.06	34.83	10.94	32.03	204	144 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5350.89	61.80	74.00	-12.20	48.06	34.83	10.94	32.03	204	144 PEAK																														
Avg	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.29</td> <td>48.39</td> <td>54.00</td> <td>-5.61</td> <td>34.65</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>204</td> <td>144 AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.29	48.39	54.00	-5.61	34.65	34.83	10.94	32.03	204	144 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5350.29	48.39	54.00	-5.61	34.65	34.83	10.94	32.03	204	144 AVERAGE																														



Mode	22																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																															
ANT	SISO																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.18</td> <td>52.43</td> <td>74.00</td> <td>-21.57</td> <td>38.24</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>100</td> <td>217 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.18	52.43	74.00	-21.57	38.24	34.87	11.09	31.77	100	217 PEAK	 <p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>95.69</td> <td>-----</td> <td>-----</td> <td>81.86</td> <td>34.84</td> <td>10.97</td> <td>31.98</td> <td>100</td> <td>217 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.69	-----	-----	81.86	34.84	10.97	31.98	100	217 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5137.18	52.43	74.00	-21.57	38.24	34.87	11.09	31.77	100	217 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5310.00	95.69	-----	-----	81.86	34.84	10.97	31.98	100	217 PEAK																																																																						
Avg	 <p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5043.28</td> <td>43.42</td> <td>54.00</td> <td>-10.58</td> <td>29.03</td> <td>34.89</td> <td>11.15</td> <td>31.65</td> <td>100</td> <td>217 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5043.28	43.42	54.00	-10.58	29.03	34.89	11.15	31.65	100	217 AVERAGE	 <p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>90.21</td> <td>-----</td> <td>-----</td> <td>76.36</td> <td>34.84</td> <td>10.98</td> <td>31.97</td> <td>100</td> <td>217 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	90.21	-----	-----	76.36	34.84	10.98	31.97	100	217 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5043.28	43.42	54.00	-10.58	29.03	34.89	11.15	31.65	100	217 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5310.00	90.21	-----	-----	76.36	34.84	10.98	31.97	100	217 AVERAGE																																																																						



Mode	22																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																								
ANT	SISO																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.09</td> <td>63.89</td> <td>74.00</td> <td>-10.11</td> <td>50.15</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>217</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.09	63.89	74.00	-10.11	50.15	34.83	10.94	32.03	100	217	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5352.09	63.89	74.00	-10.11	50.15	34.83	10.94	32.03	100	217	PEAK																														
Avg	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.01</td> <td>48.42</td> <td>54.00</td> <td>-5.58</td> <td>34.68</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>217</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.01	48.42	54.00	-5.58	34.68	34.83	10.94	32.03	100	217	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.01	48.42	54.00	-5.58	34.68	34.83	10.94	32.03	100	217	AVERAGE																														



Mode	23																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11n_HT40_CH102_5510MHz																																																																						
ANT	SISO																																																																						
Pol.	Horizontal	Fundamental																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.56</td> <td>54.01</td> <td>74.00</td> <td>-19.99</td> <td>40.25</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>100</td> <td>151 PEAK</td> </tr> <tr> <td>2</td> <td>5465.76</td> <td>57.11</td> <td>68.30</td> <td>-11.19</td> <td>43.33</td> <td>34.81</td> <td>11.14</td> <td>32.17</td> <td>100</td> <td>151 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5458.56	54.01	74.00	-19.99	40.25	34.81	11.11	32.16	100	151 PEAK	2	5465.76	57.11	68.30	-11.19	43.33	34.81	11.14	32.17	100	151 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>98.38</td> <td>-----</td> <td>-----</td> <td>84.47</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>100</td> <td>151 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5510.00	98.38	-----	-----	84.47	34.81	11.32	32.22	100	151 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5458.56	54.01	74.00	-19.99	40.25	34.81	11.11	32.16	100	151 PEAK																																																													
2	5465.76	57.11	68.30	-11.19	43.33	34.81	11.14	32.17	100	151 PEAK																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5510.00	98.38	-----	-----	84.47	34.81	11.32	32.22	100	151 PEAK																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>44.66</td> <td>54.00</td> <td>-9.34</td> <td>30.90</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>100</td> <td>151 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5460.00	44.66	54.00	-9.34	30.90	34.81	11.12	32.17	100	151 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>92.05</td> <td>-----</td> <td>-----</td> <td>78.14</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>100</td> <td>151 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5510.00	92.05	-----	-----	78.14	34.81	11.32	32.22	100	151 AVERAGE											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5460.00	44.66	54.00	-9.34	30.90	34.81	11.12	32.17	100	151 AVERAGE																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5510.00	92.05	-----	-----	78.14	34.81	11.32	32.22	100	151 AVERAGE																																																													



Mode	23																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																					
ANT	SISO																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-09-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.75</td> <td>52.06</td> <td>68.30</td> <td>-16.24</td> <td>37.68</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>100 151 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5745.75	52.06	68.30	-16.24	37.68	35.14	11.64	32.40	100 151 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5745.75	52.06	68.30	-16.24	37.68	35.14	11.64	32.40	100 151 PEAK																														



Mode	23																																																																																								
	Band Edge - L																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																								
ANT	SISO																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.92</td> <td>54.75</td> <td>74.00</td> <td>-19.25</td> <td>41.01</td> <td>34.81</td> <td>11.09</td> <td>32.16</td> <td>100</td> <td>77 PEAK</td> </tr> <tr> <td>2</td> <td>5469.92</td> <td>58.69</td> <td>68.30</td> <td>-9.61</td> <td>44.90</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>100</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5453.92	54.75	74.00	-19.25	41.01	34.81	11.09	32.16	100	77 PEAK	2	5469.92	58.69	68.30	-9.61	44.90	34.81	11.16	32.18	100	77 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>98.28</td> <td>-----</td> <td>-----</td> <td>84.37</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>100</td> <td>77 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.28	-----	-----	84.37	34.81	11.32	32.22	100	77 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5453.92	54.75	74.00	-19.25	41.01	34.81	11.09	32.16	100	77 PEAK																																																																															
2	5469.92	58.69	68.30	-9.61	44.90	34.81	11.16	32.18	100	77 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5510.00	98.28	-----	-----	84.37	34.81	11.32	32.22	100	77 PEAK																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.34</td> <td>46.47</td> <td>54.00</td> <td>-7.53</td> <td>32.73</td> <td>34.81</td> <td>11.09</td> <td>32.16</td> <td>100</td> <td>77 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5452.34	46.47	54.00	-7.53	32.73	34.81	11.09	32.16	100	77 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>92.24</td> <td>-----</td> <td>-----</td> <td>78.33</td> <td>34.81</td> <td>11.32</td> <td>32.22</td> <td>100</td> <td>77 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.24	-----	-----	78.33	34.81	11.32	32.22	100	77 AVERAGE											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5452.34	46.47	54.00	-7.53	32.73	34.81	11.09	32.16	100	77 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5510.00	92.24	-----	-----	78.33	34.81	11.32	32.22	100	77 AVERAGE																																																																															



Mode	23																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																					
ANT	SISO																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-09-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5756.74</td> <td>52.03</td> <td>68.30</td> <td>-16.27</td> <td>37.64</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>100 77 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5756.74	52.03	68.30	-16.27	37.64	35.16	11.64	32.41	100 77 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5756.74	52.03	68.30	-16.27	37.64	35.16	11.64	32.41	100 77 PEAK																														



Mode	24																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																						
ANT	SISO																																																																						
Pol.	Horizontal	Fundamental																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.64</td> <td>51.69</td> <td>74.00</td> <td>-22.31</td> <td>38.04</td> <td>34.82</td> <td>10.91</td> <td>32.08</td> <td>100</td> <td>157 PEAK</td> </tr> <tr> <td>2</td> <td>5466.96</td> <td>51.98</td> <td>68.30</td> <td>-16.32</td> <td>38.19</td> <td>34.81</td> <td>11.15</td> <td>32.17</td> <td>100</td> <td>157 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5394.64	51.69	74.00	-22.31	38.04	34.82	10.91	32.08	100	157 PEAK	2	5466.96	51.98	68.30	-16.32	38.19	34.81	11.15	32.17	100	157 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>102.79</td> <td>-----</td> <td>-----</td> <td>88.42</td> <td>35.03</td> <td>11.68</td> <td>32.34</td> <td>100</td> <td>157 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5670.00	102.79	-----	-----	88.42	35.03	11.68	32.34	100	157 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5394.64	51.69	74.00	-22.31	38.04	34.82	10.91	32.08	100	157 PEAK																																																													
2	5466.96	51.98	68.30	-16.32	38.19	34.81	11.15	32.17	100	157 PEAK																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5670.00	102.79	-----	-----	88.42	35.03	11.68	32.34	100	157 PEAK																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.31</td> <td>43.01</td> <td>54.00</td> <td>-10.99</td> <td>29.27</td> <td>34.81</td> <td>11.08</td> <td>32.15</td> <td>100</td> <td>157 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5451.31	43.01	54.00	-10.99	29.27	34.81	11.08	32.15	100	157 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>95.95</td> <td>-----</td> <td>-----</td> <td>81.58</td> <td>35.03</td> <td>11.68</td> <td>32.34</td> <td>100</td> <td>157 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5670.00	95.95	-----	-----	81.58	35.03	11.68	32.34	100	157 AVERAGE											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5451.31	43.01	54.00	-10.99	29.27	34.81	11.08	32.15	100	157 AVERAGE																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5670.00	95.95	-----	-----	81.58	35.03	11.68	32.34	100	157 AVERAGE																																																													



Mode	24																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																					
ANT	SISO																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5730.48</td> <td>59.95</td> <td>68.30</td> <td>-8.35</td> <td>45.57</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>100 157 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5730.48	59.95	68.30	-8.35	45.57	35.12	11.65	32.39	100 157 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5730.48	59.95	68.30	-8.35	45.57	35.12	11.65	32.39	100 157 PEAK																														



Mode	24																																																																														
	Band Edge - L																																																																														
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																														
ANT	SISO																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit Margin</th> <th>Line</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5414.19</td> <td>51.69</td> <td>74.00</td> <td>-22.31</td> <td>38.05</td> <td>34.82</td> <td>10.93</td> <td>32.11</td> <td>301</td> <td>194 PEAK</td> </tr> <tr> <td>2</td> <td>5460.56</td> <td>51.40</td> <td>68.30</td> <td>-16.90</td> <td>37.64</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>301</td> <td>194 PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit Margin	Line	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5414.19	51.69	74.00	-22.31	38.05	34.82	10.93	32.11	301	194 PEAK	2	5460.56	51.40	68.30	-16.90	37.64	34.81	11.12	32.17	301	194 PEAK	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit Margin</th> <th>Line</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>99.68</td> <td>-----</td> <td>-----</td> <td>85.30</td> <td>35.04</td> <td>11.68</td> <td>32.34</td> <td>301</td> <td>194 PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit Margin	Line	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	99.68	-----	-----	85.30	35.04	11.68	32.34	301	194 PEAK
	Freq	Level	Limit Margin	Line	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5414.19	51.69	74.00	-22.31	38.05	34.82	10.93	32.11	301	194 PEAK																																																																					
2	5460.56	51.40	68.30	-16.90	37.64	34.81	11.12	32.17	301	194 PEAK																																																																					
Freq	Level	Limit Margin	Line	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5670.00	99.68	-----	-----	85.30	35.04	11.68	32.34	301	194 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit Margin</th> <th>Line</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.46</td> <td>54.00</td> <td>-11.54</td> <td>28.70</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>301</td> <td>194 AVERAGE</td> </tr> </tbody> </table>	Freq	Level	Limit Margin	Line	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5459.92	42.46	54.00	-11.54	28.70	34.81	11.12	32.17	301	194 AVERAGE	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit Margin</th> <th>Line</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>93.15</td> <td>-----</td> <td>-----</td> <td>78.78</td> <td>35.03</td> <td>11.68</td> <td>32.34</td> <td>301</td> <td>194 AVERAGE</td> </tr> </tbody> </table>	Freq	Level	Limit Margin	Line	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	93.15	-----	-----	78.78	35.03	11.68	32.34	301	194 AVERAGE											
Freq	Level	Limit Margin	Line	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5459.92	42.46	54.00	-11.54	28.70	34.81	11.12	32.17	301	194 AVERAGE																																																																					
Freq	Level	Limit Margin	Line	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5670.00	93.15	-----	-----	78.78	35.03	11.68	32.34	301	194 AVERAGE																																																																					



Mode	24																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																					
ANT	SISO																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-09-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5727.06</td> <td>56.44</td> <td>68.30</td> <td>-11.86</td> <td>42.06</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>301 194 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5727.06	56.44	68.30	-11.86	42.06	35.12	11.65	32.39	301 194 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Level	Factor	Loss Factor			Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5727.06	56.44	68.30	-11.86	42.06	35.12	11.65	32.39	301 194 PEAK																														



Mode	25																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																															
ANT	SISO																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.14</td> <td>53.31</td> <td>74.00</td> <td>-20.69</td> <td>39.12</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>100</td> <td>212</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5143.14	53.31	74.00	-20.69	39.12	34.87	11.09	31.77	100	212	PEAK	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>91.05</td> <td>-----</td> <td>-----</td> <td>77.00</td> <td>34.86</td> <td>11.05</td> <td>31.86</td> <td>100</td> <td>212</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.05	-----	-----	77.00	34.86	11.05	31.86	100	212	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5143.14	53.31	74.00	-20.69	39.12	34.87	11.09	31.77	100	212	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5210.00	91.05	-----	-----	77.00	34.86	11.05	31.86	100	212	PEAK																																																																					
Avg	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.51</td> <td>45.93</td> <td>54.00</td> <td>-8.07</td> <td>31.74</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>100</td> <td>212</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5142.51	45.93	54.00	-8.07	31.74	34.87	11.09	31.77	100	212	AVERAGE	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>84.53</td> <td>-----</td> <td>-----</td> <td>70.50</td> <td>34.86</td> <td>11.04</td> <td>31.87</td> <td>100</td> <td>212</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	84.53	-----	-----	70.50	34.86	11.04	31.87	100	212	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5142.51	45.93	54.00	-8.07	31.74	34.87	11.09	31.77	100	212	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5210.00	84.53	-----	-----	70.50	34.86	11.04	31.87	100	212	AVERAGE																																																																					



Mode	25																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																								
ANT	SISO																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5441.38</td> <td>53.50</td> <td>74.00</td> <td>-20.50</td> <td>39.79</td> <td>34.81</td> <td>11.04</td> <td>32.14</td> <td>100</td> <td>212</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5441.38	53.50	74.00	-20.50	39.79	34.81	11.04	32.14	100	212	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5441.38	53.50	74.00	-20.50	39.79	34.81	11.04	32.14	100	212	PEAK																														
Avg	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.65</td> <td>45.44</td> <td>54.00</td> <td>-8.56</td> <td>31.70</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>212</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.65	45.44	54.00	-8.56	31.70	34.83	10.94	32.03	100	212	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5354.65	45.44	54.00	-8.56	31.70	34.83	10.94	32.03	100	212	AVERAGE																														



Mode	25																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																															
ANT	SISO																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.39</td> <td>56.61</td> <td>74.00</td> <td>-17.39</td> <td>42.43</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>215</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.39	56.61	74.00	-17.39	42.43	34.87	11.09	31.78	100	215	PEAK	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>95.38</td> <td>-----</td> <td>-----</td> <td>81.32</td> <td>34.86</td> <td>11.05</td> <td>31.85</td> <td>100</td> <td>215</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	95.38	-----	-----	81.32	34.86	11.05	31.85	100	215	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5148.39	56.61	74.00	-17.39	42.43	34.87	11.09	31.78	100	215	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5210.00	95.38	-----	-----	81.32	34.86	11.05	31.85	100	215	PEAK																																																																					
Avg	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.44</td> <td>48.98</td> <td>54.00</td> <td>-5.02</td> <td>34.80</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>215</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.44	48.98	54.00	-5.02	34.80	34.87	11.09	31.78	100	215	AVERAGE	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>88.45</td> <td>-----</td> <td>-----</td> <td>74.39</td> <td>34.86</td> <td>11.05</td> <td>31.85</td> <td>100</td> <td>215</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	88.45	-----	-----	74.39	34.86	11.05	31.85	100	215	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.44	48.98	54.00	-5.02	34.80	34.87	11.09	31.78	100	215	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5210.00	88.45	-----	-----	74.39	34.86	11.05	31.85	100	215	AVERAGE																																																																					



Mode	25																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																								
ANT	SISO																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5386.65</td> <td>53.64</td> <td>74.00</td> <td>-20.36</td> <td>39.97</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>100</td> <td>215</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5386.65	53.64	74.00	-20.36	39.97	34.82	10.92	32.07	100	215	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5386.65	53.64	74.00	-20.36	39.97	34.82	10.92	32.07	100	215	PEAK																														
Avg	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5371.38</td> <td>46.48</td> <td>54.00</td> <td>-7.52</td> <td>32.78</td> <td>34.83</td> <td>10.93</td> <td>32.06</td> <td>100</td> <td>215</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5371.38	46.48	54.00	-7.52	32.78	34.83	10.93	32.06	100	215	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5371.38	46.48	54.00	-7.52	32.78	34.83	10.93	32.06	100	215	AVERAGE																														







Mode	26																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																															
ANT	SISO																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5092.39</td> <td>53.25</td> <td>74.00</td> <td>-20.75</td> <td>38.96</td> <td>34.88</td> <td>11.12</td> <td>31.71</td> <td>100</td> <td>213</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5092.39	53.25	74.00	-20.75	38.96	34.88	11.12	31.71	100	213	PEAK	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>93.03</td> <td>-----</td> <td>-----</td> <td>79.18</td> <td>34.84</td> <td>10.98</td> <td>31.97</td> <td>100</td> <td>213</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	93.03	-----	-----	79.18	34.84	10.98	31.97	100	213	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5092.39	53.25	74.00	-20.75	38.96	34.88	11.12	31.71	100	213	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5290.00	93.03	-----	-----	79.18	34.84	10.98	31.97	100	213	PEAK																																																																					
Avg	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5065.40</td> <td>45.68</td> <td>54.00</td> <td>-8.32</td> <td>31.34</td> <td>34.89</td> <td>11.13</td> <td>31.68</td> <td>100</td> <td>213</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5065.40	45.68	54.00	-8.32	31.34	34.89	11.13	31.68	100	213	AVERAGE	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>85.80</td> <td>-----</td> <td>-----</td> <td>71.92</td> <td>34.84</td> <td>10.99</td> <td>31.95</td> <td>100</td> <td>213</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	85.80	-----	-----	71.92	34.84	10.99	31.95	100	213	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5065.40	45.68	54.00	-8.32	31.34	34.89	11.13	31.68	100	213	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5290.00	85.80	-----	-----	71.92	34.84	10.99	31.95	100	213	AVERAGE																																																																					



Mode	26																															
	Band Edge - R																															
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																															
ANT	SISO																															
Pol.	Horizontal	Fundamental																														
Peak	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5351.80</td> <td>56.51</td> <td>74.00</td> <td>-17.49</td> <td>42.77</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>213 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5351.80	56.51	74.00	-17.49	42.77	34.83	10.94	32.03	100	213 PEAK	Blank
Limit Freq	Limit Level	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																								
1 5351.80	56.51	74.00	-17.49	42.77	34.83	10.94	32.03	100	213 PEAK																							
Avg	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5351.97</td> <td>48.54</td> <td>54.00</td> <td>-5.46</td> <td>34.80</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>213 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5351.97	48.54	54.00	-5.46	34.80	34.83	10.94	32.03	100	213 AVERAGE	Blank
Limit Freq	Limit Level	Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																								
1 5351.97	48.54	54.00	-5.46	34.80	34.83	10.94	32.03	100	213 AVERAGE																							



Mode	26																																																																													
	Band Edge - L																																																																													
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																													
ANT	SISO																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	 <p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5073.17</td> <td>52.96</td> <td>74.00</td> <td>-21.04</td> <td>38.63</td> <td>34.89</td> <td>11.13</td> <td>31.69</td> <td>100</td> <td>214 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5073.17	52.96	74.00	-21.04	38.63	34.89	11.13	31.69	100	214 PEAK	 <p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>94.68</td> <td>-----</td> <td>-----</td> <td>80.80</td> <td>34.84</td> <td>10.99</td> <td>31.95</td> <td>100</td> <td>214 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.68	-----	-----	80.80	34.84	10.99	31.95	100	214 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5073.17	52.96	74.00	-21.04	38.63	34.89	11.13	31.69	100	214 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5290.00	94.68	-----	-----	80.80	34.84	10.99	31.95	100	214 PEAK																																																																				
Avg	 <p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.89</td> <td>45.42</td> <td>54.00</td> <td>-8.58</td> <td>31.18</td> <td>34.88</td> <td>11.10</td> <td>31.74</td> <td>100</td> <td>214 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5117.89	45.42	54.00	-8.58	31.18	34.88	11.10	31.74	100	214 AVERAGE	 <p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>87.83</td> <td>-----</td> <td>-----</td> <td>73.96</td> <td>34.84</td> <td>10.99</td> <td>31.96</td> <td>100</td> <td>214 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	87.83	-----	-----	73.96	34.84	10.99	31.96	100	214 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5117.89	45.42	54.00	-8.58	31.18	34.88	11.10	31.74	100	214 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5290.00	87.83	-----	-----	73.96	34.84	10.99	31.96	100	214 AVERAGE																																																																				



Mode	26																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																									
ANT	SISO																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.64</td> <td>58.00</td> <td>74.00</td> <td>-16.00</td> <td>44.26</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>214</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.64	58.00	74.00	-16.00	44.26	34.83	10.94	32.03	100	214	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5351.64	58.00	74.00	-16.00	44.26	34.83	10.94	32.03	100	214	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.47</td> <td>49.65</td> <td>54.00</td> <td>-4.35</td> <td>35.91</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>214</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.47	49.65	54.00	-4.35	35.91	34.83	10.94	32.03	100	214	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5351.47	49.65	54.00	-4.35	35.91	34.83	10.94	32.03	100	214	AVERAGE																															







		27																																																																					
Mode	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																						
ANT	SISO																																																																						
Pol.	Horizontal	Fundamental																																																																					
Peak	<p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.93</td> <td>53.98</td> <td>74.00</td> <td>-20.02</td> <td>40.22</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>100</td> <td>154 PEAK</td> </tr> <tr> <td>2</td> <td>5461.51</td> <td>55.22</td> <td>68.30</td> <td>-13.08</td> <td>41.45</td> <td>34.81</td> <td>11.13</td> <td>32.17</td> <td>100</td> <td>154 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5457.93	53.98	74.00	-20.02	40.22	34.81	11.11	32.16	100	154 PEAK	2	5461.51	55.22	68.30	-13.08	41.45	34.81	11.13	32.17	100	154 PEAK	<p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>94.91</td> <td>-----</td> <td>-----</td> <td>80.90</td> <td>34.84</td> <td>11.40</td> <td>32.23</td> <td>100</td> <td>154 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5530.00	94.91	-----	-----	80.90	34.84	11.40	32.23	100	154 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5457.93	53.98	74.00	-20.02	40.22	34.81	11.11	32.16	100	154 PEAK																																																													
2	5461.51	55.22	68.30	-13.08	41.45	34.81	11.13	32.17	100	154 PEAK																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5530.00	94.91	-----	-----	80.90	34.84	11.40	32.23	100	154 PEAK																																																													
Avg	<p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.47</td> <td>46.37</td> <td>54.00</td> <td>-7.63</td> <td>32.61</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>100</td> <td>154 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5458.47	46.37	54.00	-7.63	32.61	34.81	11.11	32.16	100	154 AVERAGE	<p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>88.18</td> <td>-----</td> <td>-----</td> <td>74.17</td> <td>34.84</td> <td>11.40</td> <td>32.23</td> <td>100</td> <td>154 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5530.00	88.18	-----	-----	74.17	34.84	11.40	32.23	100	154 AVERAGE											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5458.47	46.37	54.00	-7.63	32.61	34.81	11.11	32.16	100	154 AVERAGE																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5530.00	88.18	-----	-----	74.17	34.84	11.40	32.23	100	154 AVERAGE																																																													



Mode	27																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																					
ANT	SISO																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5761.83</td> <td>52.62</td> <td>68.30</td> <td>-15.68</td> <td>38.22</td> <td>35.17</td> <td>11.64</td> <td>32.41</td> <td>100 154 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5761.83	52.62	68.30	-15.68	38.22	35.17	11.64	32.41	100 154 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Level	Factor	Loss Factor			Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5761.83	52.62	68.30	-15.68	38.22	35.17	11.64	32.41	100 154 PEAK																														



Mode	27																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																						
ANT	SISO																																																																						
Pol.	Vertical	Fundamental																																																																					
Peak	 <p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5441.55</td> <td>57.00</td> <td>74.00</td> <td>-17.00</td> <td>43.29</td> <td>34.81</td> <td>11.04</td> <td>32.14</td> <td>100</td> <td>219 PEAK</td> </tr> <tr> <td>2</td> <td>5464.75</td> <td>57.45</td> <td>68.30</td> <td>-10.85</td> <td>43.67</td> <td>34.81</td> <td>11.14</td> <td>32.17</td> <td>100</td> <td>219 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5441.55	57.00	74.00	-17.00	43.29	34.81	11.04	32.14	100	219 PEAK	2	5464.75	57.45	68.30	-10.85	43.67	34.81	11.14	32.17	100	219 PEAK	 <p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.76</td> <td>-----</td> <td>-----</td> <td>79.75</td> <td>34.84</td> <td>11.40</td> <td>32.23</td> <td>100</td> <td>219 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5530.00	93.76	-----	-----	79.75	34.84	11.40	32.23	100	219 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5441.55	57.00	74.00	-17.00	43.29	34.81	11.04	32.14	100	219 PEAK																																																													
2	5464.75	57.45	68.30	-10.85	43.67	34.81	11.14	32.17	100	219 PEAK																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5530.00	93.76	-----	-----	79.75	34.84	11.40	32.23	100	219 PEAK																																																													
Avg	 <p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.85</td> <td>49.18</td> <td>54.00</td> <td>-4.82</td> <td>35.43</td> <td>34.81</td> <td>11.10</td> <td>32.16</td> <td>100</td> <td>219 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5454.85	49.18	54.00	-4.82	35.43	34.81	11.10	32.16	100	219 AVERAGE	 <p style="text-align: right;">Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>87.44</td> <td>-----</td> <td>-----</td> <td>73.41</td> <td>34.85</td> <td>11.42</td> <td>32.24</td> <td>100</td> <td>219 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5530.00	87.44	-----	-----	73.41	34.85	11.42	32.24	100	219 AVERAGE											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5454.85	49.18	54.00	-4.82	35.43	34.81	11.10	32.16	100	219 AVERAGE																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5530.00	87.44	-----	-----	73.41	34.85	11.42	32.24	100	219 AVERAGE																																																													



Mode	27																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																					
ANT	SISO																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-09-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5743.03</td> <td>53.02</td> <td>68.30</td> <td>-15.28</td> <td>38.64</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>100 219 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5743.03	53.02	68.30	-15.28	38.64	35.14	11.64	32.40	100 219 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5743.03	53.02	68.30	-15.28	38.64	35.14	11.64	32.40	100 219 PEAK																														



Mode	28																																																																																									
	Band Edge																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5647.20 53.70 68.30 -14.60</td> <td>39.32</td> <td>35.01</td> <td>11.69</td> <td>32.32</td> <td>100</td> <td>216</td> <td>PEAK</td> </tr> <tr> <td>2 5650.69 52.79 68.81 -16.02</td> <td>38.42</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>100</td> <td>216</td> <td>PEAK</td> </tr> <tr> <td>3 5717.67 74.45 110.15 -35.70</td> <td>60.07</td> <td>35.10</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>216</td> <td>PEAK</td> </tr> <tr> <td>4 5720.00 73.77 110.80 -37.03</td> <td>59.38</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>216</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5647.20 53.70 68.30 -14.60	39.32	35.01	11.69	32.32	100	216	PEAK	2 5650.69 52.79 68.81 -16.02	38.42	35.01	11.69	32.33	100	216	PEAK	3 5717.67 74.45 110.15 -35.70	60.07	35.10	11.66	32.38	100	216	PEAK	4 5720.00 73.77 110.80 -37.03	59.38	35.11	11.66	32.38	100	216	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5745.00 105.42</td> <td>91.04</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>100</td> <td>216</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5745.00 105.42	91.04	35.14	11.64	32.40	100	216	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5647.20 53.70 68.30 -14.60	39.32	35.01	11.69	32.32	100	216	PEAK																																																																																			
2 5650.69 52.79 68.81 -16.02	38.42	35.01	11.69	32.33	100	216	PEAK																																																																																			
3 5717.67 74.45 110.15 -35.70	60.07	35.10	11.66	32.38	100	216	PEAK																																																																																			
4 5720.00 73.77 110.80 -37.03	59.38	35.11	11.66	32.38	100	216	PEAK																																																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5745.00 105.42	91.04	35.14	11.64	32.40	100	216	PEAK																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5745.00 99.50</td> <td>85.12</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>100</td> <td>216</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5745.00 99.50	85.12	35.14	11.64	32.40	100	216	AVERAGE																																																								
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5745.00 99.50	85.12	35.14	11.64	32.40	100	216	AVERAGE																																																																																			



Mode	28																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5623.27</td> <td>53.35</td> <td>68.30</td> <td>-14.95</td> <td>38.99</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.53</td> <td>51.58</td> <td>68.70</td> <td>-17.12</td> <td>37.21</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.52</td> <td>72.49</td> <td>110.11</td> <td>-37.62</td> <td>58.11</td> <td>35.10</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>71.91</td> <td>110.80</td> <td>-38.89</td> <td>57.52</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5623.27	53.35	68.30	-14.95	38.99	34.97	11.70	32.31	100	222	PEAK	2	5650.53	51.58	68.70	-17.12	37.21	35.01	11.69	32.33	100	222	PEAK	3	5717.52	72.49	110.11	-37.62	58.11	35.10	11.66	32.38	100	222	PEAK	4	5720.00	71.91	110.80	-38.89	57.52	35.11	11.66	32.38	100	222	PEAK	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.81</td> <td>-----</td> <td>-----</td> <td>89.43</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.81	-----	-----	89.43	35.14	11.64	32.40	100	222	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5623.27	53.35	68.30	-14.95	38.99	34.97	11.70	32.31	100	222	PEAK																																																																																																									
2	5650.53	51.58	68.70	-17.12	37.21	35.01	11.69	32.33	100	222	PEAK																																																																																																									
3	5717.52	72.49	110.11	-37.62	58.11	35.10	11.66	32.38	100	222	PEAK																																																																																																									
4	5720.00	71.91	110.80	-38.89	57.52	35.11	11.66	32.38	100	222	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	103.81	-----	-----	89.43	35.14	11.64	32.40	100	222	PEAK																																																																																																									
Avg	Blank	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.96</td> <td>-----</td> <td>-----</td> <td>83.58</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.96	-----	-----	83.58	35.14	11.64	32.40	100	222	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	97.96	-----	-----	83.58	35.14	11.64	32.40	100	222	AVERAGE																																																																																																									



Mode	28																																																																																														
	Harmonic																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																														
ANT	SISO																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2023-09-05</p>	<p>Date: 2023-09-05</p>																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>49.96</td> <td>74.00</td> <td>-24.04</td> <td>47.64</td> <td>38.19</td> <td>14.83</td> <td>50.70</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>50.03</td> <td>68.30</td> <td>-18.27</td> <td>42.53</td> <td>41.86</td> <td>17.57</td> <td>51.93</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	49.96	74.00	-24.04	47.64	38.19	14.83	50.70	--- --- Peak	2	17235.00	50.03	68.30	-18.27	42.53	41.86	17.57	51.93	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>50.20</td> <td>74.00</td> <td>-23.80</td> <td>47.88</td> <td>38.19</td> <td>14.83</td> <td>50.70</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>49.11</td> <td>68.30</td> <td>-19.19</td> <td>41.61</td> <td>41.86</td> <td>17.57</td> <td>51.93</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	50.20	74.00	-23.80	47.88	38.19	14.83	50.70	--- --- Peak	2	17235.00	49.11	68.30	-19.19	41.61	41.86	17.57	51.93
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11490.00	49.96	74.00	-24.04	47.64	38.19	14.83	50.70	--- --- Peak																																																																																						
2	17235.00	50.03	68.30	-18.27	42.53	41.86	17.57	51.93	--- --- Peak																																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11490.00	50.20	74.00	-23.80	47.88	38.19	14.83	50.70	--- --- Peak																																																																																						
2	17235.00	49.11	68.30	-19.19	41.61	41.86	17.57	51.93	--- --- Peak																																																																																						



Mode	29																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																	
ANT	SISO																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>50.19</td> <td>74.00</td> <td>-23.81</td> <td>47.71</td> <td>38.26</td> <td>14.88</td> <td>50.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>50.28</td> <td>68.30</td> <td>-18.02</td> <td>42.99</td> <td>41.74</td> <td>17.60</td> <td>52.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1	11570.00	50.19	74.00	-23.81	47.71	38.26	14.88	50.66	---	---	Peak	2	17355.00	50.28	68.30	-18.02	42.99	41.74	17.60	52.05	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>49.91</td> <td>74.00</td> <td>-24.09</td> <td>47.43</td> <td>38.26</td> <td>14.88</td> <td>50.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>50.22</td> <td>68.30</td> <td>-18.08</td> <td>42.93</td> <td>41.74</td> <td>17.60</td> <td>52.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1	11570.00	49.91	74.00	-24.09	47.43	38.26	14.88	50.66	---	---	Peak	2	17355.00	50.22	68.30	-18.08	42.93	41.74	17.60	52.05	---	---	Peak
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																																																											
1	11570.00	50.19	74.00	-23.81	47.71	38.26	14.88	50.66	---	---	Peak																																																																																							
2	17355.00	50.28	68.30	-18.02	42.99	41.74	17.60	52.05	---	---	Peak																																																																																							
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																																																											
1	11570.00	49.91	74.00	-24.09	47.43	38.26	14.88	50.66	---	---	Peak																																																																																							
2	17355.00	50.22	68.30	-18.08	42.93	41.74	17.60	52.05	---	---	Peak																																																																																							



	30																																																																																																																			
Mode	Band Edge																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<table border="1" data-bbox="271 1075 734 1243"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.83</td> <td>69.12</td> <td>111.20</td> <td>-42.08</td> <td>54.79</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>216</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5866.44</td> <td>67.24</td> <td>107.60</td> <td>-40.36</td> <td>52.93</td> <td>35.31</td> <td>11.50</td> <td>32.50</td> <td>100</td> <td>216</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.83</td> <td>52.99</td> <td>68.33</td> <td>-15.34</td> <td>38.74</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>216</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.08</td> <td>53.37</td> <td>68.30</td> <td>-14.93</td> <td>39.14</td> <td>35.42</td> <td>11.37</td> <td>32.56</td> <td>100</td> <td>216</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.83	69.12	111.20	-42.08	54.79	35.30	11.52	32.49	100	216	PEAK	2	5866.44	67.24	107.60	-40.36	52.93	35.31	11.50	32.50	100	216	PEAK	3	5924.83	52.99	68.33	-15.34	38.74	35.39	11.40	32.54	100	216	PEAK	4	5944.08	53.37	68.30	-14.93	39.14	35.42	11.37	32.56	100	216	PEAK	<table border="1" data-bbox="909 1120 1372 1243"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.64</td> <td>-----</td> <td>-----</td> <td>91.27</td> <td>35.25</td> <td>11.58</td> <td>32.46</td> <td>100</td> <td>216</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	105.64	-----	-----	91.27	35.25	11.58	32.46	100	216	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																												
1	5854.83	69.12	111.20	-42.08	54.79	35.30	11.52	32.49	100	216	PEAK																																																																																																									
2	5866.44	67.24	107.60	-40.36	52.93	35.31	11.50	32.50	100	216	PEAK																																																																																																									
3	5924.83	52.99	68.33	-15.34	38.74	35.39	11.40	32.54	100	216	PEAK																																																																																																									
4	5944.08	53.37	68.30	-14.93	39.14	35.42	11.37	32.56	100	216	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																												
1	5825.00	105.64	-----	-----	91.27	35.25	11.58	32.46	100	216	PEAK																																																																																																									
Avg	Blank	<table border="1" data-bbox="909 1792 1372 1915"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.40</td> <td>-----</td> <td>-----</td> <td>85.03</td> <td>35.25</td> <td>11.58</td> <td>32.46</td> <td>100</td> <td>216</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	99.40	-----	-----	85.03	35.25	11.58	32.46	100	216	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																												
1	5825.00	99.40	-----	-----	85.03	35.25	11.58	32.46	100	216	AVERAGE																																																																																																									



Mode	30																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.83</td> <td>65.71</td> <td>111.20</td> <td>-45.49</td> <td>51.38</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.44</td> <td>66.51</td> <td>110.12</td> <td>-43.61</td> <td>52.18</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.33</td> <td>52.27</td> <td>68.70</td> <td>-16.43</td> <td>38.02</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.58</td> <td>52.85</td> <td>68.30</td> <td>-15.45</td> <td>38.62</td> <td>35.42</td> <td>11.37</td> <td>32.56</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.83	65.71	111.20	-45.49	51.38	35.30	11.52	32.49	100	227	PEAK	2	5857.44	66.51	110.12	-43.61	52.18	35.30	11.52	32.49	100	227	PEAK	3	5924.33	52.27	68.70	-16.43	38.02	35.39	11.40	32.54	100	227	PEAK	4	5944.58	52.85	68.30	-15.45	38.62	35.42	11.37	32.56	100	227	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.67</td> <td>-----</td> <td>-----</td> <td>89.30</td> <td>35.25</td> <td>11.58</td> <td>32.46</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.67	-----	-----	89.30	35.25	11.58	32.46	100	227	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5854.83	65.71	111.20	-45.49	51.38	35.30	11.52	32.49	100	227	PEAK																																																																																																									
2	5857.44	66.51	110.12	-43.61	52.18	35.30	11.52	32.49	100	227	PEAK																																																																																																									
3	5924.33	52.27	68.70	-16.43	38.02	35.39	11.40	32.54	100	227	PEAK																																																																																																									
4	5944.58	52.85	68.30	-15.45	38.62	35.42	11.37	32.56	100	227	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	103.67	-----	-----	89.30	35.25	11.58	32.46	100	227	PEAK																																																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.40</td> <td>-----</td> <td>-----</td> <td>83.03</td> <td>35.25</td> <td>11.58</td> <td>32.46</td> <td>100</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.40	-----	-----	83.03	35.25	11.58	32.46	100	227	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	97.40	-----	-----	83.03	35.25	11.58	32.46	100	227	AVERAGE																																																																																																									



Mode	30																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																															
ANT	SISO																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>50.47</td> <td>74.00</td> <td>-23.53</td> <td>47.83</td> <td>38.32</td> <td>14.93</td> <td>50.61</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>50.82</td> <td>68.30</td> <td>-17.48</td> <td>43.74</td> <td>41.62</td> <td>17.63</td> <td>52.17</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	50.47	74.00	-23.53	47.83	38.32	14.93	50.61	--- Peak	2	17475.00	50.82	68.30	-17.48	43.74	41.62	17.63	52.17	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>49.43</td> <td>74.00</td> <td>-24.57</td> <td>46.79</td> <td>38.32</td> <td>14.93</td> <td>50.61</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>50.88</td> <td>68.30</td> <td>-17.42</td> <td>43.80</td> <td>41.62</td> <td>17.63</td> <td>52.17</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	49.43	74.00	-24.57	46.79	38.32	14.93	50.61	--- Peak	2	17475.00	50.88	68.30	-17.42	43.80	41.62	17.63	52.17	--- Peak
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11650.00	50.47	74.00	-23.53	47.83	38.32	14.93	50.61	--- Peak																																																																																							
2	17475.00	50.82	68.30	-17.48	43.74	41.62	17.63	52.17	--- Peak																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11650.00	49.43	74.00	-24.57	46.79	38.32	14.93	50.61	--- Peak																																																																																							
2	17475.00	50.88	68.30	-17.42	43.80	41.62	17.63	52.17	--- Peak																																																																																							





		31																																																																																																																		
Mode	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<p style="text-align: right;">Date: 2023-08-29</p>		<p style="text-align: right;">Date: 2023-08-29</p>																																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5603.12</td> <td>53.03</td> <td>68.30</td> <td>-15.27</td> <td>38.67</td> <td>34.94</td> <td>11.71</td> <td>32.29</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.53</td> <td>52.26</td> <td>68.70</td> <td>-16.44</td> <td>37.89</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.12</td> <td>64.22</td> <td>110.55</td> <td>-46.33</td> <td>49.83</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.15</td> <td>64.92</td> <td>111.14</td> <td>-46.22</td> <td>50.53</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5603.12	53.03	68.30	-15.27	38.67	34.94	11.71	32.29	100	222	PEAK	2	5650.53	52.26	68.70	-16.44	37.89	35.01	11.69	32.33	100	222	PEAK	3	5719.12	64.22	110.55	-46.33	49.83	35.11	11.66	32.38	100	222	PEAK	4	5720.15	64.92	111.14	-46.22	50.53	35.11	11.66	32.38	100	222	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.95</td> <td>-----</td> <td>-----</td> <td>89.57</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.95	-----	-----	89.57	35.14	11.64	32.40	100	222
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5603.12	53.03	68.30	-15.27	38.67	34.94	11.71	32.29	100	222	PEAK																																																																																																									
2	5650.53	52.26	68.70	-16.44	37.89	35.01	11.69	32.33	100	222	PEAK																																																																																																									
3	5719.12	64.22	110.55	-46.33	49.83	35.11	11.66	32.38	100	222	PEAK																																																																																																									
4	5720.15	64.92	111.14	-46.22	50.53	35.11	11.66	32.38	100	222	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	103.95	-----	-----	89.57	35.14	11.64	32.40	100	222	PEAK																																																																																																									
Avg	Blank		<p style="text-align: right;">Date: 2023-08-29</p>																																																																																																																	
		<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.04</td> <td>-----</td> <td>-----</td> <td>82.66</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.04	-----	-----	82.66	35.14	11.64	32.40	100	222	AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	97.04	-----	-----	82.66	35.14	11.64	32.40	100	222	AVERAGE																																																																																																									



		31																																																																																																																		
Mode	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak																																																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.82</td> <td>53.97</td> <td>68.30</td> <td>-14.33</td> <td>39.60</td> <td>34.96</td> <td>11.71</td> <td>32.30</td> <td>187</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.11</td> <td>52.10</td> <td>68.38</td> <td>-16.28</td> <td>37.73</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>187</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5708.24</td> <td>64.62</td> <td>107.51</td> <td>-42.89</td> <td>50.24</td> <td>35.09</td> <td>11.66</td> <td>32.37</td> <td>187</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.44</td> <td>66.45</td> <td>111.80</td> <td>-45.35</td> <td>52.06</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>187</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.82	53.97	68.30	-14.33	39.60	34.96	11.71	32.30	187	156	PEAK	2	5650.11	52.10	68.38	-16.28	37.73	35.01	11.69	32.33	187	156	PEAK	3	5708.24	64.62	107.51	-42.89	50.24	35.09	11.66	32.37	187	156	PEAK	4	5720.44	66.45	111.80	-45.35	52.06	35.11	11.66	32.38	187	156	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.87</td> <td>-----</td> <td>-----</td> <td>90.49</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>187</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.87	-----	-----	90.49	35.14	11.64	32.40	187	156
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5610.82	53.97	68.30	-14.33	39.60	34.96	11.71	32.30	187	156	PEAK																																																																																																									
2	5650.11	52.10	68.38	-16.28	37.73	35.01	11.69	32.33	187	156	PEAK																																																																																																									
3	5708.24	64.62	107.51	-42.89	50.24	35.09	11.66	32.37	187	156	PEAK																																																																																																									
4	5720.44	66.45	111.80	-45.35	52.06	35.11	11.66	32.38	187	156	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	104.87	-----	-----	90.49	35.14	11.64	32.40	187	156	PEAK																																																																																																									
Avg	Blank																																																																																																																			
		<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.04</td> <td>-----</td> <td>-----</td> <td>83.66</td> <td>35.14</td> <td>11.64</td> <td>32.40</td> <td>187</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.04	-----	-----	83.66	35.14	11.64	32.40	187	156	AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	98.04	-----	-----	83.66	35.14	11.64	32.40	187	156	AVERAGE																																																																																																									



Mode	31																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHZ																																																																																															
ANT	SISO																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	 <p>Date: 2023-09-05</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PART 15.407</p> <p>PART 15.407 AVG</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>49.76</td> <td>74.00</td> <td>-24.24</td> <td>47.44</td> <td>38.19</td> <td>14.83</td> <td>50.70</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>50.04</td> <td>68.30</td> <td>-18.26</td> <td>42.54</td> <td>41.86</td> <td>17.57</td> <td>51.93</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	49.76	74.00	-24.24	47.44	38.19	14.83	50.70	--- Peak	2	17235.00	50.04	68.30	-18.26	42.54	41.86	17.57	51.93	--- Peak	 <p>Date: 2023-09-05</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PART 15.407</p> <p>PART 15.407 AVG</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>50.85</td> <td>74.00</td> <td>-23.15</td> <td>48.53</td> <td>38.19</td> <td>14.83</td> <td>50.70</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>49.58</td> <td>68.30</td> <td>-18.72</td> <td>42.08</td> <td>41.86</td> <td>17.57</td> <td>51.93</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	50.85	74.00	-23.15	48.53	38.19	14.83	50.70	--- Peak	2	17235.00	49.58	68.30	-18.72	42.08	41.86	17.57	51.93	--- Peak
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11490.00	49.76	74.00	-24.24	47.44	38.19	14.83	50.70	--- Peak																																																																																							
2	17235.00	50.04	68.30	-18.26	42.54	41.86	17.57	51.93	--- Peak																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11490.00	50.85	74.00	-23.15	48.53	38.19	14.83	50.70	--- Peak																																																																																							
2	17235.00	49.58	68.30	-18.72	42.08	41.86	17.57	51.93	--- Peak																																																																																							



Mode	32																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																															
ANT	SISO																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<p>Date: 2023-09-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>49.07</td> <td>74.00</td> <td>-24.93</td> <td>46.59</td> <td>38.26</td> <td>14.88</td> <td>50.66</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>50.59</td> <td>68.30</td> <td>-17.71</td> <td>43.30</td> <td>41.74</td> <td>17.60</td> <td>52.05</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	49.07	74.00	-24.93	46.59	38.26	14.88	50.66	--- Peak	2	17355.00	50.59	68.30	-17.71	43.30	41.74	17.60	52.05	--- Peak	<p>Date: 2023-09-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>49.30</td> <td>74.00</td> <td>-24.70</td> <td>46.82</td> <td>38.26</td> <td>14.88</td> <td>50.66</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>49.76</td> <td>68.30</td> <td>-18.54</td> <td>42.47</td> <td>41.74</td> <td>17.60</td> <td>52.05</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	49.30	74.00	-24.70	46.82	38.26	14.88	50.66	--- Peak	2	17355.00	49.76	68.30	-18.54	42.47	41.74	17.60	52.05	--- Peak
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11570.00	49.07	74.00	-24.93	46.59	38.26	14.88	50.66	--- Peak																																																																																							
2	17355.00	50.59	68.30	-17.71	43.30	41.74	17.60	52.05	--- Peak																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11570.00	49.30	74.00	-24.70	46.82	38.26	14.88	50.66	--- Peak																																																																																							
2	17355.00	49.76	68.30	-18.54	42.47	41.74	17.60	52.05	--- Peak																																																																																							



Mode	33																																																																								
	Band Edge																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHZ																																																																								
ANT	SISO																																																																								
Pol.	Horizontal	Fundamental																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5854.69 63.62 111.51 -47.89</td> <td>49.29</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>2 5856.69 66.18 110.33 -44.15</td> <td>51.85</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>3 5924.94 52.05 -16.20 37.80</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>4 5936.19 53.63 68.30 -14.67</td> <td>39.39</td> <td>35.41</td> <td>11.38</td> <td>32.55</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					1 5854.69 63.62 111.51 -47.89	49.29	35.30	11.52	32.49	100	218	PEAK	2 5856.69 66.18 110.33 -44.15	51.85	35.30	11.52	32.49	100	218	PEAK	3 5924.94 52.05 -16.20 37.80	35.39	11.40	32.54	100	218	PEAK	4 5936.19 53.63 68.30 -14.67	39.39	35.41	11.38	32.55	100	218	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5825.00 105.03 -----</td> <td>90.66</td> <td>35.25</td> <td>11.58</td> <td>32.46</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					1 5825.00 105.03 -----	90.66	35.25	11.58	32.46	100	218	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																						
1 5854.69 63.62 111.51 -47.89	49.29	35.30	11.52	32.49	100	218	PEAK																																																																		
2 5856.69 66.18 110.33 -44.15	51.85	35.30	11.52	32.49	100	218	PEAK																																																																		
3 5924.94 52.05 -16.20 37.80	35.39	11.40	32.54	100	218	PEAK																																																																			
4 5936.19 53.63 68.30 -14.67	39.39	35.41	11.38	32.55	100	218	PEAK																																																																		
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																						
1 5825.00 105.03 -----	90.66	35.25	11.58	32.46	100	218	PEAK																																																																		
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5825.00 98.75 -----</td> <td>84.38</td> <td>35.25</td> <td>11.58</td> <td>32.46</td> <td>100</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					1 5825.00 98.75 -----	84.38	35.25	11.58	32.46	100	218	AVERAGE																																															
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																						
1 5825.00 98.75 -----	84.38	35.25	11.58	32.46	100	218	AVERAGE																																																																		



Mode	33																																																																																																	
	Band Edge																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHZ																																																																																																	
ANT	SISO																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.44</td> <td>66.40</td> <td>112.08</td> <td>-45.68</td> <td>52.07</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>225</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.94</td> <td>63.41</td> <td>109.98</td> <td>-46.57</td> <td>49.08</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>225</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.58</td> <td>51.34</td> <td>68.51</td> <td>-17.17</td> <td>37.09</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>225</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5949.33</td> <td>52.56</td> <td>68.30</td> <td>-15.74</td> <td>38.33</td> <td>35.43</td> <td>11.36</td> <td>32.56</td> <td>100</td> <td>225</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			1	5854.44	66.40	112.08	-45.68	52.07	35.30	11.52	32.49	100	225	PEAK	2	5857.94	63.41	109.98	-46.57	49.08	35.30	11.52	32.49	100	225	PEAK	3	5924.58	51.34	68.51	-17.17	37.09	35.39	11.40	32.54	100	225	PEAK	4	5949.33	52.56	68.30	-15.74	38.33	35.43	11.36	32.56	100	225	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.90</td> <td>-----</td> <td>-----</td> <td>88.53</td> <td>35.25</td> <td>11.58</td> <td>32.46</td> <td>100</td> <td>225</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			1	5825.00	102.90	-----	-----	88.53	35.25	11.58	32.46	100	225	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																												
1	5854.44	66.40	112.08	-45.68	52.07	35.30	11.52	32.49	100	225	PEAK																																																																																							
2	5857.94	63.41	109.98	-46.57	49.08	35.30	11.52	32.49	100	225	PEAK																																																																																							
3	5924.58	51.34	68.51	-17.17	37.09	35.39	11.40	32.54	100	225	PEAK																																																																																							
4	5949.33	52.56	68.30	-15.74	38.33	35.43	11.36	32.56	100	225	PEAK																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																												
1	5825.00	102.90	-----	-----	88.53	35.25	11.58	32.46	100	225	PEAK																																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>96.71</td> <td>-----</td> <td>-----</td> <td>82.34</td> <td>35.25</td> <td>11.58</td> <td>32.46</td> <td>100</td> <td>225</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			1	5825.00	96.71	-----	-----	82.34	35.25	11.58	32.46	100	225	AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																												
1	5825.00	96.71	-----	-----	82.34	35.25	11.58	32.46	100	225	AVERAGE																																																																																							



Mode	33																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																															
ANT	SISO																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>49.34</td> <td>74.00</td> <td>-24.66</td> <td>46.70</td> <td>38.32</td> <td>14.93</td> <td>50.61</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>49.80</td> <td>68.30</td> <td>-18.50</td> <td>42.72</td> <td>41.62</td> <td>17.63</td> <td>52.17</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	49.34	74.00	-24.66	46.70	38.32	14.93	50.61	--- Peak	2	17475.00	49.80	68.30	-18.50	42.72	41.62	17.63	52.17	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>50.29</td> <td>74.00</td> <td>-23.71</td> <td>47.65</td> <td>38.32</td> <td>14.93</td> <td>50.61</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>50.33</td> <td>68.30</td> <td>-17.97</td> <td>43.25</td> <td>41.62</td> <td>17.63</td> <td>52.17</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	50.29	74.00	-23.71	47.65	38.32	14.93	50.61	--- Peak	2	17475.00	50.33	68.30	-17.97	43.25	41.62	17.63	52.17	--- Peak
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11650.00	49.34	74.00	-24.66	46.70	38.32	14.93	50.61	--- Peak																																																																																							
2	17475.00	49.80	68.30	-18.50	42.72	41.62	17.63	52.17	--- Peak																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11650.00	50.29	74.00	-23.71	47.65	38.32	14.93	50.61	--- Peak																																																																																							
2	17475.00	50.33	68.30	-17.97	43.25	41.62	17.63	52.17	--- Peak																																																																																							



Mode	34																																																																														
	Band Edge - L																																																																														
	U-NII-3_5.725-5.85_802.11n_HT40_CH151_5755MHz																																																																														
ANT	SISO																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5645.03 54.18 68.30 -14.12</td> <td>39.81</td> <td>35.00</td> <td>11.69</td> <td>32.32</td> <td>100</td> <td>220 PEAK</td> </tr> <tr> <td>2 5651.24 53.68 69.22 -15.54</td> <td>39.31</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>100</td> <td>220 PEAK</td> </tr> <tr> <td>3 5719.99 65.31 110.80 -45.49</td> <td>50.92</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>220 PEAK</td> </tr> <tr> <td>4 5720.06 68.70 110.94 -42.24</td> <td>54.31</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>220 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5645.03 54.18 68.30 -14.12	39.81	35.00	11.69	32.32	100	220 PEAK	2 5651.24 53.68 69.22 -15.54	39.31	35.01	11.69	32.33	100	220 PEAK	3 5719.99 65.31 110.80 -45.49	50.92	35.11	11.66	32.38	100	220 PEAK	4 5720.06 68.70 110.94 -42.24	54.31	35.11	11.66	32.38	100	220 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00 102.27 -----</td> <td>87.88</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>100</td> <td>220 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5755.00 102.27 -----	87.88	35.16	11.64	32.41	100	220 PEAK
	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																								
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5645.03 54.18 68.30 -14.12	39.81	35.00	11.69	32.32	100	220 PEAK																																																																									
2 5651.24 53.68 69.22 -15.54	39.31	35.01	11.69	32.33	100	220 PEAK																																																																									
3 5719.99 65.31 110.80 -45.49	50.92	35.11	11.66	32.38	100	220 PEAK																																																																									
4 5720.06 68.70 110.94 -42.24	54.31	35.11	11.66	32.38	100	220 PEAK																																																																									
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																									
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5755.00 102.27 -----	87.88	35.16	11.64	32.41	100	220 PEAK																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.00 95.39 -----</td> <td>81.00</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>100</td> <td>220 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5755.00 95.39 -----	81.00	35.16	11.64	32.41	100	220 AVERAGE																																																	
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																									
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5755.00 95.39 -----	81.00	35.16	11.64	32.41	100	220 AVERAGE																																																																									



Mode	34																																																													
	Band Edge - R																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																													
ANT	SISO																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.96</td> <td>52.88</td> <td>110.90</td> <td>-58.02</td> <td>38.55</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>220</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.54</td> <td>53.33</td> <td>106.45</td> <td>-53.12</td> <td>39.01</td> <td>35.32</td> <td>11.50</td> <td>32.50</td> <td>100</td> <td>220</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.75</td> <td>51.96</td> <td>68.39</td> <td>-16.43</td> <td>37.71</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>220</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.73</td> <td>53.22</td> <td>68.30</td> <td>-15.08</td> <td>38.98</td> <td>35.42</td> <td>11.38</td> <td>32.56</td> <td>100</td> <td>220</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	APos (cm)	TPos (deg)	Remark	1	5854.96	52.88	110.90	-58.02	38.55	35.30	11.52	32.49	100	220	PEAK	2	5870.54	53.33	106.45	-53.12	39.01	35.32	11.50	32.50	100	220	PEAK	3	5924.75	51.96	68.39	-16.43	37.71	35.39	11.40	32.54	100	220	PEAK	4	5941.73	53.22	68.30	-15.08	38.98	35.42	11.38	32.56	100	220	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	APos (cm)	TPos (deg)	Remark																																																			
1	5854.96	52.88	110.90	-58.02	38.55	35.30	11.52	32.49	100	220	PEAK																																																			
2	5870.54	53.33	106.45	-53.12	39.01	35.32	11.50	32.50	100	220	PEAK																																																			
3	5924.75	51.96	68.39	-16.43	37.71	35.39	11.40	32.54	100	220	PEAK																																																			
4	5941.73	53.22	68.30	-15.08	38.98	35.42	11.38	32.56	100	220	PEAK																																																			



Mode	34																																																																																									
	Band Edge - L																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5609.53 54.27 68.30 -14.03</td> <td>39.91</td> <td>34.95</td> <td>11.71</td> <td>32.30</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>2 5650.31 52.67 68.53 -15.86</td> <td>38.30</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>3 5712.16 63.45 108.61 -45.16</td> <td>49.07</td> <td>35.10</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>4 5720.68 65.09 112.36 -47.27</td> <td>50.70</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5609.53 54.27 68.30 -14.03	39.91	34.95	11.71	32.30	100	226	PEAK	2 5650.31 52.67 68.53 -15.86	38.30	35.01	11.69	32.33	100	226	PEAK	3 5712.16 63.45 108.61 -45.16	49.07	35.10	11.66	32.38	100	226	PEAK	4 5720.68 65.09 112.36 -47.27	50.70	35.11	11.66	32.38	100	226	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5755.00 101.47 -----</td> <td>87.08</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5755.00 101.47 -----	87.08	35.16	11.64	32.41	100	226	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5609.53 54.27 68.30 -14.03	39.91	34.95	11.71	32.30	100	226	PEAK																																																																																			
2 5650.31 52.67 68.53 -15.86	38.30	35.01	11.69	32.33	100	226	PEAK																																																																																			
3 5712.16 63.45 108.61 -45.16	49.07	35.10	11.66	32.38	100	226	PEAK																																																																																			
4 5720.68 65.09 112.36 -47.27	50.70	35.11	11.66	32.38	100	226	PEAK																																																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5755.00 101.47 -----	87.08	35.16	11.64	32.41	100	226	PEAK																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5755.00 95.25 -----</td> <td>80.86</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>100</td> <td>226</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5755.00 95.25 -----	80.86	35.16	11.64	32.41	100	226	AVERAGE																																																								
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5755.00 95.25 -----	80.86	35.16	11.64	32.41	100	226	AVERAGE																																																																																			



Mode	34																																																																			
	Band Edge - R																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																			
ANT	SISO																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.96</td> <td>53.83</td> <td>110.90</td> <td>-57.07</td> <td>39.50</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.07</td> <td>52.19</td> <td>105.74</td> <td>-53.55</td> <td>37.88</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.75</td> <td>51.42</td> <td>68.39</td> <td>-16.97</td> <td>37.17</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5937.25</td> <td>53.00</td> <td>68.30</td> <td>-15.30</td> <td>38.76</td> <td>35.41</td> <td>11.38</td> <td>32.55</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	5854.96	53.83	110.90	-57.07	39.50	35.30	11.52	32.49	100	226	PEAK	2	5873.07	52.19	105.74	-53.55	37.88	35.32	11.49	32.50	100	226	PEAK	3	5924.75	51.42	68.39	-16.97	37.17	35.39	11.40	32.54	100	226	PEAK	4	5937.25	53.00	68.30	-15.30	38.76	35.41	11.38	32.55	100	226	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																												
1	5854.96	53.83	110.90	-57.07	39.50	35.30	11.52	32.49	100	226	PEAK																																																									
2	5873.07	52.19	105.74	-53.55	37.88	35.32	11.49	32.50	100	226	PEAK																																																									
3	5924.75	51.42	68.39	-16.97	37.17	35.39	11.40	32.54	100	226	PEAK																																																									
4	5937.25	53.00	68.30	-15.30	38.76	35.41	11.38	32.55	100	226	PEAK																																																									



Mode	35																																																																														
	Band Edge - L																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																														
ANT	SISO																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5608.48 53.82 68.30 -14.48</td> <td>39.45</td> <td>34.95</td> <td>11.71</td> <td>32.29</td> <td>100</td> <td>219 PEAK</td> </tr> <tr> <td>2 5652.16 52.96 69.90 -16.94</td> <td>38.59</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>100</td> <td>219 PEAK</td> </tr> <tr> <td>3 5700.74 52.66 105.41 -52.75</td> <td>38.29</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>100</td> <td>219 PEAK</td> </tr> <tr> <td>4 5720.02 55.37 110.85 -55.48</td> <td>40.98</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>219 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5608.48 53.82 68.30 -14.48	39.45	34.95	11.71	32.29	100	219 PEAK	2 5652.16 52.96 69.90 -16.94	38.59	35.01	11.69	32.33	100	219 PEAK	3 5700.74 52.66 105.41 -52.75	38.29	35.08	11.66	32.37	100	219 PEAK	4 5720.02 55.37 110.85 -55.48	40.98	35.11	11.66	32.38	100	219 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5795.00 102.09</td> <td>87.69</td> <td>35.22</td> <td>11.62</td> <td>32.44</td> <td>100</td> <td>219 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5795.00 102.09	87.69	35.22	11.62	32.44	100	219 PEAK
	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																								
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5608.48 53.82 68.30 -14.48	39.45	34.95	11.71	32.29	100	219 PEAK																																																																									
2 5652.16 52.96 69.90 -16.94	38.59	35.01	11.69	32.33	100	219 PEAK																																																																									
3 5700.74 52.66 105.41 -52.75	38.29	35.08	11.66	32.37	100	219 PEAK																																																																									
4 5720.02 55.37 110.85 -55.48	40.98	35.11	11.66	32.38	100	219 PEAK																																																																									
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																									
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5795.00 102.09	87.69	35.22	11.62	32.44	100	219 PEAK																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5795.00 95.50</td> <td>81.11</td> <td>35.21</td> <td>11.62</td> <td>32.44</td> <td>100</td> <td>219 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor				MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5795.00 95.50	81.11	35.21	11.62	32.44	100	219 AVERAGE																																																	
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																									
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5795.00 95.50	81.11	35.21	11.62	32.44	100	219 AVERAGE																																																																									



Mode	35																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																												
ANT	SISO																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>56.51</td> <td>110.83</td> <td>-54.32</td> <td>42.18</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>219</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5869.65</td> <td>57.61</td> <td>106.70</td> <td>-49.09</td> <td>43.29</td> <td>35.32</td> <td>11.50</td> <td>32.50</td> <td>100</td> <td>219</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.52</td> <td>52.11</td> <td>68.56</td> <td>-16.45</td> <td>37.86</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>219</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.41</td> <td>53.37</td> <td>68.30</td> <td>-14.93</td> <td>39.12</td> <td>35.41</td> <td>11.39</td> <td>32.55</td> <td>100</td> <td>219</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	56.51	110.83	-54.32	42.18	35.30	11.52	32.49	100	219	PEAK	2	5869.65	57.61	106.70	-49.09	43.29	35.32	11.50	32.50	100	219	PEAK	3	5924.52	52.11	68.56	-16.45	37.86	35.39	11.40	32.54	100	219	PEAK	4	5932.41	53.37	68.30	-14.93	39.12	35.41	11.39	32.55	100	219	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.99	56.51	110.83	-54.32	42.18	35.30	11.52	32.49	100	219	PEAK																																																																		
2	5869.65	57.61	106.70	-49.09	43.29	35.32	11.50	32.50	100	219	PEAK																																																																		
3	5924.52	52.11	68.56	-16.45	37.86	35.39	11.40	32.54	100	219	PEAK																																																																		
4	5932.41	53.37	68.30	-14.93	39.12	35.41	11.39	32.55	100	219	PEAK																																																																		



		35																																																																																																																		
Mode	Band Edge - L																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak																																																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5618.45</td> <td>53.29</td> <td>68.30</td> <td>-15.01</td> <td>38.92</td> <td>34.97</td> <td>11.70</td> <td>32.30</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.04</td> <td>51.99</td> <td>68.33</td> <td>-16.34</td> <td>37.62</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.74</td> <td>53.59</td> <td>105.41</td> <td>-51.82</td> <td>39.22</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>52.95</td> <td>110.81</td> <td>-57.86</td> <td>38.56</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5618.45	53.29	68.30	-15.01	38.92	34.97	11.70	32.30	100	226	PEAK	2	5650.04	51.99	68.33	-16.34	37.62	35.01	11.69	32.33	100	226	PEAK	3	5700.74	53.59	105.41	-51.82	39.22	35.08	11.66	32.37	100	226	PEAK	4	5720.00	52.95	110.81	-57.86	38.56	35.11	11.66	32.38	100	226	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>101.52</td> <td>-----</td> <td>-----</td> <td>87.13</td> <td>35.21</td> <td>11.62</td> <td>32.44</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.52	-----	-----	87.13	35.21	11.62	32.44	100	226
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5618.45	53.29	68.30	-15.01	38.92	34.97	11.70	32.30	100	226	PEAK																																																																																																									
2	5650.04	51.99	68.33	-16.34	37.62	35.01	11.69	32.33	100	226	PEAK																																																																																																									
3	5700.74	53.59	105.41	-51.82	39.22	35.08	11.66	32.37	100	226	PEAK																																																																																																									
4	5720.00	52.95	110.81	-57.86	38.56	35.11	11.66	32.38	100	226	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	101.52	-----	-----	87.13	35.21	11.62	32.44	100	226	PEAK																																																																																																									
Avg	Blank																																																																																																																			
		<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.10</td> <td>-----</td> <td>-----</td> <td>80.71</td> <td>35.21</td> <td>11.62</td> <td>32.44</td> <td>100</td> <td>226</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.10	-----	-----	80.71	35.21	11.62	32.44	100	226	AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	95.10	-----	-----	80.71	35.21	11.62	32.44	100	226	AVERAGE																																																																																																									



Mode	35																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																												
ANT	SISO																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.77</td> <td>58.50</td> <td>111.33</td> <td>-52.83</td> <td>44.17</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5862.52</td> <td>57.86</td> <td>108.69</td> <td>-50.83</td> <td>43.53</td> <td>35.31</td> <td>11.51</td> <td>32.49</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.36</td> <td>52.03</td> <td>68.67</td> <td>-16.64</td> <td>37.78</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5949.15</td> <td>53.09</td> <td>68.30</td> <td>-15.21</td> <td>38.86</td> <td>35.43</td> <td>11.36</td> <td>32.56</td> <td>100</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.77	58.50	111.33	-52.83	44.17	35.30	11.52	32.49	100	226	PEAK	2	5862.52	57.86	108.69	-50.83	43.53	35.31	11.51	32.49	100	226	PEAK	3	5924.36	52.03	68.67	-16.64	37.78	35.39	11.40	32.54	100	226	PEAK	4	5949.15	53.09	68.30	-15.21	38.86	35.43	11.36	32.56	100	226	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.77	58.50	111.33	-52.83	44.17	35.30	11.52	32.49	100	226	PEAK																																																																		
2	5862.52	57.86	108.69	-50.83	43.53	35.31	11.51	32.49	100	226	PEAK																																																																		
3	5924.36	52.03	68.67	-16.64	37.78	35.39	11.40	32.54	100	226	PEAK																																																																		
4	5949.15	53.09	68.30	-15.21	38.86	35.43	11.36	32.56	100	226	PEAK																																																																		



		36																																																																																																																		
Mode	Band Edge - L																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5612.71</td> <td>53.75</td> <td>68.30</td> <td>-14.55</td> <td>39.38</td> <td>34.96</td> <td>11.71</td> <td>32.30</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.02</td> <td>53.19</td> <td>68.31</td> <td>-15.12</td> <td>38.82</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5708.41</td> <td>61.24</td> <td>107.56</td> <td>-46.32</td> <td>46.86</td> <td>35.09</td> <td>11.66</td> <td>32.37</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.31</td> <td>61.37</td> <td>111.51</td> <td>-50.14</td> <td>46.98</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5612.71	53.75	68.30	-14.55	39.38	34.96	11.71	32.30	100	218	PEAK	2	5650.02	53.19	68.31	-15.12	38.82	35.01	11.69	32.33	100	218	PEAK	3	5708.41	61.24	107.56	-46.32	46.86	35.09	11.66	32.37	100	218	PEAK	4	5720.31	61.37	111.51	-50.14	46.98	35.11	11.66	32.38	100	218	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>99.37</td> <td>-----</td> <td>-----</td> <td>84.99</td> <td>35.17</td> <td>11.63</td> <td>32.42</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5775.00	99.37	-----	-----	84.99	35.17	11.63	32.42	100	218	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																																																																																																												
1	5612.71	53.75	68.30	-14.55	39.38	34.96	11.71	32.30	100	218	PEAK																																																																																																									
2	5650.02	53.19	68.31	-15.12	38.82	35.01	11.69	32.33	100	218	PEAK																																																																																																									
3	5708.41	61.24	107.56	-46.32	46.86	35.09	11.66	32.37	100	218	PEAK																																																																																																									
4	5720.31	61.37	111.51	-50.14	46.98	35.11	11.66	32.38	100	218	PEAK																																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																																																																																																												
1	5775.00	99.37	-----	-----	84.99	35.17	11.63	32.42	100	218	PEAK																																																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>87.77</td> <td>-----</td> <td>-----</td> <td>73.38</td> <td>35.18</td> <td>11.63</td> <td>32.42</td> <td>100</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5775.00	87.77	-----	-----	73.38	35.18	11.63	32.42	100	218	AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																																																																																																												
1	5775.00	87.77	-----	-----	73.38	35.18	11.63	32.42	100	218	AVERAGE																																																																																																									



Mode	36																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																												
ANT	SISO																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.91</td> <td>52.61</td> <td>111.02</td> <td>-58.41</td> <td>38.28</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.49</td> <td>53.74</td> <td>105.34</td> <td>-51.60</td> <td>39.43</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.99</td> <td>52.38</td> <td>68.21</td> <td>-15.83</td> <td>38.13</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5937.31</td> <td>54.66</td> <td>68.30</td> <td>-13.64</td> <td>40.42</td> <td>35.41</td> <td>11.38</td> <td>32.55</td> <td>100</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.91	52.61	111.02	-58.41	38.28	35.30	11.52	32.49	100	218	PEAK	2	5874.49	53.74	105.34	-51.60	39.43	35.32	11.49	32.50	100	218	PEAK	3	5924.99	52.38	68.21	-15.83	38.13	35.39	11.40	32.54	100	218	PEAK	4	5937.31	54.66	68.30	-13.64	40.42	35.41	11.38	32.55	100	218	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.91	52.61	111.02	-58.41	38.28	35.30	11.52	32.49	100	218	PEAK																																																																		
2	5874.49	53.74	105.34	-51.60	39.43	35.32	11.49	32.50	100	218	PEAK																																																																		
3	5924.99	52.38	68.21	-15.83	38.13	35.39	11.40	32.54	100	218	PEAK																																																																		
4	5937.31	54.66	68.30	-13.64	40.42	35.41	11.38	32.55	100	218	PEAK																																																																		



Mode	36																																																																																																																					
	Band Edge - L																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																					
ANT	SISO																																																																																																																					
Pol.	Vertical	Fundamental																																																																																																																				
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5650.02</td> <td>53.88</td> <td>68.31</td> <td>-14.43</td> <td>39.51</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>247</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5700.01</td> <td>58.94</td> <td>105.20</td> <td>-46.26</td> <td>44.57</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>247</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.01</td> <td>58.94</td> <td>105.20</td> <td>-46.26</td> <td>44.57</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>247</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.02</td> <td>60.09</td> <td>110.83</td> <td>-50.74</td> <td>45.70</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>247</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5650.02	53.88	68.31	-14.43	39.51	35.01	11.69	32.33	247	156	PEAK	2	5700.01	58.94	105.20	-46.26	44.57	35.08	11.66	32.37	247	156	PEAK	3	5700.01	58.94	105.20	-46.26	44.57	35.08	11.66	32.37	247	156	PEAK	4	5720.02	60.09	110.83	-50.74	45.70	35.11	11.66	32.38	247	156	PEAK	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.10</td> <td>-----</td> <td>-----</td> <td>81.72</td> <td>35.17</td> <td>11.63</td> <td>32.42</td> <td>247</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.10	-----	-----	81.72	35.17	11.63	32.42	247	156	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5650.02	53.88	68.31	-14.43	39.51	35.01	11.69	32.33	247	156	PEAK																																																																																																											
2	5700.01	58.94	105.20	-46.26	44.57	35.08	11.66	32.37	247	156	PEAK																																																																																																											
3	5700.01	58.94	105.20	-46.26	44.57	35.08	11.66	32.37	247	156	PEAK																																																																																																											
4	5720.02	60.09	110.83	-50.74	45.70	35.11	11.66	32.38	247	156	PEAK																																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5775.00	96.10	-----	-----	81.72	35.17	11.63	32.42	247	156	PEAK																																																																																																											
Avg	Blank	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>87.56</td> <td>-----</td> <td>-----</td> <td>73.18</td> <td>35.17</td> <td>11.63</td> <td>32.42</td> <td>247</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	87.56	-----	-----	73.18	35.17	11.63	32.42	247	156	AVERAGE																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5775.00	87.56	-----	-----	73.18	35.17	11.63	32.42	247	156	AVERAGE																																																																																																											



Mode	36																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																												
ANT	SISO																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<p>Date: 2023-08-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>52.09</td> <td>110.82</td> <td>-58.73</td> <td>37.76</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>247</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5875.00</td> <td>52.63</td> <td>105.20</td> <td>-52.57</td> <td>38.32</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>247</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.73</td> <td>52.83</td> <td>68.40</td> <td>-15.57</td> <td>38.58</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>247</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5948.36</td> <td>54.65</td> <td>68.30</td> <td>-13.65</td> <td>40.42</td> <td>35.43</td> <td>11.36</td> <td>32.56</td> <td>247</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	52.09	110.82	-58.73	37.76	35.30	11.52	32.49	247	156	PEAK	2	5875.00	52.63	105.20	-52.57	38.32	35.32	11.49	32.50	247	156	PEAK	3	5924.73	52.83	68.40	-15.57	38.58	35.39	11.40	32.54	247	156	PEAK	4	5948.36	54.65	68.30	-13.65	40.42	35.43	11.36	32.56	247	156	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.99	52.09	110.82	-58.73	37.76	35.30	11.52	32.49	247	156	PEAK																																																																		
2	5875.00	52.63	105.20	-52.57	38.32	35.32	11.49	32.50	247	156	PEAK																																																																		
3	5924.73	52.83	68.40	-15.57	38.58	35.39	11.40	32.54	247	156	PEAK																																																																		
4	5948.36	54.65	68.30	-13.65	40.42	35.43	11.36	32.56	247	156	PEAK																																																																		



Mode	36																																																																																														
	Harmonic																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																														
ANT	SISO																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2023-09-05</p>	<p>Date: 2023-09-05</p>																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>50.06</td> <td>74.00</td> <td>-23.94</td> <td>47.62</td> <td>38.24</td> <td>14.87</td> <td>50.67</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>50.23</td> <td>68.30</td> <td>-18.07</td> <td>42.89</td> <td>41.77</td> <td>17.59</td> <td>52.02</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	50.06	74.00	-23.94	47.62	38.24	14.87	50.67	--- Peak	2	17325.00	50.23	68.30	-18.07	42.89	41.77	17.59	52.02	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>49.89</td> <td>74.00</td> <td>-24.11</td> <td>47.45</td> <td>38.24</td> <td>14.87</td> <td>50.67</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>50.51</td> <td>68.30</td> <td>-17.79</td> <td>43.17</td> <td>41.77</td> <td>17.59</td> <td>52.02</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	49.89	74.00	-24.11	47.45	38.24	14.87	50.67	--- Peak	2	17325.00	50.51	68.30	-17.79	43.17	41.77	17.59	52.02
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11550.00	50.06	74.00	-23.94	47.62	38.24	14.87	50.67	--- Peak																																																																																						
2	17325.00	50.23	68.30	-18.07	42.89	41.77	17.59	52.02	--- Peak																																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11550.00	49.89	74.00	-24.11	47.45	38.24	14.87	50.67	--- Peak																																																																																						
2	17325.00	50.51	68.30	-17.79	43.17	41.77	17.59	52.02	--- Peak																																																																																						



Mode	37																																																																																																																																																																																													
	LF																																																																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHZ																																																																																																																																																																																													
ANT	SISO																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																												
QP/ Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>35.820</td><td>19.31</td><td>-20.69</td><td>40.00</td><td>34.03</td><td>18.80</td><td>1.30</td><td>34.82</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>93.050</td><td>26.03</td><td>-17.47</td><td>43.50</td><td>44.74</td><td>14.86</td><td>2.03</td><td>34.80</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>170.650</td><td>20.20</td><td>-23.30</td><td>43.50</td><td>34.71</td><td>17.75</td><td>2.44</td><td>34.70</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>299.660</td><td>31.10</td><td>-14.90</td><td>46.00</td><td>43.37</td><td>19.12</td><td>3.21</td><td>34.60</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>428.670</td><td>25.61</td><td>-20.39</td><td>46.00</td><td>34.53</td><td>22.18</td><td>3.40</td><td>34.50</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>679.900</td><td>26.02</td><td>-19.98</td><td>46.00</td><td>29.99</td><td>26.76</td><td>3.71</td><td>34.44</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Freq	Level	Over	Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	35.820	19.31	-20.69	40.00	34.03	18.80	1.30	34.82	---	---	Peak	2	93.050	26.03	-17.47	43.50	44.74	14.86	2.03	34.80	---	---	Peak	3	170.650	20.20	-23.30	43.50	34.71	17.75	2.44	34.70	---	---	Peak	4	299.660	31.10	-14.90	46.00	43.37	19.12	3.21	34.60	---	---	Peak	5	428.670	25.61	-20.39	46.00	34.53	22.18	3.40	34.50	---	---	Peak	6	679.900	26.02	-19.98	46.00	29.99	26.76	3.71	34.44	---	---	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>34.850</td><td>32.34</td><td>-7.66</td><td>40.00</td><td>39.97</td><td>22.30</td><td>1.27</td><td>31.20</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>92.080</td><td>31.94</td><td>-11.56</td><td>43.50</td><td>45.92</td><td>15.46</td><td>1.84</td><td>31.28</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>168.710</td><td>22.33</td><td>-21.17</td><td>43.50</td><td>35.22</td><td>15.85</td><td>2.29</td><td>31.03</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>294.810</td><td>21.76</td><td>-24.24</td><td>46.00</td><td>30.61</td><td>19.35</td><td>2.70</td><td>30.90</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>450.980</td><td>26.98</td><td>-19.02</td><td>46.00</td><td>31.36</td><td>23.01</td><td>3.31</td><td>30.70</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>550.890</td><td>28.06</td><td>-17.94</td><td>46.00</td><td>30.45</td><td>25.00</td><td>3.61</td><td>31.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Freq	Level	Over	Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	34.850	32.34	-7.66	40.00	39.97	22.30	1.27	31.20	---	---	Peak	2	92.080	31.94	-11.56	43.50	45.92	15.46	1.84	31.28	---	---	Peak	3	168.710	22.33	-21.17	43.50	35.22	15.85	2.29	31.03	---	---	Peak	4	294.810	21.76	-24.24	46.00	30.61	19.35	2.70	30.90	---	---	Peak	5	450.980	26.98	-19.02	46.00	31.36	23.01	3.31	30.70	---	---	Peak	6	550.890	28.06	-17.94	46.00	30.45	25.00	3.61	31.00	---	---	Peak
	Freq	Level	Over	Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	35.820	19.31	-20.69	40.00	34.03	18.80	1.30	34.82	---	---	Peak																																																																																																																																																																																			
2	93.050	26.03	-17.47	43.50	44.74	14.86	2.03	34.80	---	---	Peak																																																																																																																																																																																			
3	170.650	20.20	-23.30	43.50	34.71	17.75	2.44	34.70	---	---	Peak																																																																																																																																																																																			
4	299.660	31.10	-14.90	46.00	43.37	19.12	3.21	34.60	---	---	Peak																																																																																																																																																																																			
5	428.670	25.61	-20.39	46.00	34.53	22.18	3.40	34.50	---	---	Peak																																																																																																																																																																																			
6	679.900	26.02	-19.98	46.00	29.99	26.76	3.71	34.44	---	---	Peak																																																																																																																																																																																			
Freq	Level	Over	Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	34.850	32.34	-7.66	40.00	39.97	22.30	1.27	31.20	---	---	Peak																																																																																																																																																																																			
2	92.080	31.94	-11.56	43.50	45.92	15.46	1.84	31.28	---	---	Peak																																																																																																																																																																																			
3	168.710	22.33	-21.17	43.50	35.22	15.85	2.29	31.03	---	---	Peak																																																																																																																																																																																			
4	294.810	21.76	-24.24	46.00	30.61	19.35	2.70	30.90	---	---	Peak																																																																																																																																																																																			
5	450.980	26.98	-19.02	46.00	31.36	23.01	3.31	30.70	---	---	Peak																																																																																																																																																																																			
6	550.890	28.06	-17.94	46.00	30.45	25.00	3.61	31.00	---	---	Peak																																																																																																																																																																																			



Mode	38																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_5775MHz																																																																																																																																																											
ANT	SISO																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
QP/ Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level Factor (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.850</td><td>18.86</td><td>-21.14</td><td>40.00</td><td>26.49</td><td>22.30</td><td>1.27</td><td>31.20</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>93.050</td><td>25.82</td><td>-17.68</td><td>43.50</td><td>39.62</td><td>15.64</td><td>1.83</td><td>31.27</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>143.490</td><td>20.30</td><td>-23.20</td><td>43.50</td><td>32.17</td><td>17.07</td><td>2.17</td><td>31.11</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>299.660</td><td>30.48</td><td>-15.52</td><td>46.00</td><td>39.26</td><td>19.40</td><td>2.72</td><td>30.90</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>450.980</td><td>25.25</td><td>-20.75</td><td>46.00</td><td>29.63</td><td>23.01</td><td>3.31</td><td>30.70</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>851.590</td><td>29.34</td><td>-16.66</td><td>46.00</td><td>29.49</td><td>26.51</td><td>4.39</td><td>31.05</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	34.850	18.86	-21.14	40.00	26.49	22.30	1.27	31.20	---	Peak	2	93.050	25.82	-17.68	43.50	39.62	15.64	1.83	31.27	---	Peak	3	143.490	20.30	-23.20	43.50	32.17	17.07	2.17	31.11	---	Peak	4	299.660	30.48	-15.52	46.00	39.26	19.40	2.72	30.90	---	Peak	5	450.980	25.25	-20.75	46.00	29.63	23.01	3.31	30.70	---	Peak	6	851.590	29.34	-16.66	46.00	29.49	26.51	4.39	31.05	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level Factor (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>33.800</td><td>32.41</td><td>-7.59</td><td>40.00</td><td>39.48</td><td>22.88</td><td>1.25</td><td>31.20</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>92.080</td><td>31.69</td><td>-11.81</td><td>43.50</td><td>45.67</td><td>15.46</td><td>1.84</td><td>31.28</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>168.710</td><td>22.11</td><td>-21.39</td><td>43.50</td><td>35.00</td><td>15.85</td><td>2.29</td><td>31.03</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>289.960</td><td>20.85</td><td>-25.15</td><td>46.00</td><td>29.77</td><td>19.30</td><td>2.68</td><td>30.90</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>450.010</td><td>27.78</td><td>-18.22</td><td>46.00</td><td>32.17</td><td>23.00</td><td>3.31</td><td>30.70</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>648.860</td><td>28.74</td><td>-17.26</td><td>46.00</td><td>30.61</td><td>25.19</td><td>3.84</td><td>30.90</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	33.800	32.41	-7.59	40.00	39.48	22.88	1.25	31.20	---	Peak	2	92.080	31.69	-11.81	43.50	45.67	15.46	1.84	31.28	---	Peak	3	168.710	22.11	-21.39	43.50	35.00	15.85	2.29	31.03	---	Peak	4	289.960	20.85	-25.15	46.00	29.77	19.30	2.68	30.90	---	Peak	5	450.010	27.78	-18.22	46.00	32.17	23.00	3.31	30.70	---	Peak	6	648.860	28.74	-17.26	46.00	30.61	25.19	3.84	30.90	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	34.850	18.86	-21.14	40.00	26.49	22.30	1.27	31.20	---	Peak																																																																																																																																																		
2	93.050	25.82	-17.68	43.50	39.62	15.64	1.83	31.27	---	Peak																																																																																																																																																		
3	143.490	20.30	-23.20	43.50	32.17	17.07	2.17	31.11	---	Peak																																																																																																																																																		
4	299.660	30.48	-15.52	46.00	39.26	19.40	2.72	30.90	---	Peak																																																																																																																																																		
5	450.980	25.25	-20.75	46.00	29.63	23.01	3.31	30.70	---	Peak																																																																																																																																																		
6	851.590	29.34	-16.66	46.00	29.49	26.51	4.39	31.05	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	33.800	32.41	-7.59	40.00	39.48	22.88	1.25	31.20	---	Peak																																																																																																																																																		
2	92.080	31.69	-11.81	43.50	45.67	15.46	1.84	31.28	---	Peak																																																																																																																																																		
3	168.710	22.11	-21.39	43.50	35.00	15.85	2.29	31.03	---	Peak																																																																																																																																																		
4	289.960	20.85	-25.15	46.00	29.77	19.30	2.68	30.90	---	Peak																																																																																																																																																		
5	450.010	27.78	-18.22	46.00	32.17	23.00	3.31	30.70	---	Peak																																																																																																																																																		
6	648.860	28.74	-17.26	46.00	30.61	25.19	3.84	30.90	---	Peak																																																																																																																																																		





		39																																																																								
Mode	Band Edge																																																																									
	Co-location_802.11a_CH64_5320MHz+LTE Band13																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.520</td> <td>63.10</td> <td>-10.90</td> <td>74.00</td> <td>49.38</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>397</td> <td>184 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.520	63.10	-10.90	74.00	49.38	34.83	10.93	32.04	397	184 Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.000</td> <td>100.37</td> <td>32.07</td> <td>68.30</td> <td>86.55</td> <td>34.84</td> <td>10.96</td> <td>31.98</td> <td>397</td> <td>184 Peak</td> </tr> <tr> <td>2</td> <td>5320.000</td> <td>93.19</td> <td>-----</td> <td>79.37</td> <td>34.84</td> <td>10.96</td> <td>31.98</td> <td>397</td> <td>184 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.000	100.37	32.07	68.30	86.55	34.84	10.96	31.98	397	184 Peak	2	5320.000	93.19	-----	79.37	34.84	10.96	31.98	397	184 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5351.520	63.10	-10.90	74.00	49.38	34.83	10.93	32.04	397	184 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5320.000	100.37	32.07	68.30	86.55	34.84	10.96	31.98	397	184 Peak																																																																
2	5320.000	93.19	-----	79.37	34.84	10.96	31.98	397	184 Average																																																																	
Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.400</td> <td>49.68</td> <td>-4.32</td> <td>54.00</td> <td>35.96</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>397</td> <td>184 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.400	49.68	-4.32	54.00	35.96	34.83	10.93	32.04	397	184 Average	NA																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5350.400	49.68	-4.32	54.00	35.96	34.83	10.93	32.04	397	184 Average																																																																



		39																																																																						
Mode	Band Edge																																																																							
	Co-location_802.11a_CH64_5320MHz+LTE Band13																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.880</td> <td>64.09</td> <td>-9.91</td> <td>74.00</td> <td>50.37</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.880	64.09	-9.91	74.00	50.37	34.83	10.93	32.04	--- Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.000</td> <td>102.49</td> <td>34.19</td> <td>68.30</td> <td>88.67</td> <td>34.84</td> <td>10.96</td> <td>31.98</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>5320.000</td> <td>95.36</td> <td>-----</td> <td>81.54</td> <td>34.84</td> <td>10.96</td> <td>31.98</td> <td>---</td> <td>--- Average</td> </tr> </tbody> </table>	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.000	102.49	34.19	68.30	88.67	34.84	10.96	31.98	--- Peak	2	5320.000	95.36	-----	81.54	34.84	10.96	31.98	---	--- Average
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	5350.880	64.09	-9.91	74.00	50.37	34.83	10.93	32.04	--- Peak																																																															
Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	5320.000	102.49	34.19	68.30	88.67	34.84	10.96	31.98	--- Peak																																																															
2	5320.000	95.36	-----	81.54	34.84	10.96	31.98	---	--- Average																																																															
Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.880</td> <td>49.59</td> <td>-4.41</td> <td>54.00</td> <td>35.87</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>--- Average</td> </tr> </tbody> </table>	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.880	49.59	-4.41	54.00	35.87	34.83	10.93	32.04	--- Average	NA																																								
Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	5350.880	49.59	-4.41	54.00	35.87	34.83	10.93	32.04	--- Average																																																															



Mode	39																																																																																																	
	Harmonic																																																																																																	
	Co-location_802.11a_CH64_5320MHz+LTE Band13																																																																																																	
ANT																																																																																																		
Pol.	Horizontal	Vertical																																																																																																
Peak	 <p>Data: 11 Level (dBuV/m) Date: 2023-09-05</p>	 <p>Data: 12 Level (dBuV/m) Date: 2023-09-05</p>																																																																																																
Avg	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.000</td> <td>50.16</td> <td>-23.84</td> <td>74.00</td> <td>47.17</td> <td>39.47</td> <td>14.32</td> <td>50.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.000</td> <td>50.22</td> <td>-23.78</td> <td>74.00</td> <td>42.71</td> <td>42.08</td> <td>17.20</td> <td>51.77</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	10640.000	50.16	-23.84	74.00	47.17	39.47	14.32	50.80	---	---	Peak	2	15960.000	50.22	-23.78	74.00	42.71	42.08	17.20	51.77	---	---	Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.000</td> <td>49.82</td> <td>-24.18</td> <td>74.00</td> <td>46.83</td> <td>39.47</td> <td>14.32</td> <td>50.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.000</td> <td>50.06</td> <td>-23.94</td> <td>74.00</td> <td>42.55</td> <td>42.08</td> <td>17.20</td> <td>51.77</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	10640.000	49.82	-24.18	74.00	46.83	39.47	14.32	50.80	---	---	Peak	2	15960.000	50.06	-23.94	74.00	42.55	42.08	17.20	51.77	---	---	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																											
1	10640.000	50.16	-23.84	74.00	47.17	39.47	14.32	50.80	---	---	Peak																																																																																							
2	15960.000	50.22	-23.78	74.00	42.71	42.08	17.20	51.77	---	---	Peak																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																											
1	10640.000	49.82	-24.18	74.00	46.83	39.47	14.32	50.80	---	---	Peak																																																																																							
2	15960.000	50.06	-23.94	74.00	42.55	42.08	17.20	51.77	---	---	Peak																																																																																							

Note: the highest signals over limit is WLAN 5G fundamental signal.



Mode	40																																																																
	Band Edge - L																																																																
	U-NII-2A_5.25-5.35_802.11a_CH56_5280MHz																																																																
ANT	SISO																																																																
Pol.	Horizontal	Pol.																																																															
Peak	<p>Site : 03CH01-SZ Condition : PART 15.407 3m HF_ANT(3117) HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz Project : 380711 Mode : 40 IMEI : 868862040702890 Plane : Y with Accessories MDB : 6M Power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5025.550</td> <td>52.36</td> <td>-21.64</td> <td>74.00</td> <td>37.94</td> <td>34.89</td> <td>11.16</td> <td>31.63</td> <td>100 137 Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 5025.550	52.36	-21.64	74.00	37.94	34.89	11.16	31.63	100 137 Peak	<p>Site : 03CH01-SZ Condition : PART 15.407 3m HF_ANT(3117) HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz Project : 380711 Mode : 40 IMEI : 868862040702890 Plane : Y with Accessories MDB : 6M Power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5280.000</td> <td>98.81</td> <td>30.51</td> <td>68.30</td> <td>84.93</td> <td>34.84</td> <td>10.99</td> <td>31.95</td> <td>100 137 Peak</td> </tr> <tr> <td>2 5280.000</td> <td>91.25</td> <td>-----</td> <td>-----</td> <td>77.37</td> <td>34.84</td> <td>10.99</td> <td>31.95</td> <td>100 137 Average</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 5280.000	98.81	30.51	68.30	84.93	34.84	10.99	31.95	100 137 Peak	2 5280.000	91.25	-----	-----	77.37	34.84	10.99	31.95	100 137 Average
	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																									
1 5025.550	52.36	-21.64	74.00	37.94	34.89	11.16	31.63	100 137 Peak																																																									
Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																									
1 5280.000	98.81	30.51	68.30	84.93	34.84	10.99	31.95	100 137 Peak																																																									
2 5280.000	91.25	-----	-----	77.37	34.84	10.99	31.95	100 137 Average																																																									
Avg	<p>Site : 03CH01-SZ Condition : PART 15.407 AVG 3m HF_ANT(3117) HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz Project : 380711 Mode : 40 IMEI : 868862040702890 Plane : Y with Accessories MDB : 6M Power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5044.450</td> <td>42.75</td> <td>-11.25</td> <td>54.00</td> <td>28.38</td> <td>34.89</td> <td>11.14</td> <td>31.66</td> <td>100 137 Average</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 5044.450	42.75	-11.25	54.00	28.38	34.89	11.14	31.66	100 137 Average	Blank																																				
Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																									
1 5044.450	42.75	-11.25	54.00	28.38	34.89	11.14	31.66	100 137 Average																																																									



Mode	40														
	Band Edge - R														
	U-NII-2A_5.25-5.35_802.11a_CH56_5280MHz														
ANT	SISO														
Pol.	Horizontal	Pol.													
Peak	<p>Date: 2023-09-29</p> <p>Site : 03CH01-SZ Condition : PART 15.407 3m HF_ANT(3117) HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz Project : 380711 Mode : 40 IMEI : 868862040702890 Plane : Y with Accessories MDB : 6M Power setting 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5351.040</th> <th>52.12</th> <th>-21.88</th> <th>74.00</th> <th>38.40</th> <th>34.83</th> <th>10.93</th> <th>32.04</th> <th>100</th> <th>137</th> <th>Peak</th> </tr> </thead> </table>		1	5351.040	52.12	-21.88	74.00	38.40	34.83	10.93	32.04	100	137	Peak	Blank
	1	5351.040	52.12	-21.88	74.00	38.40	34.83	10.93	32.04	100	137	Peak			
Avg	<p>Date: 2023-09-29</p> <p>Site : 03CH01-SZ Condition : PART 15.407 AVG 3m HF_ANT(3117) HORIZONTAL : RBW:1000.000KHz VBW:1000KHz Project : 380711 Mode : 40 IMEI : 868862040702890 Plane : Y with Accessories MDB : 6M Power setting 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.560</th> <th>42.71</th> <th>-11.29</th> <th>54.00</th> <th>28.99</th> <th>34.83</th> <th>10.93</th> <th>32.04</th> <th>100</th> <th>137</th> <th>Average</th> </tr> </thead> </table>		1	5350.560	42.71	-11.29	54.00	28.99	34.83	10.93	32.04	100	137	Average	Blank
1	5350.560	42.71	-11.29	54.00	28.99	34.83	10.93	32.04	100	137	Average				



Mode	40																																																																							
	Band Edge - L																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH56_5280MHz																																																																							
ANT	SISO																																																																							
Pol.	Vertical	Pol.																																																																						
Peak	<p>Data: 6 Date: 2023-10-07</p> <p>Site : 03CH01-SZ Condition : PART 15.407 3m HF_ANT(3117) VERTICAL : RBW:1000.000KHz VBW:3000.000KHz Project : 380711 Mode : 40 IMEI : 868862040702890 Plane : Y with Accessories MDB : 6M Power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5102.200</td> <td>52.93</td> <td>-21.07</td> <td>74.00</td> <td>38.66</td> <td>34.88</td> <td>11.12</td> <td>31.73</td> <td>100</td> <td>212 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		5102.200	52.93	-21.07	74.00	38.66	34.88	11.12	31.73	100	212 Peak	<p>Data: 8 Date: 2023-09-29</p> <p>Site : 03CH01-SZ Condition : PART 15.407 3m HF_ANT(3117) VERTICAL : RBW:1000.000KHz VBW:3000.000KHz Project : 380711 Mode : 40 IMEI : 868862040702890 Plane : Y with Accessories MDB : 6M Power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5280.000</td> <td>101.08</td> <td>32.78</td> <td>68.30</td> <td>87.20</td> <td>34.84</td> <td>10.99</td> <td>31.95</td> <td>100</td> <td>212 Peak</td> </tr> <tr> <td>5280.000</td> <td>94.15</td> <td>-----</td> <td>-----</td> <td>80.27</td> <td>34.84</td> <td>10.99</td> <td>31.95</td> <td>100</td> <td>212 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		5280.000	101.08	32.78	68.30	87.20	34.84	10.99	31.95	100	212 Peak	5280.000	94.15	-----	-----	80.27	34.84	10.99	31.95	100	212 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
5102.200	52.93	-21.07	74.00	38.66	34.88	11.12	31.73	100	212 Peak																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
5280.000	101.08	32.78	68.30	87.20	34.84	10.99	31.95	100	212 Peak																																																															
5280.000	94.15	-----	-----	80.27	34.84	10.99	31.95	100	212 Average																																																															
Avg	<p>Data: 7 Date: 2023-09-29</p> <p>Site : 03CH01-SZ Condition : PART 15.407 AV6 3m HF_ANT(3117) VERTICAL : RBW:1000.000KHz VBW:1.000KHz Project : 380711 Mode : 40 IMEI : 868862040702890 Plane : Y with Accessories MDB : 6M Power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5096.950</td> <td>42.85</td> <td>-11.15</td> <td>54.00</td> <td>28.58</td> <td>34.88</td> <td>11.12</td> <td>31.73</td> <td>100</td> <td>212 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		5096.950	42.85	-11.15	54.00	28.58	34.88	11.12	31.73	100	212 Average	Blank																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
5096.950	42.85	-11.15	54.00	28.58	34.88	11.12	31.73	100	212 Average																																																															



Mode	40																															
Mode	Band Edge - R																															
Mode	U-NII-2A_5.25-5.35_802.11a_CH56_5280MHz																															
ANT	SISO																															
Pol.	Vertical	Pol.																														
Peak	<p>Data: 9 Date: 2023-09-29</p> <p>Site : 03CH01-SZ Condition : PART 15.407 3m HF_ANT(3117) VERTICAL : RBW:1000.000KHz VBW:3000.000KHz Project : 380711 Mode : 40 IMEI : 868862040702890 Plane : Y with Accessories MDB : 6M Power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.800</td> <td>54.41</td> <td>-19.59</td> <td>74.00</td> <td>40.69</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>100</td> <td>212 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.800	54.41	-19.59	74.00	40.69	34.83	10.93	32.04	100	212 Peak	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																							
1 5350.800	54.41	-19.59	74.00	40.69	34.83	10.93	32.04	100	212 Peak																							
Avg	<p>Data: 10 Date: 2023-09-29</p> <p>Site : 03CH01-SZ Condition : PART 15.407 AV6 3m HF_ANT(3117) VERTICAL : RBW:1000.000KHz VBW:1.000KHz Project : 380711 Mode : 40 IMEI : 868862040702890 Plane : Y with Accessories MDB : 6M Power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.080</td> <td>44.35</td> <td>-9.65</td> <td>54.00</td> <td>30.63</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>100</td> <td>212 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.080	44.35	-9.65	54.00	30.63	34.83	10.93	32.04	100	212 Average	Avg
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																							
1 5350.080	44.35	-9.65	54.00	30.63	34.83	10.93	32.04	100	212 Average																							



Mode	41	
Mode	Band Edge - L	
Mode	U-NII-2A_5.25-5.35_802.11n HT20_CH56_5280MHz	
ANT	SISO	

Pol.	Horizontal	Pol.
------	------------	------

Peak

Data: 1
Date: 2023-09-29

Site : 03CH01-SZ
Condition : PART 15.407 3m HF_ANT(3117) HORIZONTAL
: RBW:1000.000KHz VBW:3000.000KHz
Project : 380711
Mode : 41
IMEI : 868862040702890
Plane : Y with Accessories MDB
: MCSO Power setting 14

Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark
Freq	Level	Limit	Level	Loss	Factor	Factor	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg
1	5057.050	52.76	-21.24	74.00	38.39	34.89	11.14 31.66 270 135 Peak

Data: 3
Date: 2023-09-29

Site : 03CH01-SZ
Condition : PART 15.407 3m HF_ANT(3117) HORIZONTAL
: RBW:1000.000KHz VBW:3000.000KHz
Project : 380711
Mode : 41
IMEI : 868862040702890
Plane : Y with Accessories MDB
: MCSO Power setting 14

Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark
Freq	Level	Limit	Level	Loss	Factor	Factor	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg
1	5280.000	99.63	31.33	68.30	85.75	34.84	10.99 31.95 270 135 Peak
2	5280.000	92.16	-----	-----	78.28	34.84	10.99 31.95 270 135 Average

Avg

Data: 2
Date: 2023-09-29

Site : 03CH01-SZ
Condition : PART 15.407 AV6 3m HF_ANT(3117) HORIZONTAL
: RBW:1000.000KHz VBW:1.000KHz
Project : 380711
Mode : 41
IMEI : 868862040702890
Plane : Y with Accessories MDB
: MCSO Power setting 14

Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark
Freq	Level	Limit	Level	Loss	Factor	Factor	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg
1	5045.150	42.79	-11.21	54.00	28.42	34.89	11.14 31.66 270 135 Average

Blank



Mode	41	
Mode	Band Edge - R	
Mode	U-NII-2A_5.25-5.35_802.11n HT20_CH56_5280MHz	
ANT	SISO	

Pol.	Horizontal	Pol.
------	------------	------

Peak	<p>Data: 4 Date: 2023-09-29</p> <p>Site : 03CH01-SZ Condition : PART 15.407 3m HF_ANT(3117) HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz Project : 380711 Mode : 41 IMEI : 868862040702890 Plane : Y with Accessories MDB : MCSO Power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5367.840</td> <td>51.79</td> <td>-22.21</td> <td>74.00</td> <td>38.07</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>270</td> <td>135 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5367.840	51.79	-22.21	74.00	38.07	34.83	10.93	32.04	270	135 Peak	Blank
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																							
1 5367.840	51.79	-22.21	74.00	38.07	34.83	10.93	32.04	270	135 Peak																							

Avg	<p>Data: 5 Date: 2023-09-29</p> <p>Site : 03CH01-SZ Condition : PART 15.407 AVG 3m HF_ANT(3117) HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz Project : 380711 Mode : 41 IMEI : 868862040702890 Plane : Y with Accessories MDB : MCSO Power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5357.760</td> <td>42.09</td> <td>-11.91</td> <td>54.00</td> <td>28.37</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>270</td> <td>135 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5357.760	42.09	-11.91	54.00	28.37	34.83	10.93	32.04	270	135 Average	Blank
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																							
1 5357.760	42.09	-11.91	54.00	28.37	34.83	10.93	32.04	270	135 Average																							



Mode	41	
Mode	Band Edge - L	
Mode	U-NII-2A_5.25-5.35_802.11n HT20_CH56_5280MHz	
ANT	SISO	

Pol.	Vertical	Pol.
------	----------	------

Peak

Date: 2023-09-29

Site : 03CH01-SZ
 Condition : PART 15.407 3m HF_ANT(3117) VERTICAL
 : RBW:1000.000KHz VBW:3000.000KHz
 Project : 380711
 Mode : 41
 IMEI : 868862040702890
 Plane : Y with Accessories MDB
 : MCS0 Power setting 14

Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB				
1	5045.850	52.16	-21.84	74.00	37.79	34.89	11.14	31.66	100	210	Peak

Date: 2023-09-29

Site : 03CH01-SZ
 Condition : PART 15.407 3m HF_ANT(3117) VERTICAL
 : RBW:1000.000KHz VBW:3000.000KHz
 Project : 380711
 Mode : 41
 IMEI : 868862040702890
 Plane : Y with Accessories MDB
 : MCS0 Power setting 14

Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB				
1	5280.000	100.01	31.71	68.30	86.13	34.84	10.99	31.95	100	210	Peak
2	5280.000	93.30	-----	-----	79.42	34.84	10.99	31.95	100	210	Average

Avg

Date: 2023-09-29

Site : 03CH01-SZ
 Condition : PART 15.407 AV6 3m HF_ANT(3117) VERTICAL
 : RBW:1000.000KHz VBW:1.000KHz
 Project : 380711
 Mode : 41
 IMEI : 868862040702890
 Plane : Y with Accessories MDB
 : MCS0 Power setting 14

Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB				
1	5042.000	42.72	-11.28	54.00	28.35	34.89	11.14	31.66	100	210	Average

Blank




Mode	41																																		
	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11n HT20_CH56_5280MHz																																		
ANT	SISO																																		
Pol.	Vertical	Fundamental																																	
Peak	<p> Data: 9 Date: 2023-09-29 Site : 03CH01-SZ Condition : PART 15.407 3m HF_ANT(3117) VERTICAL : RBW:1000.000KHz VBW:3000.000KHz Project : 380711 Mode : 41 IMEI : 868862040702890 Plane : Y with Accessories MDB : MCSO Power setting 14 </p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5401.440</td> <td>52.15</td> <td>-21.85</td> <td>74.00</td> <td>38.54</td> <td>34.82</td> <td>10.90</td> <td>32.11</td> <td>100</td> <td>210 Peak</td> </tr> </tbody> </table>	1	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5401.440	52.15	-21.85	74.00	38.54	34.82	10.90	32.11	100	210 Peak	Blank
1	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																									
1	5401.440	52.15	-21.85	74.00	38.54	34.82	10.90	32.11	100	210 Peak																									
Avg	<p> Data: 10 Date: 2023-09-29 Site : 03CH01-SZ Condition : PART 15.407 AV6 3m HF_ANT(3117) VERTICAL : RBW:1000.000KHz VBW:1.000KHz Project : 380711 Mode : 41 IMEI : 868862040702890 Plane : Y with Accessories MDB : MCSO Power setting 14 </p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.200</td> <td>42.35</td> <td>-11.65</td> <td>54.00</td> <td>28.63</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>100</td> <td>210 Average</td> </tr> </tbody> </table>	1	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.200	42.35	-11.65	54.00	28.63	34.83	10.93	32.04	100	210 Average	Blank
1	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																									
1	5353.200	42.35	-11.65	54.00	28.63	34.83	10.93	32.04	100	210 Average																									



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	93.33	1.4	0.714	1KHz
802.11ac VHT20	92.25	1.31	0.763	1KHz
802.11n HT40	94.20	0.65	1.538	3KHz
802.11ac VHT80	63.64	0.07	14.286	15KHz


802.11a



Date: 22.AUG.2023 13:29:15




802.11ac VHT 20



Date: 22.AUG.2023 19:21:02


802.11n HT40



Date: 22.AUG.2023 19:30:22



802.11ac VHT80



Date: 22.AUG.2023 19:47:43