







Mode	7																																																																						
	Harmonic																																																																						
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																						
ANT	SISO																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>41.31</td> <td>74.00</td> <td>-32.69</td> <td>56.37</td> <td>34.67</td> <td>7.75</td> <td>57.48</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	41.31	74.00	-32.69	56.37	34.67	7.75	57.48	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.77</td> <td>74.00</td> <td>-31.23</td> <td>57.83</td> <td>34.67</td> <td>7.75</td> <td>57.48</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	42.77	74.00	-31.23	57.83	34.67	7.75	57.48
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1	4824.00	41.31	74.00	-32.69	56.37	34.67	7.75	57.48	-- -- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1	4824.00	42.77	74.00	-31.23	57.83	34.67	7.75	57.48	-- -- Peak																																																														







Mode	8																																																																																																												
	Harmonic																																																																																																												
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																																												
ANT	SISO																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>41.68</td> <td>74.00</td> <td>-32.32</td> <td>57.06</td> <td>34.37</td> <td>7.77</td> <td>57.52</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>55.61</td> <td>74.00</td> <td>-18.39</td> <td>69.55</td> <td>36.05</td> <td>8.93</td> <td>58.92</td> <td>205</td> <td>139</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>49.00</td> <td>54.00</td> <td>-5.00</td> <td>62.94</td> <td>36.05</td> <td>8.93</td> <td>58.92</td> <td>205</td> <td>139</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	41.68	74.00	-32.32	57.06	34.37	7.77	57.52	--	Peak	2	7311.00	55.61	74.00	-18.39	69.55	36.05	8.93	58.92	205	139	Peak	3	7311.00	49.00	54.00	-5.00	62.94	36.05	8.93	58.92	205	139	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>41.78</td> <td>74.00</td> <td>-32.22</td> <td>57.16</td> <td>34.37</td> <td>7.77</td> <td>57.52</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>48.27</td> <td>74.00</td> <td>-25.73</td> <td>62.21</td> <td>36.05</td> <td>8.93</td> <td>58.92</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	41.78	74.00	-32.22	57.16	34.37	7.77	57.52	--	Peak	2	7311.00	48.27	74.00	-25.73	62.21	36.05	8.93	58.92	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	4874.00	41.68	74.00	-32.32	57.06	34.37	7.77	57.52	--	Peak																																																																																																			
2	7311.00	55.61	74.00	-18.39	69.55	36.05	8.93	58.92	205	139	Peak																																																																																																		
3	7311.00	49.00	54.00	-5.00	62.94	36.05	8.93	58.92	205	139	Average																																																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	4874.00	41.78	74.00	-32.22	57.16	34.37	7.77	57.52	--	Peak																																																																																																			
2	7311.00	48.27	74.00	-25.73	62.21	36.05	8.93	58.92	--	Peak																																																																																																			



Mode	9																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																	
ANT	SISO																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2462.00 MHz. A red horizontal line indicates the limit at 74.00 dBuV/m. A vertical blue line marks the peak at 2462.00 MHz. A red horizontal line labeled 'PEAK_BE_74' is at 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.93</td> <td>-----</td> <td>-----</td> <td>103.26</td> <td>32.40</td> <td>4.89</td> <td>33.62</td> <td>349</td> <td>331 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	106.93	-----	-----	103.26	32.40	4.89	33.62	349	331 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2462.00 MHz. A red horizontal line indicates the limit at 74.00 dBuV/m. A vertical blue line marks the peak at 2462.00 MHz. A red horizontal line labeled 'PEAK_74' is at 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.93</td> <td>-----</td> <td>-----</td> <td>103.26</td> <td>32.40</td> <td>4.89</td> <td>33.62</td> <td>349</td> <td>331 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	106.93	-----	-----	103.26	32.40	4.89	33.62	349	331 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	106.93	-----	-----	103.26	32.40	4.89	33.62	349	331 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	106.93	-----	-----	103.26	32.40	4.89	33.62	349	331 PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level. A red horizontal line indicates the limit at 54.00 dBuV/m. A vertical blue line marks the peak at 2462.00 MHz. A red horizontal line labeled 'AVG_BE_54' is at 54.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.70</td> <td>50.71</td> <td>54.00</td> <td>-3.29</td> <td>46.94</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>349</td> <td>331 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.70	50.71	54.00	-3.29	46.94	32.46	4.92	33.61	349	331 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level. A red horizontal line indicates the limit at 54.00 dBuV/m. A vertical blue line marks the peak at 2462.00 MHz. A red horizontal line labeled 'AVG_54' is at 54.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>99.97</td> <td>-----</td> <td>-----</td> <td>96.29</td> <td>32.41</td> <td>4.89</td> <td>33.62</td> <td>349</td> <td>331 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	99.97	-----	-----	96.29	32.41	4.89	33.62	349	331 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.70	50.71	54.00	-3.29	46.94	32.46	4.92	33.61	349	331 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	99.97	-----	-----	96.29	32.41	4.89	33.62	349	331 AVERAGE																																																																								



Mode	9																																																																							
	Band Edge																																																																							
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																							
ANT	SISO																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	 <p style="text-align: right;">Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.81</td> <td>64.62</td> <td>74.00</td> <td>-9.38</td> <td>60.85</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>309</td> <td>296 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	1	2483.81	64.62	74.00	-9.38	60.85	32.46	4.92	33.61	309	296 PEAK	 <p style="text-align: right;">Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.99</td> <td>-----</td> <td>-----</td> <td>100.31</td> <td>32.41</td> <td>4.89</td> <td>33.62</td> <td>309</td> <td>296 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	1	2462.00	103.99	-----	-----	100.31	32.41	4.89	33.62	309	296 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark																																																															
1	2483.81	64.62	74.00	-9.38	60.85	32.46	4.92	33.61	309	296 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark																																																															
1	2462.00	103.99	-----	-----	100.31	32.41	4.89	33.62	309	296 PEAK																																																														
Avg	 <p style="text-align: right;">Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>48.24</td> <td>54.00</td> <td>-5.76</td> <td>44.47</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>309</td> <td>296 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	1	2483.58	48.24	54.00	-5.76	44.47	32.46	4.92	33.61	309	296 AVERAGE	 <p style="text-align: right;">Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>97.22</td> <td>-----</td> <td>-----</td> <td>93.55</td> <td>32.40</td> <td>4.89</td> <td>33.62</td> <td>309</td> <td>296 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	1	2462.00	97.22	-----	-----	93.55	32.40	4.89	33.62	309	296 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark																																																															
1	2483.58	48.24	54.00	-5.76	44.47	32.46	4.92	33.61	309	296 AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark																																																															
1	2462.00	97.22	-----	-----	93.55	32.40	4.89	33.62	309	296 AVERAGE																																																														



Mode	9																																																																																																																
	Harmonic																																																																																																																
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																
ANT	SISO																																																																																																																
Pol.	Horizontal	Vertical																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.63</td> <td>74.00</td> <td>-30.37</td> <td>59.05</td> <td>34.34</td> <td>7.79</td> <td>57.55</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>51.01</td> <td>74.00</td> <td>-22.99</td> <td>64.80</td> <td>35.99</td> <td>9.17</td> <td>58.95</td> <td>155</td> <td>244</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.48</td> <td>54.00</td> <td>-11.52</td> <td>56.27</td> <td>35.99</td> <td>9.17</td> <td>58.95</td> <td>155</td> <td>244</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	43.63	74.00	-30.37	59.05	34.34	7.79	57.55	--	Peak	2	7386.00	51.01	74.00	-22.99	64.80	35.99	9.17	58.95	155	244	Peak	3	7386.00	42.48	54.00	-11.52	56.27	35.99	9.17	58.95	155	244	Average	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>41.98</td> <td>74.00</td> <td>-32.02</td> <td>57.40</td> <td>34.34</td> <td>7.79</td> <td>57.55</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.47</td> <td>74.00</td> <td>-26.53</td> <td>61.26</td> <td>35.99</td> <td>9.17</td> <td>58.95</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	41.98	74.00	-32.02	57.40	34.34	7.79	57.55	--	Peak	2	7386.00	47.47	74.00	-26.53	61.26	35.99	9.17	58.95	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
	Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																									
1	4924.00	43.63	74.00	-30.37	59.05	34.34	7.79	57.55	--	Peak																																																																																																							
2	7386.00	51.01	74.00	-22.99	64.80	35.99	9.17	58.95	155	244	Peak																																																																																																						
3	7386.00	42.48	54.00	-11.52	56.27	35.99	9.17	58.95	155	244	Average																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
	Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																									
1	4924.00	41.98	74.00	-32.02	57.40	34.34	7.79	57.55	--	Peak																																																																																																							
2	7386.00	47.47	74.00	-26.53	61.26	35.99	9.17	58.95	--	Peak																																																																																																							



10



LF

2400-2483.5\_802.11n HT20\_CH11\_2462MHz

SISO

Horizontal

Vertical



Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark
1	32.91	18.77	-21.23	40.00	34.04	18.23	1.26	34.76	---	Peak
2	171.62	25.74	-17.76	43.50	40.30	17.69	2.45	34.70	---	Peak
3	290.93	28.46	-17.54	46.00	41.06	18.85	3.17	34.62	---	Peak
4	453.89	30.38	-15.62	46.00	38.62	22.80	3.46	34.50	---	Peak
5	692.51	27.05	-18.95	46.00	30.76	26.97	3.73	34.41	---	Peak
6	872.93	29.33	-16.67	46.00	30.51	28.72	4.40	34.30	---	Peak

Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark
1	32.91	32.11	-7.89	40.00	47.38	18.23	1.26	34.76	---	Peak
2	173.56	29.10	-14.40	43.50	43.77	17.57	2.46	34.70	---	Peak
3	293.84	24.92	-21.08	46.00	37.40	18.94	3.19	34.61	---	Peak
4	451.95	24.88	-21.12	46.00	33.14	22.77	3.47	34.50	---	Peak
5	710.94	26.64	-19.36	46.00	30.09	27.21	3.74	34.40	---	Peak
6	940.83	29.77	-16.23	46.00	30.02	29.56	4.49	34.30	---	Peak



Mode	11																																																																																	
	Band Edge																																																																																	
	Co-colation_802.11n_HT20_CH11_2462MHz & LTE Band 13																																																																																	
ANT	SISO																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.66</td> <td>67.18</td> <td>74.00</td> <td>-6.82</td> <td>63.41</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>300</td> <td>328 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.66	67.18	74.00	-6.82	63.41	32.46	4.92	33.61	300	328 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>105.32</td> <td>-----</td> <td>-----</td> <td>101.65</td> <td>32.40</td> <td>4.89</td> <td>33.62</td> <td>300</td> <td>328 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	105.32	-----	-----	101.65	32.40	4.89	33.62	300	328 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.66	67.18	74.00	-6.82	63.41	32.46	4.92	33.61	300	328 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	105.32	-----	-----	101.65	32.40	4.89	33.62	300	328 PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.77</td> <td>49.98</td> <td>54.00</td> <td>-4.02</td> <td>46.21</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>300</td> <td>328 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.77	49.98	54.00	-4.02	46.21	32.46	4.92	33.61	300	328 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.01</td> <td>-----</td> <td>-----</td> <td>94.34</td> <td>32.40</td> <td>4.89</td> <td>33.62</td> <td>300</td> <td>328 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	98.01	-----	-----	94.34	32.40	4.89	33.62	300	328 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.77	49.98	54.00	-4.02	46.21	32.46	4.92	33.61	300	328 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	98.01	-----	-----	94.34	32.40	4.89	33.62	300	328 AVERAGE																																																																								



Mode	11																																																																																	
	Band Edge																																																																																	
	Co-colation_802.11n_HT20_CH11_2462MHz & LTE Band 13																																																																																	
ANT	SISO																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>65.83</td> <td>74.00</td> <td>-8.17</td> <td>62.06</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>300</td> <td>298 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.58	65.83	74.00	-8.17	62.06	32.46	4.92	33.61	300	298 PEAK	<p>Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.52</td> <td>-----</td> <td>-----</td> <td>99.85</td> <td>32.40</td> <td>4.89</td> <td>33.62</td> <td>300</td> <td>298 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	103.52	-----	-----	99.85	32.40	4.89	33.62	300	298 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.58	65.83	74.00	-8.17	62.06	32.46	4.92	33.61	300	298 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	103.52	-----	-----	99.85	32.40	4.89	33.62	300	298 PEAK																																																																								
Avg	<p>Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>48.73</td> <td>54.00</td> <td>-5.27</td> <td>44.96</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>300</td> <td>298 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.58	48.73	54.00	-5.27	44.96	32.46	4.92	33.61	300	298 AVERAGE	<p>Date: 2023-08-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.70</td> <td>-----</td> <td>-----</td> <td>93.03</td> <td>32.40</td> <td>4.89</td> <td>33.62</td> <td>300</td> <td>298 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	96.70	-----	-----	93.03	32.40	4.89	33.62	300	298 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.58	48.73	54.00	-5.27	44.96	32.46	4.92	33.61	300	298 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	96.70	-----	-----	93.03	32.40	4.89	33.62	300	298 AVERAGE																																																																								






Mode	11																																																																																																												
	Harmonic																																																																																																												
	Co-olation_802.11n_HT20_CH11_2462MHz & LTE Band 13																																																																																																												
ANT	SISO																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.79</td> <td>74.00</td> <td>-31.21</td> <td>58.21</td> <td>34.34</td> <td>7.79</td> <td>57.55</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>54.12</td> <td>74.00</td> <td>-19.88</td> <td>67.91</td> <td>35.99</td> <td>9.17</td> <td>58.95</td> <td>214</td> <td>147</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>46.01</td> <td>54.00</td> <td>-7.99</td> <td>59.80</td> <td>35.99</td> <td>9.17</td> <td>58.95</td> <td>214</td> <td>147</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	42.79	74.00	-31.21	58.21	34.34	7.79	57.55	--	Peak	2	7386.00	54.12	74.00	-19.88	67.91	35.99	9.17	58.95	214	147	Peak	3	7386.00	46.01	54.00	-7.99	59.80	35.99	9.17	58.95	214	147	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.34</td> <td>74.00</td> <td>-31.66</td> <td>57.76</td> <td>34.34</td> <td>7.79</td> <td>57.55</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>48.21</td> <td>74.00</td> <td>-25.79</td> <td>62.00</td> <td>35.99</td> <td>9.17</td> <td>58.95</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	42.34	74.00	-31.66	57.76	34.34	7.79	57.55	--	Peak	2	7386.00	48.21	74.00	-25.79	62.00	35.99	9.17	58.95	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	4924.00	42.79	74.00	-31.21	58.21	34.34	7.79	57.55	--	Peak																																																																																																			
2	7386.00	54.12	74.00	-19.88	67.91	35.99	9.17	58.95	214	147	Peak																																																																																																		
3	7386.00	46.01	54.00	-7.99	59.80	35.99	9.17	58.95	214	147	Average																																																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	4924.00	42.34	74.00	-31.66	57.76	34.34	7.79	57.55	--	Peak																																																																																																			
2	7386.00	48.21	74.00	-25.79	62.00	35.99	9.17	58.95	--	Peak																																																																																																			



## Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.94	-	-	10Hz
802.11g	93.33	1.4	0.714	1KHz
802.11n HT20	92.91	1.31	0.763	1KHz


802.11b



Date: 22.AUG.2023 13:17:38




802.11g



Date: 22.AUG.2023 13:27:24

802.11n HT20



Date: 22.AUG.2023 13:24:14