Specific Absorption Rate (SAR)

FCC 47 CFR Part 2

Test Report

For

Kyocera Corporation
c/o Kyocera Communication, Inc.

Product:	CDMA Mobile Phone
Model:	C5155 A1

This report shall not be reproduced except in full, without the written consent of CompTest Services LLC.

TABLE OF CONTENTS

1 SUMMARY OF TESTING 4

2 EQUIPMENT UNDER TEST INFORMATION 5

3 ACCESSORIES 5

3.1 BODY WORN ACCESSORIES 5
3.2 BATTERIES 5

4 TEST CONDITIONS 6

4.1 TEST FACILITIES 6
4.2 AMBIENT CONDITIONS 6
4.3 RF CHARACTERISTICS OF THE TEST SITE 6
4.4 TEST SIGNAL, FREQUENCIES AND OUTPUT POWER 7
4.5 DEVICE TEST CONDITIONS 9
4.6 MULTIPLE TRANSMITTERS AND ANTENNAS SAR EVALUATIONS 10
4.7 ROUTER SAR EVALUATIONS 13
4.8 HAND SAR EVALUATIONS 13
4.9 SAR TESTS IN MOUTH AND JAW REGIONS OF THE SAM PHANTOM 14

5 DESCRIPTION OF THE TEST EQUIPMENT 15

5.1 DOSIMETRIC SYSTEM 15
5.2 ADDITIONAL EQUIPMENT NEEDED IN VALIDATION 17
5.3 TISSUE STIMULANTS 17
5.4 PHANTOMS DESCRIPTION 18
5.5 ISOTROPIC E-FIELD PROBE 19

6 SYSTEM VALIDATION 20

7 DESCRIPTION OF THE TEST PROCEDURE 22

7.1 TEST POSITIONS 22
7.2 SCAN PROCEDURES 24
7.3 SAR AVERAGING METHODS 24

8 MEASUREMENT UNCERTAINTY 25

9 TEST DATA 26

9.2 SIMULTANEOUS SAR EVALUATION 30

10 LIST OF APPENDIX 31

This report shall not be reproduced except in full, without the written consent of CompTest Services LLC.