




**[11a]
W56 / Channel Low
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 Subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 20.8[°C] 25.9[%]
Serial No.	: 2695300163	Note1	: CH:100 5500MHz
Test mode	: WLAN_11a_W56_Tx_ch:Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	43.9	-15.7	28.2	40.0	11.8	100.0	0.0	
2	410.900	H	41.1	-11.3	29.8	46.0	16.2	100.0	276.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11a]
W56 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 22.2[°C] 31.3[%]
Serial No.	: 2695300163	Note1	: ch:100_5500MHz
Test mode	: WLAN_W56_11a_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5466.000	H	50.3		11.8	62.1		68.2	54.0	6.1		200.0	139.0	
2	5467.200	V	50.0		11.8	61.8		68.2	54.0	6.4		100.0	179.0	
3	11000.000	H	46.1	32.3	12.3	58.4	44.6	74.0	54.0	15.6	9.4	100.0	152.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11a]
W56 / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Tablet
 Model No. : KC-T304C
 Serial No. : 2695300163
 Test mode : WLAN_11a_W56_Tx_ch:Mid

Standard : FCC Part.15 Subpart E
 Operator : C.Kanno
 Temp,Hum : 20.8[°C] 25.9[%]
 Note1 : CH:116 5580MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading [dB(μV)]	c. f [dB(1/m)]	Result [dB(μV/m)]	Limit [dB(μV/m)]	Margin [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	37.5	-15.7	21.8	40.0	18.2	100.0	0.0	
2	410.900	H	41.3	-11.3	30.0	46.0	16.0	100.0	276.0	

Note:


- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
- No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



[11a]
W56 / Channel Middle
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Tablet
 Model No. : KC-T304C
 Serial No. : 2695300163
 Test mode : WLAN_W56_11a_Tx_Mid

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.2[°C] 31.3[%]
 Note1 : ch:116_5580MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11160.000	H	46.4	32.3	12.3	58.7	44.6	74.0	54.0	15.3	9.4	100.0	232.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11a]
W56 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 Subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 20.8[°C] 25.9[%]
Serial No.	: 2695300163	Note1	: CH:140 5700MHz
Test mode	: WLAN_11a_W56_Tx_ch:High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	44.7	-15.7	29.0	40.0	11.0	100.0	0.0	
2	410.900	H	41.1	-11.3	29.8	46.0	16.2	100.0	270.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



[11a]
W56 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Tablet
 Model No. : KC-T304C
 Serial No. : 2695300163
 Test mode : WLAN_W56_11a_Tx_High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.2[°C] 31.3[%]
 Note1 : ch:140_5700MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11400.000	H	46.1	31.8	12.5	58.6	44.3	74.0	54.0	15.4	9.7	100.0	68.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11a]
W56 / Channel High
BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Tablet
 Model No. : KC-T304C
 Serial No. : 2695300163
 Test mode : WLAN_11a_W56_Tx_ch:High

Standard : FCC Part.15 Subpart E
 Operator : C.Kanno
 Temp,Hum : 20.8[°C] 25.9[%]
 Note1 : CH:144 5720MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	47.900	V	40.8	-15.7	25.1	40.0	14.9	100.0	0.0	
2	410.900	H	41.0	-11.3	29.7	46.0	16.3	100.0	267.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



[11a]
W56 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Tablet
 Model No. : KC-T304C
 Serial No. : 2695300163
 Test mode : WLAN_W56_11a_Tx_High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.2[°C] 31.3[%]
 Note1 : ch:144_5720MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11440.000	H	46.4	31.6	12.5	58.9	44.1	74.0	54.0	15.1	9.9	100.0	125.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W52 / Channel Low
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.9[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: CH:36 5180MHz
Test mode	: WLAN_11n(HT20)_W52_Tx_ch:Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	44.5	-15.7	28.8	40.0	11.2	100.0	0.0	
2	410.900	H	39.7	-11.3	28.4	46.0	17.6	100.0	276.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT20)]
W52 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 22.2[°C] 31.3[%]
Serial No.	: 2695300163	Note1	: ch:36_5180MHz
Test mode	: WLAN_W52_11n(HT20)_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10360.000	H	46.4	11.2	57.6	68.2	10.6	100.0	64.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



Japan

**[11n(HT20)]
W52 / Channel Middle
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.9[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: CH:40 5200MHz
Test mode	: WLAN_11n(HT20)_W52_Tx_ch:Mid	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	43.2	-15.7	27.5	40.0	12.5	100.0	0.0	
2	410.900	H	39.6	-11.3	28.3	46.0	17.7	100.0	277.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT20)]
W52 / Channel Middle
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 22.2[°C] 31.3[%]
Serial No.	: 2695300163	Note1	: ch:40_5200MHz
Test mode	: WLAN_W52_11n(HT20)_Tx_Mid	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10400.000	H	46.1	11.3	57.4	68.2	10.8	100.0	155.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W52 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.9[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: CH:48 5240MHz
Test mode	: WLAN_11n(HT20)_W52_Tx_ch:High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	39.8	-15.7	24.1	40.0	15.9	100.0	0.0	
2	410.900	H	39.7	-11.3	28.4	46.0	17.6	100.0	271.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT20)]
W52 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 22.2[°C] 31.3[%]
Serial No.	: 2695300163	Note1	: ch:48,5240MHz
Test mode	: WLAN_W52_11n(HT20)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10480.000	H	46.0	11.4	57.4	68.2	10.8	100.0	231.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



Japan

**[11n(HT20)]
W53 / Channel Low
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.9[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: CH:52 5260MHz
Test mode	: WLAN_11n(HT20)_W53_Tx_ch:Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	44.5	-15.7	28.8	40.0	11.2	100.0	0.0	
2	410.900	H	39.8	-11.3	28.5	46.0	17.5	100.0	272.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT20)]
W53 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 22.2[°C] 31.3[%]
Serial No.	: 2695300163	Note1	: ch:52_5260MHz
Test mode	: WLAN_W53_11n(HT20)_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10520.000	H	46.3	11.5	57.8	68.2	10.4	100.0	186.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W53 / Channel Middle
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.9[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: CH:56 5280MHz
Test mode	: WLAN_11n(HT20)_W53_Tx_ch:Mid	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	44.4	-15.7	28.7	40.0	11.3	100.0	0.0	
2	410.900	H	40.1	-11.3	28.8	46.0	17.2	100.0	271.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT20)]
W53 / Channel Middle
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 21.8[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: ch:56_5280MHz
Test mode	: WLAN_W53_11n(HT20)_Tx_Mid	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10560.000	H	48.2	11.5	59.7	68.2	8.5	100.0	65.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W53 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.9[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: CH:64 5320MHz
Test mode	: WLAN_11n(HT20)_W53_Tx_ch:High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	44.2	-15.7	28.5	40.0	11.5	100.0	0.0	
2	410.900	H	41.1	-11.3	29.8	46.0	16.2	100.0	260.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT20)]
W53 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 21.8[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: ch:64_5320MHz
Test mode	: WLAN_W53_11n(HT20)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	10640.000	H	47.8	32.8	11.7	59.5	44.5	74.0	54.0	14.5	9.5	100.0	135.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



Japan

**[11n(HT20)]
W56 / Channel Low
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.9[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: CH:100 5500MHz
Test mode	: WLAN_11n(HT20)_W56_Tx_ch:Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	43.7	-15.7	28.0	40.0	12.0	100.0	0.0	
2	410.900	H	41.1	-11.3	29.8	46.0	16.2	100.0	276.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 21.8[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: ch:100_5500MHz
Test mode	: WLAN_W56_11n(HT20)_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5464.100	H	50.8		11.8	62.6		68.2	54.0	5.6		100.0	70.0	
2	5463.400	V	50.9		11.8	62.7		68.2	54.0	5.5		100.0	232.0	
3	11000.000	H	46.0	32.6	12.3	58.3	44.9	74.0	54.0	15.7	9.1	100.0	188.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel Middle
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.9[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: CH:116 5580MHz
Test mode	: WLAN_11n(HT20)_W56_Tx_ch:Mid	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	42.6	-15.7	26.9	40.0	13.1	100.0	0.0	
2	410.900	H	40.9	-11.3	29.6	46.0	16.4	100.0	271.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel Middle
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 21.8[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: ch:116_5580MHz
Test mode	: WLAN_W56_11n(HT20)_Tx_Mid	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11160.000	H	46.4	32.6	12.3	58.7	44.9	74.0	54.0	15.3	9.1	100.0	82.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.9[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: CH:140 5700MHz
Test mode	: WLAN_11n(HT20)_W56_Tx_ch:High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	42.2	-15.7	26.5	40.0	13.5	100.0	0.0	
2	410.900	H	40.9	-11.3	29.6	46.0	16.4	100.0	272.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 21.8[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: ch:140_5700MHz
Test mode	: WLAN_W56_11n(HT20)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11400.000	H	46.4	32.1	12.5	58.9	44.6	74.0	54.0	15.1	9.4	100.0	129.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.9[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: CH:144 5720MHz
Test mode	: WLAN_11n(HT20)_W56_Tx_ch:High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	42.0	-15.7	26.3	40.0	13.7	100.0	0.0	
2	410.900	H	40.9	-11.3	29.6	46.0	16.4	100.0	271.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT20)]
W56 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 21.8[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: ch:144_5720MHz
Test mode	: WLAN_W56_11n(HT20)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11440.000	H	46.9	32.1	12.5	59.4	44.6	74.0	54.0	14.6	9.4	100.0	258.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



[11n(HT40)]
W52 / Channel Low
BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.4[°C] 27.0[%]
Serial No.	: 2695300163	Note1	: CH:38 5190MHz
Test mode	: 5GHz_W52_11n(HT40)_Tx_ch:Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	44.1	-15.7	28.4	40.0	11.6	100.0	0.0	
2	410.900	H	40.4	-11.3	29.1	46.0	16.9	100.0	272.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT40)]
W52 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 21.8[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: ch:38_5190MHz
Test mode	: WLAN_W52_11n(HT40)_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10380.000	H	46.6	11.2	57.8	68.2	10.4	100.0	119.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT40)]
W52 / Channel High
BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Tablet
 Model No. : KC-T304C
 Serial No. : 2695300163
 Test mode : 5GHz_W52_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum : 23.4[°C] 27.0[%]
 Note1 : CH:46 5230MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	41.5	-15.7	25.8	40.0	14.2	100.0	0.0	
2	410.900	H	40.3	-11.3	29.0	46.0	17.0	100.0	268.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



Japan

**[11n(HT40)]
W52 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 21.8[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: ch:46_5230MHz
Test mode	: WLAN_W52_11n(HT40)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10460.000	H	46.2	11.4	57.6	68.2	10.6	100.0	72.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



Japan

**[11n(HT40)]
W53 / Channel Low
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.4[°C] 27.0[%]
Serial No.	: 2695300163	Note1	: CH:54 5270MHz
Test mode	: 5GHz_W53_11n(HT40)_Tx_ch:Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	42.1	-15.7	26.4	40.0	13.6	100.0	0.0	
2	410.900	H	40.2	-11.3	28.9	46.0	17.1	100.0	270.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable - Amp)]
2. No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT40)]
W53 / Channel Low
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 21.8[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: ch:54_5270MHz
Test mode	: WLAN_W53_11n(HT40)_Tx_Low	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10540.000	H	46.2	11.5	57.7	68.2	10.5	100.0	72.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT40)]
W53 / Channel High
BELOW 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Tablet	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum	: 23.4[°C] 27.0[%]
Serial No.	: 2695300163	Note1	: CH:62 5310MHz
Test mode	: 5GHz_W53_11n(HT40)_Tx_ch:High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	48.000	V	42.6	-15.7	26.9	40.0	13.1	100.0	0.0	
2	410.900	H	40.5	-11.3	29.2	46.0	16.8	100.0	272.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 30MHz at the 3 meters distance.



**[11n(HT40)]
W53 / Channel High
ABOVE 1GHz**

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: KC-T304C	Temp,Hum,Atm	: 21.8[°C] 28.9[%]
Serial No.	: 2695300163	Note1	: ch:62_5310MHz
Test mode	: WLAN_W53_11n(HT40)_Tx_High	Note2	:



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	10620.000	H	47.8	32.7	11.7	59.5	44.4	74.0	54.0	14.5	9.6	100.0	23.0	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.