


Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	44.98	16.49	61.47	109.40	-47.93	peak	
2	5725.000	45.05	16.51	61.56	122.20	-60.64	peak	
3 *	5762.200	79.90	16.58	96.48	122.20	-25.72	peak	No Limit
4	5850.000	44.38	16.76	61.14	122.20	-61.06	peak	
5	5860.000	39.64	16.79	56.43	109.40	-52.97	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11548.3720	26.12	13.19	39.31	54.00	-14.69	AVG	
2	11549.5340	37.71	13.19	50.90	74.00	-23.10	Peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	19.09	16.50
40	5200	19.10	16.50
48	5240	19.49	16.50

CH36




Date: 4.MAR.2021 14:01:17

CH40 26 dB Bandwidth




Date: 4.MAR.2021 14:04:13

CH48




Date: 4.MAR.2021 14:05:46


99 % Occupied Bandwidth



Date: 4.MAR.2021 14:00:36



Date: 4.MAR.2021 14:03:32




Date: 4.MAR.2021 14:04:50

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	19.55	17.70
40	5200	19.41	17.70
48	5240	19.49	17.70

CH36




Date: 4.MAR.2021 14:14:39

CH40 26 dB Bandwidth




Date: 4.MAR.2021 14:19:44

CH48




Date: 4.MAR.2021 14:21:11


99 % Occupied Bandwidth



Date: 4.MAR.2021 14:13:59



Date: 4.MAR.2021 14:19:03




Date: 4.MAR.2021 14:20:29

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	41.19	36.60
46	5230	41.19	36.60

CH38




Date: 4.MAR.2021 14:54:10

CH46 26 dB Bandwidth




Date: 4.MAR.2021 14:58:32



Date: 4.MAR.2021 14:53:27

99 % Occupied Bandwidth




Date: 4.MAR.2021 14:57:52

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.09	17.80
40	5200	19.89	17.70
48	5240	19.79	17.70

CH36




Date: 4.MAR.2021 15:08:24

CH40 26 dB Bandwidth




Date: 4.MAR.2021 15:11:24

CH48




Date: 4.MAR.2021 15:13:07


99 % Occupied Bandwidth



Date: 4.MAR.2021 15:07:40



Date: 4.MAR.2021 15:10:43




Date: 4.MAR.2021 15:12:26

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	41.40	36.60
46	5230	42.40	36.60

CH38




Date: 4.MAR.2021 15:24:03

CH46 26 dB Bandwidth




Date: 4.MAR.2021 15:27:36



Date: 4.MAR.2021 15:22:44

99 % Occupied Bandwidth




Date: 4.MAR.2021 15:26:41

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	137.99	76.00

CH42 26 dB Bandwidth



Date: 4.MAR.2021 15:37:56

99 % Occupied Bandwidth




Date: 4.MAR.2021 15:37:06

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.60	26.40	0.5	Complies
157	5785	16.60	27.00	0.5	Complies
165	5825	16.60	25.40	0.5	Complies


CH149



Date: 4.MAR.2021 14:07:34


CH157

6 dB Bandwidth




Date: 4.MAR.2021 14:09:31

CH165




Date: 4.MAR.2021 14:10:46


99 % Occupied Bandwidth



Date: 4.MAR.2021 14:06:50



Date: 4.MAR.2021 14:08:47




Date: 4.MAR.2021 14:10:02

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.80	18.90	0.5	Complies
157	5785	17.80	24.10	0.5	Complies
165	5825	17.80	25.30	0.5	Complies

CH149




Date: 4.MAR.2021 14:45:26

CH157 6 dB Bandwidth




Date: 4.MAR.2021 14:48:05

CH165




Date: 4.MAR.2021 14:52:13


99 % Occupied Bandwidth



Date: 4.MAR.2021 14:44:43



Date: 4.MAR.2021 14:47:22




Date: 4.MAR.2021 14:51:30

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.50	56.60	0.5	Complies
159	5795	36.50	56.20	0.5	Complies

CH151




Date: 4.MAR.2021 15:01:17

CH159 6 dB Bandwidth




Date: 4.MAR.2021 15:05:58



Date: 4.MAR.2021 15:09:32

99 % Occupied Bandwidth




Date: 4.MAR.2021 15:05:14

Test Mode UNII-3_TX AC(VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.80	27.10	0.5	Complies
157	5785	17.80	26.80	0.5	Complies
165	5825	17.80	25.60	0.5	Complies


CH149



Date: 4.MAR.2021 15:16:12


CH157

6 dB Bandwidth




Date: 4.MAR.2021 15:18:37

CH165




Date: 4.MAR.2021 15:21:44


99 % Occupied Bandwidth



Date: 4.MAR.2021 15:15:29



Date: 4.MAR.2021 15:17:54




Date: 4.MAR.2021 15:21:01

Test Mode UNII-3_TX AC(VHT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.50	38.80	0.5	Complies
159	5795	36.60	53.20	0.5	Complies

CH151




Date: 4.MAR.2021 15:32:44

CH159 6 dB Bandwidth




Date: 4.MAR.2021 15:35:39



Date: 4.MAR.2021 15:32:00

99 % Occupied Bandwidth




Date: 4.MAR.2021 15:34:54

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.79	126.80	0.5	Complies

CH155 6 dB Bandwidth



Date: 4.MAR.2021 15:41:46

99 % Occupied Bandwidth



Date: 4.MAR.2021 15:40:55

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.88	0.79	19.67	30.00	1.0000	Complies
40	5200	18.45	0.79	19.64	30.00	1.0000	Complies
48	5240	18.22	0.79	19.01	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.27	0.94	18.21	30.00	1.0000	Complies
40	5200	16.43	0.94	17.37	30.00	1.0000	Complies
48	5240	16.47	0.94	17.41	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.33	0.94	19.27	30.00	1.0000	Complies
40	5200	16.49	0.94	17.43	30.00	1.0000	Complies
48	5240	16.59	0.94	17.53	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.78	29.99	0.9977	Complies
40	5200	20.41	29.99	0.9977	Complies
48	5240	20.48	29.99	0.9977	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.23	1.70	16.93	30.00	1.0000	Complies
46	5230	16.58	1.70	18.28	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.31	1.70	18.01	30.00	1.0000	Complies
46	5230	17.77	1.70	19.47	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.51	29.99	0.9977	Complies
46	5230	21.92	29.99	0.9977	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.62	0.82	18.44	30.00	1.0000	Complies
40	5200	17.48	0.82	18.30	30.00	1.0000	Complies
48	5240	17.15	0.82	17.97	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.58	0.82	18.40	30.00	1.0000	Complies
40	5200	17.32	0.82	18.14	30.00	1.0000	Complies
48	5240	17.31	0.82	18.13	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.43	29.99	0.9977	Complies
40	5200	21.23	29.99	0.9977	Complies
48	5240	21.06	29.99	0.9977	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.83	1.46	16.29	30.00	1.0000	Complies
46	5230	16.03	1.46	17.49	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.49	1.46	17.95	30.00	1.0000	Complies
46	5230	15.89	1.46	17.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.21	29.99	0.9977	Complies
46	5230	20.43	29.99	0.9977	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.58	2.66	16.24	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.42	2.66	18.08	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.27	29.99	0.9977	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.87	0.79	17.66	30.00	1.0000	Complies
157	5785	16.53	0.79	17.32	30.00	1.0000	Complies
165	5825	16.75	0.79	17.54	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.54	0.94	17.48	30.00	1.0000	Complies
157	5785	16.54	0.94	17.48	30.00	1.0000	Complies
165	5825	16.37	0.94	17.31	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.55	0.94	17.49	30.00	1.0000	Complies
157	5785	16.61	0.94	17.55	30.00	1.0000	Complies
165	5825	16.32	0.94	17.26	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.49	29.99	0.9977	Complies
157	5785	20.52	29.99	0.9977	Complies
165	5825	20.29	29.99	0.9977	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.52	1.70	18.22	30.00	1.0000	Complies
159	5795	16.41	1.70	18.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.84	1.70	19.54	30.00	1.0000	Complies
159	5795	17.38	1.70	19.08	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.94	29.99	0.9977	Complies
159	5795	21.63	29.99	0.9977	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.47	0.82	21.29	30.00	1.0000	Complies
157	5785	19.69	0.82	20.51	30.00	1.0000	Complies
165	5825	19.37	0.82	20.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.43	0.82	19.25	30.00	1.0000	Complies
157	5785	17.56	0.82	18.38	30.00	1.0000	Complies
165	5825	17.44	0.82	18.26	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.40	29.99	0.9977	Complies
157	5785	22.58	29.99	0.9977	Complies
165	5825	22.34	29.99	0.9977	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.78	1.46	21.24	30.00	1.0000	Complies
159	5795	19.65	1.46	21.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.23	1.46	18.69	30.00	1.0000	Complies
159	5795	17.18	1.46	18.64	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.16	29.99	0.9977	Complies
159	5795	23.06	29.99	0.9977	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.29	2.66	17.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.38	2.66	19.04	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.54	29.99	0.9977	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.03	0.94	17.97	30.00	1.0000	Complies
40	5200	16.27	0.94	17.21	30.00	1.0000	Complies
48	5240	16.33	0.94	17.27	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.07	0.94	19.01	30.00	1.0000	Complies
40	5200	16.15	0.94	17.09	30.00	1.0000	Complies
48	5240	16.28	0.94	17.22	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.53	30.00	1.0000	Complies
40	5200	20.16	30.00	1.0000	Complies
48	5240	20.25	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.99	1.70	16.69	30.00	1.0000	Complies
46	5230	16.21	1.70	17.91	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.05	1.70	17.75	30.00	1.0000	Complies
46	5230	17.58	1.70	19.28	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.26	30.00	1.0000	Complies
46	5230	21.66	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.25	0.82	18.07	30.00	1.0000	Complies
40	5200	17.22	0.82	18.04	30.00	1.0000	Complies
48	5240	17.03	0.82	17.85	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.38	0.82	18.20	30.00	1.0000	Complies
40	5200	17.18	0.82	18.00	30.00	1.0000	Complies
48	5240	17.04	0.82	17.86	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.15	30.00	1.0000	Complies
40	5200	21.03	30.00	1.0000	Complies
48	5240	20.86	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.67	1.46	16.13	30.00	1.0000	Complies
46	5230	15.87	1.46	17.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.22	1.46	17.68	30.00	1.0000	Complies
46	5230	15.94	1.46	17.40	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.98	30.00	1.0000	Complies
46	5230	20.37	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.32	2.66	15.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.12	2.66	17.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.98	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.37	0.94	17.31	30.00	1.0000	Complies
157	5785	16.25	0.94	17.19	30.00	1.0000	Complies
165	5825	16.08	0.94	17.02	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.15	0.94	17.09	30.00	1.0000	Complies
157	5785	16.33	0.94	17.27	30.00	1.0000	Complies
165	5825	16.17	0.94	17.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.21	30.00	1.0000	Complies
157	5785	20.24	30.00	1.0000	Complies
165	5825	20.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.25	1.70	17.95	30.00	1.0000	Complies
159	5795	16.17	1.70	17.87	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.52	1.70	19.22	30.00	1.0000	Complies
159	5795	17.14	1.70	18.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.64	30.00	1.0000	Complies
159	5795	21.39	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.02	0.82	20.84	30.00	1.0000	Complies
157	5785	19.35	0.82	20.17	30.00	1.0000	Complies
165	5825	19.18	0.82	20.00	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.13	0.82	18.95	30.00	1.0000	Complies
157	5785	17.11	0.82	17.93	30.00	1.0000	Complies
165	5825	17.36	0.82	18.18	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.01	30.00	1.0000	Complies
157	5785	22.20	30.00	1.0000	Complies
165	5825	22.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.62	1.46	21.08	30.00	1.0000	Complies
159	5795	19.35	1.46	20.81	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.02	1.46	18.48	30.00	1.0000	Complies
159	5795	17.05	1.46	18.51	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.98	30.00	1.0000	Complies
159	5795	22.82	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.01	2.66	17.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.22	2.66	18.88	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.33	30.00	1.0000	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.21	0.79	10.00	17.00	Complies
40	5200	9.24	0.79	10.03	17.00	Complies
48	5240	9.58	0.79	10.37	17.00	Complies

CH36




Date: 4.MAR.2021 14:01:31

CH40



Date: 4.MAR.2021 14:04:28


CH48



Date: 4.MAR.2021 14:06:00


Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.14	0.94	9.08	17.00	Complies
40	5200	7.81	0.94	8.75	17.00	Complies
48	5240	7.34	0.94	8.28	17.00	Complies



Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.64	0.94	10.58	17.00	Complies
40	5200	8.64	0.94	9.58	17.00	Complies
48	5240	8.87	0.94	9.81	17.00	Complies




Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.90	16.99	Complies
40	5200	12.19	16.99	Complies
48	5240	12.12	16.99	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.02	1.70	6.72	17.00	Complies
46	5230	5.36	1.70	7.06	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.85	1.70	7.55	17.00	Complies
46	5230	6.01	1.70	7.71	17.00	Complies

CH38



CH46




Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.16	16.99	Complies
46	5230	10.41	16.99	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.62	0.82	9.44	17.00	Complies
40	5200	8.40	0.82	9.22	17.00	Complies
48	5240	8.60	0.82	9.42	17.00	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.23	0.82	10.05	17.00	Complies
40	5200	9.23	0.82	10.05	17.00	Complies
48	5240	9.32	0.82	10.14	17.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.77	16.99	Complies
40	5200	12.66	16.99	Complies
48	5240	12.80	16.99	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.37	1.46	6.83	17.00	Complies
46	5230	5.65	1.46	7.11	17.00	Complies

CH38



Date: 4.MAR.2021 15:24:23

CH46




Date: 4.MAR.2021 15:27:56

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.99	1.46	7.45	17.00	Complies
46	5230	6.41	1.46	7.87	17.00	Complies

CH38



Date: 4.MAR.2021 15:25:09

CH46




Date: 4.MAR.2021 15:25:55

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.16	16.99	Complies
46	5230	10.51	16.99	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.44	2.66	4.10	17.00	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.11	2.66	4.77	17.00	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.46	16.99	Complies

Test Mode UNII-3_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.75	0.79	12.54	30.00	Complies
157	5785	11.63	0.79	12.42	30.00	Complies
165	5825	11.42	0.79	12.21	30.00	Complies

CH149




Date: 4.MAR.2021 14:07:48

CH157



Date: 4.MAR.2021 14:09:45




CH165



Date: 4.MAR.2021 14:11:00




Test Mode UNII-3_TX N(HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.68	0.94	10.62	30.00	Complies
157	5785	10.37	0.94	11.31	30.00	Complies
165	5825	10.25	0.94	11.19	30.00	Complies



Test Mode UNII-3_TX N(HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.63	0.94	10.57	30.00	Complies
157	5785	9.75	0.94	10.69	30.00	Complies
165	5825	9.41	0.94	10.35	30.00	Complies





Test Mode UNII-3_TX N(HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.60	29.99	Complies
157	5785	14.02	29.99	Complies
165	5825	13.80	29.99	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.30	1.70	9.00	30.00	Complies
159	5795	7.33	1.70	9.03	30.00	Complies





Date: 4.MAR.2021 15:01:37

Date: 4.MAR.2021 15:06:18

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.42	1.70	9.12	30.00	Complies
159	5795	6.95	1.70	8.65	30.00	Complies



Date: 4.MAR.2021 15:02:59


Date: 4.MAR.2021 15:03:52

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.07	29.99	Complies
159	5795	11.85	29.99	Complies

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.04	0.82	11.86	30.00	Complies
157	5785	11.05	0.82	11.87	30.00	Complies
165	5825	10.54	0.82	11.36	30.00	Complies



Date: 4.MAR.2021 15:16:26




Date: 4.MAR.2021 15:18:51




Date: 4.MAR.2021 15:21:58

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.93	0.82	11.75	30.00	Complies
157	5785	10.47	0.82	11.29	30.00	Complies
165	5825	9.83	0.82	10.65	30.00	Complies



Date: 4.MAR.2021 15:17:17



Date: 4.MAR.2021 15:19:51





Date: 4.MAR.2021 15:20:19

Test Mode UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.82	29.99	Complies
157	5785	14.60	29.99	Complies
165	5825	14.03	29.99	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.24	1.46	8.70	30.00	Complies
159	5795	7.55	1.46	9.01	30.00	Complies





Date: 4.MAR.2021 15:33:04

Date: 4.MAR.2021 15:35:59

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.29	1.46	8.75	30.00	Complies
159	5795	6.54	1.46	8.00	30.00	Complies



Date: 4.MAR.2021 15:31:17


Date: 4.MAR.2021 15:34:16

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.73	29.99	Complies
159	5795	11.54	29.99	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.25	2.66	5.91	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.05	2.66	5.71	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.82	29.99	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9592
120	5179.9580
102	5179.9588
Maximum Deviation (MHz)	0.0420
Maximum Deviation (ppm)	8.1081

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9576
5	5179.9580
15	5179.9580
25	5179.9584
35	5179.9584
40	5179.9584
Maximum Deviation (MHz)	0.0424
Maximum Deviation (ppm)	8.1853

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9552
120	5744.9544
102	5744.9540
Maximum Deviation (MHz)	0.0460
Maximum Deviation (ppm)	8.0070

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9540
5	5744.9540
15	5744.9536
25	5744.9536
35	5744.9536
40	5744.9536
Maximum Deviation (MHz)	0.0468
Maximum Deviation (ppm)	8.1462

End of Test Report