



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	2.31	0.39	2.70	5.00	Pass
6995	3.49	0.39	3.89	5.00	Pass
7095	1.80	0.39	2.19	5.00	Pass




Test Mode	IEEE 802.11ax (HE20)_ Ant 2
-----------	-----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	0.94	0.39	1.33	5.00	Pass
6175	0.61	0.39	1.00	5.00	Pass
6415	0.45	0.39	0.85	5.00	Pass




Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	0.04	0.39	0.43	5.00	Pass
6475	0.10	0.39	0.49	5.00	Pass
6515	-0.14	0.39	0.25	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	0.56	0.39	0.96	5.00	Pass
6695	0.07	0.39	0.47	5.00	Pass
6855	-0.26	0.39	0.13	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-0.23	0.39	0.16	5.00	Pass
6995	-2.92	0.39	-2.53	5.00	Pass
7095	0.81	0.39	1.20	5.00	Pass




Test Mode	IEEE 802.11ax (HE20)_ Total
-----------	-----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	4.40	0.39	4.80	5.00	Pass
6175	4.52	0.39	4.91	5.00	Pass
6415	4.44	0.39	4.83	5.00	Pass
6435	4.48	0.39	4.87	5.00	Pass
6475	4.42	0.39	4.81	5.00	Pass
6515	4.12	0.39	4.51	5.00	Pass
6535	4.44	0.39	4.83	5.00	Pass
6695	4.43	0.39	4.83	5.00	Pass
6855	4.33	0.39	4.73	5.00	Pass
6875	4.23	0.39	4.62	5.00	Pass
6995	4.39	0.39	4.78	5.00	Pass
7095	4.34	0.39	4.73	5.00	Pass

Test Mode IEEE 802.11ax (HE40)_ Ant 1


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	1.88	0.46	2.34	5.00	Pass
6165	2.08	0.46	2.53	5.00	Pass
6405	2.17	0.46	2.62	5.00	Pass




Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	2.74	0.46	3.20	5.00	Pass
6485	2.29	0.46	2.75	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6525	2.45	0.46	2.91	5.00	Pass
6685	1.76	0.46	2.22	5.00	Pass
6845	1.72	0.46	2.17	5.00	Pass




Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	2.77	0.46	3.23	5.00	Pass
7085	1.69	0.46	2.14	5.00	Pass




Test Mode	IEEE 802.11ax (HE40)_ Ant 2
-----------	-----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	0.82	0.46	1.27	5.00	Pass
6165	0.73	0.46	1.19	5.00	Pass
6405	0.35	0.46	0.80	5.00	Pass




Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-0.16	0.46	0.29	5.00	Pass
6485	0.10	0.46	0.55	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6525	0.11	0.46	0.57	5.00	Pass
6685	0.55	0.46	1.01	5.00	Pass
6845	0.95	0.46	1.40	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-0.63	0.46	-0.63	5.00	Pass
7085	1.01	0.46	1.01	5.00	Pass




Test Mode	IEEE 802.11ax (HE40)_ Total
-----------	-----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	4.39	0.46	4.85	5.00	Pass
6165	4.47	0.46	4.92	5.00	Pass
6405	4.36	0.46	4.82	5.00	Pass
6445	4.54	0.46	4.99	5.00	Pass
6485	4.34	0.46	4.80	5.00	Pass
6525	4.45	0.46	4.90	5.00	Pass
6685	4.21	0.46	4.66	5.00	Pass
6845	4.36	0.46	4.81	5.00	Pass
6885	4.41	0.46	4.86	5.00	Pass
7085	4.37	0.46	4.83	5.00	Pass

Test Mode	IEEE 802.11ax (HE80)_ Ant 1
-----------	-----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	1.98	0.47	2.45	5.00	Pass
6145	2.05	0.47	2.52	5.00	Pass
6385	2.22	0.47	2.69	5.00	Pass





Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	2.41	0.47	2.88	5.00	Pass
6545	1.99	0.47	2.46	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6625	1.87	0.47	2.34	5.00	Pass
6785	2.22	0.47	2.69	5.00	Pass




Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6865	2.75	0.47	3.22	5.00	Pass
6945	3.03	0.47	3.50	5.00	Pass
7025	3.12	0.47	3.59	5.00	Pass




Test Mode	IEEE 802.11ax (HE80)_ Ant 2
-----------	-----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	0.49	0.47	0.96	5.00	Pass
6145	0.24	0.47	0.71	5.00	Pass
6385	0.19	0.47	0.66	5.00	Pass




Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	0.15	0.47	0.62	5.00	Pass
6545	0.97	0.47	1.44	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6625	1.07	0.47	1.54	5.00	Pass
6785	0.32	0.47	0.80	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6865	-1.06	0.47	-0.58	5.00	Pass
6945	-0.88	0.47	-0.41	5.00	Pass
7025	-1.18	0.47	-0.70	5.00	Pass



Test Mode	IEEE 802.11ax (HE80)_ Total
-----------	-----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	4.31	0.47	4.78	5.00	Pass
6145	4.25	0.47	4.72	5.00	Pass
6385	4.33	0.47	4.81	5.00	Pass
6465	4.43	0.47	4.90	5.00	Pass
6545	4.52	0.47	4.99	5.00	Pass
6625	4.50	0.47	4.97	5.00	Pass
6785	4.39	0.47	4.86	5.00	Pass
6865	4.26	0.47	4.73	5.00	Pass
6945	4.51	0.47	4.98	5.00	Pass
7025	4.49	0.47	4.96	5.00	Pass

Test Mode	IEEE 802.11ax (HE160)_ Ant 1
-----------	------------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	2.15	0.47	2.62	5.00	Pass
6345	2.38	0.47	2.84	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	2.42	0.47	2.89	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	1.81	0.47	2.28	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	3.08	0.47	3.55	5.00	Pass

