



99% Emission Bandwidth

802.11ac vht40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:13:50

802.11ac vht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:15:51


802.11ac vht80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:16:58

99% Emission Bandwidth

802.11ac vht160
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:40:07

802.11ax he20
Lowest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:22:31

802.11ax he20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:23:08


99% Emission Bandwidth

802.11ax he20
Highest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:23:45

802.11ax he40
Lowest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:28:39


802.11ax he40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:29:17


99% Emission Bandwidth

802.11ax he80
Middle Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:30:14

802.11ax he160
Middle Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:37:20

5725-5850MHz:




6dB Emission Bandwidth

802.11n ht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:45:55

802.11n ht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:47:26


802.11n ht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:49:49


6dB Emission Bandwidth

802.11n ht40
Lowest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:50:55


802.11n ht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:51:37


6dB Emission Bandwidth

802.11ac vht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:53:37

802.11ac vht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:54:25


802.11ac vht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:55:02


6dB Emission Bandwidth

802.11ac vht40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:57:14

802.11ac vht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:57:51


802.11ac vht80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 11:58:34


6dB Emission Bandwidth

802.11ax he20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 13:28:12

802.11ax he20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 13:28:54


802.11ax he20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 13:29:38


6dB Emission Bandwidth

802.11ax he40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 13:33:49

802.11ax he40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 13:34:26


802.11ax he80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 13:35:35

99% Emission Bandwidth

802.11a
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:45:57

802.11a
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:59:05


802.11a
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:50:49


99% Emission Bandwidth

802.11n ht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:51:44

802.11n ht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:52:29

802.11n ht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:53:14


99% Emission Bandwidth

802.11n ht40
Lowest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:54:10

802.11n ht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 17:55:07


99% Emission Bandwidth

802.11ac vht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:00:34

802.11ac vht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:01:13


802.11ac vht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:02:00


99% Emission Bandwidth

802.11ac vht40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:02:55

802.11ac vht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:03:34

802.11ac vht80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:04:21

99% Emission Bandwidth

802.11ax he20
Lowest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:06:36

802.11ax he20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:07:23


802.11ax he20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:08:04


99% Emission Bandwidth

802.11ax he40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:09:02

802.11ax he40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:09:35

802.11ax he80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 21.NOV.2023 18:10:30

4.4 Maximum Conducted Output Power:

Serial Number:	2BVX-1	Test Date:	2023/11/14
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jou Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.6	Relative Humidity: (%)	42	ATM Pressure: (kPa)	101.8
----------------------	------	------------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Anritsu	Power Meter	ML2495A	1106009	2023/8/4	2024/8/3
Anritsu	Pulse Power Sensor	MA2411A	10780	2023/8/4	2024/8/3
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

5150-5250 MHz:

Test Modes	Test Frequency (MHz)	Max. Conducted Average Output Power (dBm)				
		Chain 0	Chain 1	Chain 2	Total	Limit
802.11a	5180	16.32	11.71	20.71	/	30
	5200	16.49	11.89	20.43	/	30
	5240	17.14	12.56	20.04	/	30
802.11n ht20	5180	16.25	11.72	17.74	20.07	27.07
	5200	16.37	11.88	17.43	19.94	27.07
	5240	16.94	12.44	17.23	20.10	27.07
802.11n ht40	5190	15.14	10.64	16.66	18.98	27.07
	5230	15.55	11.11	16.34	18.97	27.07
802.11ac vht20	5180	12.23	7.73	16.02	17.54	27.07
	5200	12.38	7.91	15.79	17.42	27.07
	5240	12.62	8.14	15.28	17.16	27.07
802.11ac vht40	5190	10.68	6.28	12.14	14.48	27.07
	5230	10.96	6.58	11.65	14.33	27.07
802.11ac vht80	5210	9.49	5.03	12.71	14.40	27.07
802.11ax he20	5180	13.13	8.57	14.26	16.74	27.07
	5200	13.27	8.78	14.02	16.67	27.07
	5240	13.54	9.01	13.49	16.53	27.07
802.11ax he40	5190	12.25	7.87	11.56	14.93	27.07
	5230	12.57	8.17	11.04	14.88	27.07
802.11ax he80	5210	11.34	6.43	9.52	13.53	27.07

Note:
The limit for MIMO mode was calculated with the gain of Beamforming mode 8.93dBi.
The Result of Total power is the maximum combined result: Chain 0+2.

5250-5350 MHz:

Test Modes	Test Frequency (MHz)	Max. Conducted Average Output Power (dBm)				
		Chain 0	Chain 1	Chain 2	Total	Limit
802.11a	5260	17.44	12.68	17.42	/	24
	5280	17.61	12.71	17.24	/	24
	5320	17.49	12.09	16.58	/	24
802.11n ht20	5260	17.24	12.61	17.26	20.26	21.03
	5280	17.34	12.59	17.08	20.22	21.03
	5320	17.25	12.03	16.54	19.92	21.03
802.11n ht40	5270	16.94	12.25	15.37	19.24	21.03
	5310	17.03	11.95	14.89	19.10	21.03
802.11ac vht20	5260	12.82	8.19	12.88	15.86	21.03
	5280	12.96	8.21	12.71	15.85	21.03
	5320	13.23	8.03	12.47	15.88	21.03
802.11ac vht40	5270	12.27	7.67	9.71	14.19	21.03
	5310	12.04	7.55	9.42	13.93	21.03
802.11ac vht80	5290	12.03	7.21	9.61	14.00	21.03
802.11ax he20	5260	13.68	9.65	12.28	16.05	21.03
	5280	13.85	9.65	12.16	16.10	21.03
	5320	14.13	9.45	11.85	16.15	21.03
802.11ax he40	5270	14.62	9.98	10.81	16.13	21.03
	5310	14.91	9.88	10.53	16.26	21.03
802.11ax he80	5290	13.87	9.12	9.12	15.12	21.03
802.11ac vht160	5250	9.01	4.48	10.82	13.02	21.03
802.11ax he160	5250	11.07	6.47	9.93	13.55	21.03

Note:

The limit for MIMO mode was calculated with the gain of Beamforming mode 8.97dBi.

The Result of Total power is the maximum combined result: Chain 0+2.

5725-5850 MHz:

Test Modes	Test Frequency (MHz)	Max. Conducted Average Output Power (dBm)				
		Chain 0	Chain 1	Chain 2	Total	Limit
802.11a	5745	16.51	14.29	16.21	/	30
	5785	16.33	14.58	16.26	/	30
	5825	15.11	14.76	15.05	/	30
802.11n ht20	5745	16.31	14.13	16.08	19.21	27.76
	5785	16.14	14.53	16.14	19.15	27.76
	5825	14.89	14.69	15.04	17.98	27.76
802.11n ht40	5755	16.04	14.02	15.87	18.97	27.76
	5795	15.72	14.28	15.64	18.69	27.76
802.11ac vht20	5745	12.28	10.13	10.19	14.37	27.76
	5785	11.85	9.86	10.25	14.13	27.76
	5825	10.87	8.74	11.01	13.95	27.76
802.11ac vht40	5755	11.55	9.53	9.62	13.70	27.76
	5795	11.07	9.13	9.73	13.46	27.76
802.11ac vht80	5775	11.01	7.28	8.85	13.07	27.76
802.11ax he20	5745	13.71	11.54	11.56	15.78	27.76
	5785	13.29	11.23	11.69	15.57	27.76
	5825	12.32	10.18	12.42	15.38	27.76
802.11ax he40	5755	13.89	10.47	11.87	16.01	27.76
	5795	13.47	10.08	12.05	15.83	27.76
802.11ax he80	5775	12.84	8.24	8.55	14.21	27.76

Note:

The limit for MIMO mode was calculated with the gain of Beamforming mode 8.24dBi.
The Result of Total power is the maximum combined result: Chain 0+2.

4.5 Maximum power spectral density:

Serial Number:	2BVX-1	Test Date:	2023/11/22
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jou Zhou	Test Result:	Pass

Environmental Conditions:					
Temperature: (°C)	26.1	Relative Humidity: (%)	42	ATM Pressure: (kPa)	101

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101943	2023/3/31	2024/3/30
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A

* *Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:

5150-5250 MHz:

Test Modes	Test Frequency (MHz)	Reading (dBm/MHz)			Duty cycle Factor (dB)	Maximum Power Spectral Density (dBm/MHz)	
		Chain 0	Chain 1	Chain 2		Result	Limit
802.11a	5180	5.75	3.72	6.97	0.28	7.25	17
	5200	5.93	3.75	7.1	0.28	7.38	17
	5240	5.97	3.36	7.35	0.28	7.63	17
802.11n ht20	5180	5.47	3.59	7.62	0.11	9.80	14.07
	5200	5.4	3.3	7.88	0.11	9.93	14.07
	5240	5.72	3.1	7.91	0.11	10.07	14.07
802.11n ht40	5190	2	-0.24	4.61	0.19	6.70	14.07
	5230	2.34	-0.22	4.53	0.19	6.77	14.07
802.11ac vht20	5180	1.73	-0.85	4.52	0.37	6.73	14.07
	5200	1.37	-0.97	4.97	0.37	6.91	14.07
	5240	1.47	-1.06	5.06	0.37	7.01	14.07
802.11ac vht40	5190	-2.93	-5.11	-1.82	0.63	1.30	14.07
	5230	-2.76	-5.64	-1.6	0.63	1.50	14.07
802.11ac vht80	5210	-7.15	-9.48	-3.28	1.24	-0.55	14.07
802.11ax he20	5180	1.67	-0.41	2.9	0.43	5.77	14.07
	5200	1.83	-0.49	3.08	0.43	5.94	14.07
	5240	1.8	-0.58	3.26	0.43	6.03	14.07
802.11ax he40	5190	-1.67	-4.11	-2.24	0.43	1.49	14.07
	5230	-1.27	-4.4	-2.09	0.43	1.78	14.07
802.11ax he80	5210	-7.14	-8.71	-6.59	0.34	-3.51	14.07

Note:

The maximum Power Spectral Density was the maximum chain result for SISO mode, combined result of two larger chains for MIMO mode(0+2).

The limit for MIMO mode was calculated with the directional gain 8.93dBi.

5250-5350 MHz:

Test Modes	Test Frequency (MHz)	Reading (dBm/MHz)			Duty cycle Factor (dB)	Maximum Power Spectral Density (dBm/MHz)	
		Chain 0	Chain 1	Chain 2		Result	Limit
802.11a	5260	6.54	3.47	7.18	0.28	7.46	11.00
	5280	6.27	3.33	7.11	0.28	7.39	11.00
	5320	5.98	2.91	6.84	0.28	7.12	11.00
802.11n ht20	5260	4.64	3.3	4.79	0.11	7.84	8.03
	5280	4.74	3.16	4.84	0.11	7.91	8.03
	5320	4.62	2.52	4.71	0.11	7.79	8.03
802.11n ht40	5270	3.48	0.53	2.48	0.19	6.21	8.03
	5310	3.15	0.36	2.53	0.19	6.05	8.03
802.11ac vht20	5260	1.65	-1.45	2.28	0.37	5.36	8.03
	5280	1.85	-1.38	2.33	0.37	5.48	8.03
	5320	1.5	-1.87	2.39	0.37	5.35	8.03
802.11ac vht40	5270	-1.54	-4.93	-3.3	0.63	1.31	8.03
	5310	-1.53	-5.65	-3.49	0.63	1.24	8.03
802.11ac vht80	5290	-5.31	-8.06	-6.05	1.24	-1.41	8.03
802.11ax he20	5260	2.47	-0.48	1.26	0.43	5.35	8.03
	5280	2.31	-0.68	1.25	0.43	5.25	8.03
	5320	2.42	-0.65	1.35	0.43	5.36	8.03
802.11ax he40	5270	0.12	-2.93	-2.53	0.43	2.43	8.03
	5310	-0.11	-3.06	-2.57	0.43	2.27	8.03
802.11ax he80	5290	-3.49	-6.74	-7.29	0.34	-1.64	8.03
802.11ac vht160	5250	-10.27	-12.58	-6.17	1.57	-3.17	8.03
802.11ax he160	5250	-8.62	-11.8	-7.85	0.27	-4.94	8.03

Note:

The maximum Power Spectral Density was the maximum chain result for SISO mode, combined result of two larger chains for MIMO mode(0+2).

The limit for MIMO mode was calculated with the directional gain 8.97dBi.

For 160MHz bandwidth, the limit in this band is stricter than 5150-5250MHz band.

5725-5850 MHz:

Test Modes	Test Frequency (MHz)	Reading (dBm/500kHz)			Duty cycle Factor (dB)	Maximum Power Spectral Density (dBm/500kHz)	
		Chain 0	Chain 1	Chain 2		Result	Limit
802.11a	5745	2.81	1.43	4.44	0.28	4.72	30.00
	5785	2.75	1.97	4.67	0.28	4.95	30.00
	5825	2.9	1.88	4.23	0.28	4.51	30.00
802.11n ht20	5745	2.27	1.04	4.42	0.11	6.60	27.76
	5785	2.5	1.57	4.55	0.11	6.77	27.76
	5825	2.75	1.32	4.14	0.11	6.62	27.76
802.11n ht40	5755	-0.16	-1.64	1.82	0.19	4.14	27.76
	5795	-0.12	-1.24	1.97	0.19	4.25	27.76
802.11ac vht20	5745	-2.44	-3.24	0.73	0.37	2.81	27.76
	5785	-2.35	-3.71	0.5	0.37	2.69	27.76
	5825	-2.45	-3.15	0.65	0.37	2.75	27.76
802.11ac vht40	5755	-5.92	-6.38	-2.64	0.63	-0.34	27.76
	5795	-5.69	-6.68	-2.83	0.63	-0.39	27.76
802.11ac vht80	5775	-9.06	-9.27	-7.83	1.24	-4.15	27.76
802.11ax he20	5745	-2.21	-2.95	0.52	0.43	2.81	27.76
	5785	-2.19	-2.68	0.69	0.43	2.92	27.76
	5825	-1.9	-2.58	0.59	0.43	2.96	27.76
802.11ax he40	5755	-4.74	-6.56	-1.67	0.43	0.50	27.76
	5795	-4.59	-6.28	-1.72	0.43	0.52	27.76
802.11ax he80	5775	-8.18	-11.06	-8.2	0.34	-4.84	27.76


Note:

The maximum Power Spectral Density was the maximum chain result for SISO mode, combined result of two larger chains for MIMO mode(0+2).

The limit for MIMO mode was calculated with the directional gain 8.24dBi.


5150-5250MHz:
Chain 0:

Maximum power spectral density




Maximum power spectral density

802.11n ht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:28:15

802.11n ht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:28:35


802.11n ht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:28:57


Maximum power spectral density

802.11n ht40
Lowest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:29:41


802.11n ht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:37:50


Maximum power spectral density

802.11ac vht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:38:31

802.11ac vht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:38:52

802.11ac vht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:39:15

Maximum power spectral density

802.11ac vht40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:40:21

802.11ac vht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:42:19


802.11ac vht80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:45:20


Maximum power spectral density

802.11ax he20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:49:38

802.11ax he20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:51:25


802.11ax he20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:52:06


Maximum power spectral density

802.11ax he40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:53:09

802.11ax he40
Highest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 15:53:43

802.11ax he80
Middle Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:23:34

Chain 1:




Maximum power spectral density

802.11n ht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:09:12

802.11n ht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:10:09


802.11n ht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:10:36


Maximum power spectral density

802.11n ht40
Lowest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:11:38


802.11n ht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:12:05


Maximum power spectral density

802.11ac vht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:13:01

802.11ac vht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:13:21


802.11ac vht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:15:04


Maximum power spectral density

802.11ac vht40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:15:46

802.11ac vht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:17:53


802.11ac vht80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:18:54


Maximum power spectral density

802.11ax he20
Lowest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:20:04

802.11ax he20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:20:38

802.11ax he20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:21:08


Maximum power spectral density

802.11ax he40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:21:59

802.11ax he40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:22:23


802.11ax he80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:23:14


Chain 2:

Maximum power spectral density




Maximum power spectral density

802.11n ht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:43:41

802.11n ht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:44:54

802.11n ht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:45:34


Maximum power spectral density

802.11n ht40
Lowest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:51:43

802.11n ht40
Highest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:53:56

Maximum power spectral density


802.11ac vht20
Lowest Channel



802.11ac vht20
Middle Channel



802.11ac vht20
Highest Channel




Maximum power spectral density

802.11ac vht40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:14:11

802.11ac vht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:14:58


802.11ac vht80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:16:20


Maximum power spectral density

802.11ax he20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:17:44

802.11ax het20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:18:05

802.11ax he20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:19:01


Maximum power spectral density

802.11ax he40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:20:03

802.11ax he40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:20:43

802.11ax he80
Middle Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:21:46


5250-5350MHz: Chain 0:

Maximum power spectral density


802.11a
Lowest Channel



802.11a
Middle Channel




802.11a
Highest Channel




Maximum power spectral density

802.11n ht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:01:47

802.11n ht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:02:44


802.11n ht20
Highest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 17:03:23

Maximum power spectral density

802.11n ht40
Lowest Channel




802.11n ht40
Highest Channel




Maximum power spectral density

802.11ac vht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:07:38

802.11ac vht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:07:54

802.11ac vht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:08:15


Maximum power spectral density

802.11ac vht40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:00:57

802.11ac vht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:09:29


802.11ac vht80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:10:33


Maximum power spectral density

802.11ax he20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:12:18

802.11ax he20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:12:42


802.11ax he20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:13:06


Maximum power spectral density

802.11ax he40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:13:51

802.11ax he40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:14:18


802.11ax he80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:15:05


Maximum power spectral density

802.11ac vht160
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:16:57

802.11 ax he160
Middle Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 16:16:21


Chain 1:

Maximum power spectral density


802.11a
Lowest Channel



802.11a
Middle Channel




802.11a
Highest Channel




Maximum power spectral density


802.11n ht20
Lowest Channel



802.11n ht20
Middle Channel




802.11n ht20
Highest Channel




Maximum power spectral density

802.11n ht40
Lowest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:31:50


802.11n ht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:32:18


Maximum power spectral density

802.11ac vht20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:32:57

802.11ac vht20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:33:32


802.11ac vht20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:33:59

Maximum power spectral density

802.11ac vht40
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:35:03

802.11ac vht40
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:37:33


802.11ac vht80
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:39:08


Maximum power spectral density

802.11ax he20
Lowest Channel




ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:40:04

802.11ax he20
Middle Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:40:28

802.11ax he20
Highest Channel



ProjectNo.:CR230957522 Tester:Jou Zhou
Date: 22.NOV.2023 14:40:50