

Test Mode	UNII-5_TX AX(HE40) Mode
-----------	-------------------------




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
03	5965	39.86	37.55	320	Complies
43	6165	39.96	37.63	320	Complies
91	6405	39.97	37.60	320	Complies

CH03



CH43

CH91

26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode UNII-5_TX AX(HE80) Mode




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
07	5985	80.94	76.91	320	Complies
39	6145	80.86	76.91	320	Complies
87	6385	81.26	76.94	320	Complies

CH07




CH39

CH87

26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode UNII-5_TX AX(HE160) Mode



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
15	6025	163.80	155.32	320	Complies
47	6185	163.30	155.65	320	Complies
79	6345	163.20	155.76	320	Complies

CH15




CH47

CH79

26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode UNII-6_TX AX(HE20) Mode




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
97	6435	21.32	19.13	320	Complies
105	6475	21.13	19.14	320	Complies
113	6515	21.34	19.14	320	Complies

CH97




CH105

CH113

26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode UNII-6_TX AX(HE40) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
99	6445	39.91	37.61	320	Complies
107	6485	39.92	37.62	320	Complies

CH99





CH107

26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-6_TX AX(HE80) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
103	6465	81.09	77.05	320	Complies

CH103
26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode UNII-7_TX AX(HE20) Mode




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
117	6535	21.38	19.13	320	Complies
149	6695	21.17	19.13	320	Complies
181	6855	21.37	19.18	320	Complies

CH117




CH149

CH181

26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode UNII-7_TX AX(HE40) Mode



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
123	6565	40.04	37.65	320	Complies
147	6685	39.83	37.64	320	Complies
179	6845	39.96	37.66	320	Complies

CH123




CH147

CH179

26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode UNII-7_TX AX(HE80) Mode



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
135	6625	80.71	77.03	320	Complies
151	6705	81.05	76.90	320	Complies
167	6785	81.27	76.95	320	Complies

CH135



CH151

CH167

26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7_TX AX(HE160) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
143	6665	163.70	155.63	320	Complies

CH143
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
115	6525	39.98	37.62	320	Complies

CH115
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
119	6545	80.93	76.98	320	Complies

CH119
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode
-----------	---------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
111	6505	163.50	155.61	320	Complies

CH111
26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-8_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
189	6895	21.55	19.17	320	Complies
213	7015	21.44	19.17	320	Complies

CH189





CH213

26 dB Bandwidth



99 % Occupied Bandwidth



Test Mode UNII-8_TX AX(HE40) Mode



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
195	6925	39.94	37.60	320	Complies
211	7005	39.81	37.56	320	Complies
227	7085	39.83	37.57	320	Complies

CH195




CH211

CH227

26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-8_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
199	6945	81.01	76.92	320	Complies
215	7025	81.11	76.94	320	Complies

CH199





CH215

26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-8_TX AX(HE160) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
207	6985	163.40	155.57	320	Complies

CH207
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
185	6875	21.37	19.13	320	Complies

CH185
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
187	6885	39.88	37.61	320	Complies

CH187
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
183	6865	81.03	76.99	320	Complies

CH183
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode
-----------	---------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
175	6825	163.50	155.76	320	Complies

CH175
26 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM E.I.R.P.

Non Beamforming

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	5.65	0.10	10.60	30.00	1.0000	Complies
45	6175	6.62	0.10	11.57	30.00	1.0000	Complies
93	6415	5.76	0.10	10.71	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	7.11	0.10	12.06	30.00	1.0000	Complies
45	6175	8.01	0.10	12.96	30.00	1.0000	Complies
93	6415	7.44	0.10	12.39	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	14.40	30.00	1.0000	Complies
45	6175	15.33	30.00	1.0000	Complies
93	6415	14.64	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	8.46	0.18	13.49	30.00	1.0000	Complies
43	6165	9.06	0.18	14.09	30.00	1.0000	Complies
91	6405	8.67	0.18	13.70	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	9.49	0.18	14.52	30.00	1.0000	Complies
43	6165	10.59	0.18	15.62	30.00	1.0000	Complies
91	6405	10.11	0.18	15.14	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	17.05	30.00	1.0000	Complies
43	6165	17.94	30.00	1.0000	Complies
91	6405	17.49	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	10.48	0.50	15.83	30.00	1.0000	Complies
39	6145	10.95	0.50	16.30	30.00	1.0000	Complies
87	6385	10.57	0.50	15.92	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	11.85	0.50	17.20	30.00	1.0000	Complies
39	6145	12.22	0.50	17.57	30.00	1.0000	Complies
87	6385	12.07	0.50	17.42	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	19.58	30.00	1.0000	Complies
39	6145	19.99	30.00	1.0000	Complies
87	6385	19.75	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	13.72	0.54	19.11	30.00	1.0000	Complies
47	6185	13.64	0.54	19.03	30.00	1.0000	Complies
79	6345	13.39	0.54	18.78	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	15.08	0.54	20.47	30.00	1.0000	Complies
47	6185	15.01	0.54	20.40	30.00	1.0000	Complies
79	6345	14.71	0.54	20.10	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	22.85	30.00	1.0000	Complies
47	6185	22.78	30.00	1.0000	Complies
79	6345	22.50	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	5.93	0.10	10.88	30.00	1.0000	Complies
105	6475	6.25	0.10	11.20	30.00	1.0000	Complies
113	6515	6.16	0.10	11.11	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	7.67	0.10	12.62	30.00	1.0000	Complies
105	6475	7.71	0.10	12.66	30.00	1.0000	Complies
113	6515	7.32	0.10	12.27	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	14.84	30.00	1.0000	Complies
105	6475	15.00	30.00	1.0000	Complies
113	6515	14.73	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	8.92	0.18	13.95	30.00	1.0000	Complies
107	6485	8.98	0.18	14.01	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	10.50	0.18	15.53	30.00	1.0000	Complies
107	6485	10.32	0.18	15.35	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	17.83	30.00	1.0000	Complies
107	6485	17.75	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	10.64	0.50	15.99	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	12.31	0.50	17.66	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	19.92	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	6.25	0.10	11.20	30.00	1.0000	Complies
149	6695	5.71	0.10	10.66	30.00	1.0000	Complies
181	6855	5.68	0.10	10.63	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	7.42	0.10	12.37	30.00	1.0000	Complies
149	6695	6.79	0.10	11.74	30.00	1.0000	Complies
181	6855	6.93	0.10	11.88	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	14.83	30.00	1.0000	Complies
149	6695	14.24	30.00	1.0000	Complies
181	6855	14.31	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	9.09	0.18	14.12	30.00	1.0000	Complies
147	6685	9.06	0.18	14.09	30.00	1.0000	Complies
179	6845	8.72	0.18	13.75	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	10.04	0.18	15.07	30.00	1.0000	Complies
147	6685	10.19	0.18	15.22	30.00	1.0000	Complies
179	6845	9.98	0.18	15.01	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	17.64	30.00	1.0000	Complies
147	6685	17.71	30.00	1.0000	Complies
179	6845	17.44	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	10.68	0.50	16.03	30.00	1.0000	Complies
151	6705	10.51	0.50	15.86	30.00	1.0000	Complies
167	6785	10.99	0.50	16.34	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	12.08	0.50	17.43	30.00	1.0000	Complies
151	6705	12.18	0.50	17.53	30.00	1.0000	Complies
167	6785	12.62	0.50	17.97	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	19.80	30.00	1.0000	Complies
151	6705	19.79	30.00	1.0000	Complies
167	6785	20.24	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	13.53	0.54	18.92	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	14.86	0.54	20.25	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	22.65	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	8.89	0.18	13.92	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	10.14	0.18	15.17	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	17.60	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	10.69	0.50	16.04	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	11.72	0.50	17.07	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	19.60	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1						
-----------	--	--	--	--	--	--	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	13.58	0.54	18.97	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2						
-----------	--	--	--	--	--	--	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	15.02	0.54	20.41	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total						
-----------	---------------------------------------	--	--	--	--	--	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)		Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	22.76		30.00	1.0000	Complies