

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	5.81	0.10	10.76	30.00	1.0000	Complies
213	7015	6.44	0.10	11.39	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	7.04	0.10	11.99	30.00	1.0000	Complies
213	7015	7.11	0.10	12.06	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	14.42	30.00	1.0000	Complies
213	7015	<b>14.74</b>	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	8.94	0.18	13.97	30.00	1.0000	Complies
211	7005	8.92	0.18	13.95	30.00	1.0000	Complies
227	7085	8.11	0.18	13.14	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	9.67	0.18	14.7	30.00	1.0000	Complies
211	7005	9.54	0.18	14.57	30.00	1.0000	Complies
227	7085	9.22	0.18	14.25	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	<b>17.37</b>	30.00	1.0000	Complies
211	7005	17.29	30.00	1.0000	Complies
227	7085	16.75	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	11.48	0.50	16.83	30.00	1.0000	Complies
215	7025	11.23	0.50	16.58	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	12.25	0.50	17.6	30.00	1.0000	Complies
215	7025	12.07	0.50	17.42	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	<b>20.25</b>	30.00	1.0000	Complies
215	7025	20.03	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1						
-----------	---------------------------------	--	--	--	--	--	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	13.46	0.54	18.85	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2						
-----------	---------------------------------	--	--	--	--	--	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	14.35	0.54	19.74	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total						
-----------	--------------------------------	--	--	--	--	--	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	22.33	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	5.79	0.10	10.74	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	7.01	0.10	11.96	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	14.40	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	8.87	0.18	13.90	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	9.84	0.18	14.87	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	17.43	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	10.52	0.50	15.87	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	12.09	0.50	17.44	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	19.74	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	13.29	0.54	18.68	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	14.74	0.54	20.13	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	22.48	30.00	1.0000	Complies



### Beamforming

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	5.42	0.10	13.37	30.00	1.0000	Complies
45	6175	6.36	0.10	14.31	30.00	1.0000	Complies
93	6415	5.47	0.10	13.42	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	6.82	0.10	14.77	30.00	1.0000	Complies
45	6175	7.71	0.10	15.66	30.00	1.0000	Complies
93	6415	7.18	0.10	15.13	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	5955	17.13	30.00	1.0000	Complies
45	6175	<b>18.04</b>	30.00	1.0000	Complies
93	6415	17.36	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	8.2	0.18	16.23	30.00	1.0000	Complies
43	6165	8.79	0.18	16.82	30.00	1.0000	Complies
91	6405	8.38	0.18	16.41	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	9.22	0.18	17.25	30.00	1.0000	Complies
43	6165	10.36	0.18	18.39	30.00	1.0000	Complies
91	6405	9.91	0.18	17.94	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	5965	19.79	30.00	1.0000	Complies
43	6165	<b>20.69</b>	30.00	1.0000	Complies
91	6405	20.26	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	10.26	0.50	18.61	30.00	1.0000	Complies
39	6145	10.73	0.50	19.08	30.00	1.0000	Complies
87	6385	10.27	0.50	18.62	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	11.64	0.50	19.99	30.00	1.0000	Complies
39	6145	11.98	0.50	20.33	30.00	1.0000	Complies
87	6385	11.81	0.50	20.16	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
07	5985	22.37	30.00	1.0000	Complies
39	6145	<b>22.76</b>	30.00	1.0000	Complies
87	6385	22.47	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	13.48	0.54	21.87	30.00	1.0000	Complies
47	6185	13.43	0.54	21.82	30.00	1.0000	Complies
79	6345	13.18	0.54	21.57	30.00	1.0000	Complies

Test Mode	UNII-5_TX AC(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	14.87	0.54	23.26	30.00	1.0000	Complies
47	6185	14.73	0.54	23.12	30.00	1.0000	Complies
79	6345	14.51	0.54	22.9	30.00	1.0000	Complies

Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	<b>25.63</b>	30.00	1.0000	Complies
47	6185	25.53	30.00	1.0000	Complies
79	6345	25.30	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	5.66	0.10	13.61	30.00	1.0000	Complies
105	6475	6.01	0.10	13.96	30.00	1.0000	Complies
113	6515	5.91	0.10	13.86	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	7.44	0.10	15.39	30.00	1.0000	Complies
105	6475	7.44	0.10	15.39	30.00	1.0000	Complies
113	6515	7.07	0.10	15.02	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	17.60	30.00	1.0000	Complies
105	6475	<b>17.74</b>	30.00	1.0000	Complies
113	6515	17.48	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	8.68	0.18	16.71	30.00	1.0000	Complies
107	6485	8.72	0.18	16.75	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	10.24	0.18	18.27	30.00	1.0000	Complies
107	6485	10.08	0.18	18.11	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	<b>20.57</b>	30.00	1.0000	Complies
107	6485	20.50	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	10.37	0.50	18.72	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	12.09	0.50	20.44	30.00	1.0000	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	22.68	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	6	0.10	13.95	30.00	1.0000	Complies
149	6695	5.43	0.10	13.38	30.00	1.0000	Complies
181	6855	5.42	0.10	13.37	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	7.18	0.10	15.13	30.00	1.0000	Complies
149	6695	6.52	0.10	14.47	30.00	1.0000	Complies
181	6855	6.64	0.10	14.59	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	<b>17.59</b>	30.00	1.0000	Complies
149	6695	16.96	30.00	1.0000	Complies
181	6855	17.03	30.00	1.0000	Complies



Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	8.85	0.18	16.88	30.00	1.0000	Complies
147	6685	8.82	0.18	16.85	30.00	1.0000	Complies
179	6845	8.43	0.18	16.46	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	9.81	0.18	17.84	30.00	1.0000	Complies
147	6685	9.9	0.18	17.93	30.00	1.0000	Complies
179	6845	9.71	0.18	17.74	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	20.40	30.00	1.0000	Complies
147	6685	<b>20.44</b>	30.00	1.0000	Complies
179	6845	20.16	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	10.41	0.50	18.76	30.00	1.0000	Complies
151	6705	10.27	0.50	18.62	30.00	1.0000	Complies
167	6785	10.7	0.50	19.05	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	11.84	0.50	20.19	30.00	1.0000	Complies
151	6705	11.88	0.50	20.23	30.00	1.0000	Complies
167	6785	12.36	0.50	20.71	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	22.55	30.00	1.0000	Complies
151	6705	22.51	30.00	1.0000	Complies
167	6785	<b>22.97</b>	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	13.27	0.54	21.66	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	14.57	0.54	22.96	30.00	1.0000	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	25.37	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	8.68	0.18	16.66	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	9.92	0.18	17.95	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	20.37	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	10.44	0.50	18.79	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	11.43	0.50	19.78	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	22.33	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	13.34	0.54	21.73	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	14.77	0.54	23.16	30.00	1.0000	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	25.51	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	5.57	0.10	13.52	30.00	1.0000	Complies
213	7015	6.17	0.10	14.12	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	6.82	0.10	14.77	30.00	1.0000	Complies
213	7015	6.86	0.10	14.81	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	17.20	30.00	1.0000	Complies
213	7015	<b>17.48</b>	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	8.72	0.18	16.75	30.00	1.0000	Complies
211	7005	8.67	0.18	16.7	30.00	1.0000	Complies
227	7085	7.88	0.18	15.91	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	9.39	0.18	17.42	30.00	1.0000	Complies
211	7005	9.31	0.18	17.34	30.00	1.0000	Complies
227	7085	8.97	0.18	17	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	<b>20.11</b>	30.00	1.0000	Complies
211	7005	20.05	30.00	1.0000	Complies
227	7085	19.50	30.00	1.0000	Complies



Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	11.2	0.50	19.55	30.00	1.0000	Complies
215	7025	10.99	0.50	19.34	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	12.02	0.50	20.37	30.00	1.0000	Complies
215	7025	11.86	0.50	20.21	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	<b>22.99</b>	30.00	1.0000	Complies
215	7025	22.81	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	13.26	0.54	21.65	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	14.08	0.54	22.47	30.00	1.0000	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	25.09	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	5.54	0.10	13.49	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	6.79	0.10	14.74	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	17.17	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	8.61	0.18	16.64	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	9.62	0.18	17.65	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	20.19	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	10.29	0.50	18.64	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	11.86	0.50	20.21	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	22.51	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	13.02	0.54	21.41	30.00	1.0000	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	14.48	0.54	22.87	30.00	1.0000	Complies


Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	25.21	30.00	1.0000	Complies

## **APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)**


Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-6.76	0.10	-1.81	5.00	Complies
45	6175	-6.07	0.10	-1.12	5.00	Complies
93	6415	-6.77	0.10	-1.82	5.00	Complies



Test Mode	UNII-5_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-6.20	0.10	-8.11	5.00	Complies
45	6175	-6.57	0.10	-7.79	5.00	Complies
93	6415	-5.94	0.10	-7.86	5.00	Complies






Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	4.49	5.00	Complies
45	6175	<b>4.65</b>	5.00	Complies
93	6415	4.63	5.00	Complies






<b>Test Mode</b>	UNII-5_TX AX(HE40) Mode_Ant. 1
------------------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-6.57	0.18	-1.54	5.00	Complies
43	6165	-7.81	0.18	-2.78	5.00	Complies
91	6405	-7.61	0.18	-2.58	5.00	Complies

**CH03**

**CH43**

**CH91**


<b>Test Mode</b>	UNII-5_TX AX(HE40) Mode_Ant. 2
------------------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-6.38	0.18	-1.35	5.00	Complies
43	6165	-6.87	0.18	-1.84	5.00	Complies
91	6405	-6.76	0.18	-1.73	5.00	Complies


**CH03**

**CH43**

**CH91**


<b>Test Mode</b>	UNII-5_TX AX(HE40) Mode_Total
------------------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	<b>4.58</b>	5.00	Complies
43	6165	3.74	5.00	Complies
91	6405	3.89	5.00	Complies


Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-6.72	0.50	-1.37	5.00	Complies
39	6145	-6.81	0.50	-1.46	5.00	Complies
87	6385	-6.63	0.50	-1.28	5.00	Complies



Test Mode	UNII-5_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-6.83	0.50	-1.48	5.00	Complies
39	6145	-6.34	0.50	-0.99	5.00	Complies
87	6385	-6.43	0.50	-1.08	5.00	Complies






Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	4.60	5.00	Complies
39	6145	4.81	5.00	Complies
87	6385	<b>4.84</b>	5.00	Complies




<b>Test Mode</b>	UNII-5_TX AX(HE160) Mode_Ant. 1
------------------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-6.72	0.54	-1.33	5.00	Complies
47	6185	-6.52	0.54	-1.13	5.00	Complies
79	6345	-6.90	0.54	-1.51	5.00	Complies

**CH15**

**CH47**

**CH79**


<b>Test Mode</b>	UNII-5_TX AX(HE160) Mode_Ant. 2
------------------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-6.44	0.54	-1.05	5.00	Complies
47	6185	-6.94	0.54	-1.55	5.00	Complies
79	6345	-6.38	0.54	-0.99	5.00	Complies


**CH15**

**CH47**

**CH79**


<b>Test Mode</b>	UNII-5_TX AX(HE160) Mode_Total
------------------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	<b>4.83</b>	5.00	Complies
47	6185	4.69	5.00	Complies
79	6345	4.78	5.00	Complies


<b>Test Mode</b>	UNII-6_TX AX(HE20) Mode_Ant. 1
------------------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-6.60	0.10	-1.65	5.00	Complies
105	6475	-6.10	0.10	-1.15	5.00	Complies
113	6515	-5.96	0.10	-1.01	5.00	Complies



<b>Test Mode</b>	UNII-6_TX AX(HE20) Mode_Ant. 2
------------------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-6.97	0.10	-2.02	5.00	Complies
105	6475	-6.74	0.10	-1.79	5.00	Complies
113	6515	-6.27	0.10	-1.32	5.00	Complies




<b>Test Mode</b>	UNII-6_TX AX(HE20) Mode_Total
------------------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	4.18	5.00	Complies
105	6475	4.56	5.00	Complies
113	6515	<b>4.85</b>	5.00	Complies


Test Mode UNII-6\_TX AX(HE40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-7.48	0.18	-2.45	5.00	Complies
107	6485	-6.79	0.18	-1.76	5.00	Complies

CH99




CH107




Test Mode UNII-6\_TX AX(HE40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-5.89	0.18	-0.86	5.00	Complies
107	6485	-5.98	0.18	-0.95	5.00	Complies

CH99



CH107




Test Mode UNII-6\_TX AX(HE40) Mode\_Total

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	4.45	5.00	Complies
107	6485	4.69	5.00	Complies


Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-7.08	0.50	-1.73	5.00	Complies

**CH103**


Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-6.02	0.50	-0.67	5.00	Complies


**CH103**


Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	4.85	5.00	Complies


<b>Test Mode</b>	UNII-7_TX AX(HE20) Mode_Ant. 1
------------------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
117	6535	-6.28	0.10	-1.33	5.00	Complies
149	6695	-6.87	0.10	-1.92	5.00	Complies
181	6855	-6.87	0.10	-1.92	5.00	Complies



<b>Test Mode</b>	UNII-7_TX AX(HE20) Mode_Ant. 2
------------------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
117	6535	-6.14	0.10	-1.19	5.00	Complies
149	6695	-6.16	0.10	-1.21	5.00	Complies
181	6855	-5.92	0.10	-0.97	5.00	Complies






<b>Test Mode</b>	UNII-7_TX AX(HE20) Mode_Total
------------------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
117	6535	<b>4.76</b>	5.00	Complies
149	6695	4.46	5.00	Complies
181	6855	4.59	5.00	Complies






<b>Test Mode</b>	UNII-7_TX AX(HE40) Mode_Ant. 1
------------------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
123	6565	-6.89	0.18	-1.86	5.00	Complies
147	6685	-7.32	0.18	-2.29	5.00	Complies
179	6845	-7.43	0.18	-2.4	5.00	Complies

**CH123**

**CH147**

**CH179**


<b>Test Mode</b>	UNII-7_TX AX(HE40) Mode_Ant. 2
------------------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
123	6565	-5.74	0.18	-0.71	5.00	Complies
147	6685	-6.12	0.18	-1.09	5.00	Complies
179	6845	-6.32	0.18	-1.29	5.00	Complies

**CH123**

**CH147**

**CH179**



<b>Test Mode</b>	UNII-7_TX AX(HE40) Mode_Total
------------------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
123	6565	<b>4.78</b>	5.00	Complies
147	6685	4.37	5.00	Complies
179	6845	4.22	5.00	Complies




Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
135	6625	-6.85	0.50	-1.5	5.00	Complies
151	6705	-6.74	0.50	-1.39	5.00	Complies
167	6785	-7.30	0.50	-1.95	5.00	Complies



Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
135	6625	-6.87	0.50	-1.52	5.00	Complies
151	6705	-6.77	0.50	-1.42	5.00	Complies
167	6785	-6.41	0.50	-1.06	5.00	Complies




Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
135	6625	4.51	5.00	Complies
151	6705	<b>4.62</b>	5.00	Complies
167	6785	4.54	5.00	Complies


Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
143	6665	-7.04	0.54	-1.65	5.00	Complies

**CH143**


Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
143	6665	-6.29	0.54	-0.90	5.00	Complies


**CH143**


Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
143	6665	4.76	5.00	Complies


Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
115	6525	-7.13	0.18	-2.1	5.00	Complies

**CH115**


Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
115	6525	-5.73	0.18	-0.70	5.00	Complies


**CH115**


Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
115	6525	4.68	5.00	Complies


Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
119	6545	-6.92	0.50	-1.57	5.00	Complies

**CH119**


Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
119	6545	-6.79	0.50	-1.44	5.00	Complies

**CH119**


Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
119	6545	4.52	5.00	Complies