

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.66	0.55	14.21	20.96	0.1247	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.49	0.55	14.04	20.96	0.1247	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.14	20.96	0.1247	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.40	0.21	24.61	26.98	0.4989	Complies
157	5785	23.86	0.21	24.07	26.98	0.4989	Complies
165	5825	22.56	0.21	22.77	26.98	0.4989	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.76	0.21	22.97	26.98	0.4989	Complies
157	5785	22.65	0.21	22.86	26.98	0.4989	Complies
165	5825	21.36	0.21	21.57	26.98	0.4989	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.88	26.98	0.4989	Complies
157	5785	26.52	26.98	0.4989	Complies
165	5825	25.22	26.98	0.4989	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.88	0.43	24.31	26.98	0.4989	Complies
159	5795	23.33	0.43	23.76	26.98	0.4989	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.77	0.43	23.20	26.98	0.4989	Complies
159	5795	22.83	0.43	23.26	26.98	0.4989	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.81	26.98	0.4989	Complies
159	5795	26.53	26.98	0.4989	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.66	0.00	24.66	26.98	0.4989	Complies
157	5785	24.21	0.00	24.21	26.98	0.4989	Complies
165	5825	22.90	0.00	22.90	26.98	0.4989	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.02	0.00	23.02	26.98	0.4989	Complies
157	5785	22.91	0.00	22.91	26.98	0.4989	Complies
165	5825	21.81	0.00	21.81	26.98	0.4989	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.93	26.98	0.4989	Complies
157	5785	26.62	26.98	0.4989	Complies
165	5825	25.40	26.98	0.4989	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.23	0.12	24.35	26.98	0.4989	Complies
159	5795	24.08	0.12	24.20	26.98	0.4989	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.15	0.12	23.27	26.98	0.4989	Complies
159	5795	23.56	0.12	23.68	26.98	0.4989	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.86	26.98	0.4989	Complies
159	5795	26.96	26.98	0.4989	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.68	0.25	16.93	26.98	0.4989	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.40	0.25	16.65	26.98	0.4989	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.81	26.98	0.4989	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.74	0.09	24.83	26.98	0.4989	Complies
157	5785	24.33	0.09	24.42	26.98	0.4989	Complies
165	5825	23.35	0.09	23.44	26.98	0.4989	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.76	0.09	22.85	26.98	0.4989	Complies
157	5785	23.05	0.09	23.14	26.98	0.4989	Complies
165	5825	22.34	0.09	22.43	26.98	0.4989	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.97	26.98	0.4989	Complies
157	5785	26.84	26.98	0.4989	Complies
165	5825	25.98	26.98	0.4989	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.16	0.17	24.33	26.98	0.4989	Complies
159	5795	23.91	0.17	24.08	26.98	0.4989	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.23	0.17	23.40	26.98	0.4989	Complies
159	5795	23.66	0.17	23.83	26.98	0.4989	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.90	26.98	0.4989	Complies
159	5795	26.97	26.98	0.4989	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.27	0.32	16.59	26.98	0.4989	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.90	0.32	16.22	26.98	0.4989	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.42	26.98	0.4989	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.36	0.23	13.59	16.98	Complies
40	5200	13.35	0.23	13.58	16.98	Complies
48	5240	13.23	0.23	13.46	16.98	Complies

CH36


Date: 30_AUG_2022 14:36:20

CH40



Date: 30_AUG_2022 14:37:22

CH48



Date: 30_AUG_2022 14:37:57

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.77	0.00	10.77	13.97	Complies
40	5200	10.77	0.00	10.77	13.97	Complies
48	5240	10.64	0.00	10.64	13.97	Complies

CH36


Date: 30_AUG_2022 14:49:14

CH40



Date: 30_AUG_2022 14:49:59

CH48



Date: 30_AUG_2022 14:50:29

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.84	0.00	10.84	13.97	Complies
40	5200	10.97	0.00	10.97	13.97	Complies
48	5240	10.90	0.00	10.90	13.97	Complies

CH36


Date: 30_AUG_2022 16:14:41

CH40


Date: 30_AUG_2022 16:15:10

CH48



Date: 30_AUG_2022 16:15:35

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.82	13.97	Complies
40	5200	13.88	13.97	Complies
48	5240	13.78	13.97	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.66	0.12	10.78	13.97	Complies
46	5230	10.48	0.12	10.60	13.97	Complies

CH38



Date: 30.AUG.2022 15:12:27

CH46



Date: 30.AUG.2022 15:10:06

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.38	0.12	10.50	13.97	Complies
46	5230	10.53	0.12	10.65	13.97	Complies

CH38


Date: 30.AUG.2022 16:25:34

CH46



Date: 30.AUG.2022 16:36:05

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.66	13.97	Complies
46	5230	13.64	13.97	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.63	0.25	10.88	13.97	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.67	0.25	10.92	13.97	Complies






Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	13.91	13.97	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.84	0.09	10.93	13.97	Complies
40	5200	10.81	0.09	10.90	13.97	Complies
48	5240	10.69	0.09	10.78	13.97	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.84	0.09	10.93	13.97	Complies
40	5200	10.89	0.09	10.98	13.97	Complies
48	5240	10.85	0.09	10.94	13.97	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.95	13.97	Complies
40	5200	13.96	13.97	Complies
48	5240	13.88	13.97	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.73	0.17	10.90	13.97	Complies
46	5230	10.51	0.17	10.68	13.97	Complies

CH38



Date: 30.AUG.2022 15:16:38

CH46



Date: 30.AUG.2022 15:28:20

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.35	0.17	10.52	13.97	Complies
46	5230	10.55	0.17	10.72	13.97	Complies

CH38


Date: 30.AUG.2022 16:40:26

CH46



Date: 30.AUG.2022 16:40:57

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.73	13.97	Complies
46	5230	13.71	13.97	Complies


Test Mode UNII-1_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.66	0.32	10.98	13.97	Complies



Test Mode UNII-1_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.60	0.32	10.92	13.97	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	13.96	13.97	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.48	0.23	7.71	10.98	Complies
60	5300	7.38	0.23	7.61	10.98	Complies
64	5320	7.38	0.23	7.61	10.98	Complies

CH52


Date: 30_AUG_2022 14:42:13

CH60



Date: 30_AUG_2022 14:42:48

CH64



Date: 30_AUG_2022 14:43:16

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
------------------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.76	0.00	4.76	7.97	Complies
60	5300	4.69	0.00	4.69	7.97	Complies
64	5320	4.75	0.00	4.75	7.97	Complies



Date: 30_AUG_2022 14:52:05




Date: 30_AUG_2022 14:53:10




Date: 30_AUG_2022 14:53:58

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
------------------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.69	0.00	4.69	7.97	Complies
60	5300	4.42	0.00	4.42	7.97	Complies
64	5320	4.29	0.00	4.29	7.97	Complies



Date: 30_AUG_2022 16:16:15



Date: 30_AUG_2022 16:16:44




Date: 30_AUG_2022 16:17:17

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.74	7.97	Complies
60	5300	7.57	7.97	Complies
64	5320	7.54	7.97	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.83	0.12	4.95	7.97	Complies
62	5310	4.72	0.12	4.84	7.97	Complies

CH54



Date: 30_AUG_2022 15:14:52

CH62



Date: 30_AUG_2022 15:15:01

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.69	0.12	4.81	7.97	Complies
62	5310	4.44	0.12	4.56	7.97	Complies

CH54


Date: 30_AUG_2022 16:16:49

CH62



Date: 30_AUG_2022 16:17:20

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.90	7.97	Complies
62	5310	7.72	7.97	Complies


Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.49	0.25	4.74	7.97	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.90	0.25	4.15	7.97	Complies






Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.47	7.97	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.67	0.09	4.76	7.97	Complies
60	5300	4.84	0.09	4.93	7.97	Complies
64	5320	4.78	0.09	4.87	7.97	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.56	0.09	4.65	7.97	Complies
60	5300	4.28	0.09	4.37	7.97	Complies
64	5320	4.28	0.09	4.37	7.97	Complies





Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.72	7.97	Complies
60	5300	7.67	7.97	Complies
64	5320	7.64	7.97	Complies



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.66	0.17	4.83	7.97	Complies
62	5310	4.54	0.17	4.71	7.97	Complies

CH54

CH62


Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.45	0.17	4.62	7.97	Complies
62	5310	4.19	0.17	4.36	7.97	Complies


CH54

CH62


Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.74	7.97	Complies
62	5310	7.55	7.97	Complies


Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.47	0.32	4.79	7.97	Complies



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.82	0.32	4.14	7.97	Complies




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.49	7.97	Complies


Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.86	0.49	3.35	7.97	Complies



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.52	0.49	3.01	7.97	Complies




Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	6.19	7.97	Complies


Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.84	0.55	3.39	7.97	Complies



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	2.68	0.55	3.23	7.97	Complies




Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	6.32	7.97	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.34	0.23	15.57	29.98	Complies
157	5785	14.50	0.23	14.73	29.98	Complies
165	5825	13.46	0.23	13.69	29.98	Complies

CH149


Date: 30_AUG.2022 14:44:10

CH157



Date: 30_AUG.2022 14:44:44

CH165



Date: 30_AUG.2022 14:45:28

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
------------------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.47	0.00	15.47	26.97	Complies
157	5785	14.10	0.00	14.10	26.97	Complies
165	5825	13.25	0.00	13.25	26.97	Complies



Date: 30_AUG_2022 14:15:01




Date: 30_AUG_2022 14:15:02




Date: 30_AUG_2022 14:15:02

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
------------------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.60	0.00	13.60	26.97	Complies
157	5785	13.11	0.00	13.11	26.97	Complies
165	5825	12.51	0.00	12.51	26.97	Complies



Date: 30_AUG_2022 16:11:43



Date: 30_AUG_2022 16:11:44





Date: 30_AUG_2022 16:11:42

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	17.65	26.97	Complies
157	5785	16.64	26.97	Complies
165	5825	15.91	26.97	Complies



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.88	0.12	12.00	26.97	Complies
159	5795	10.97	0.12	11.09	26.97	Complies

CH151

CH159


Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.95	0.12	11.07	26.97	Complies
159	5795	10.76	0.12	10.88	26.97	Complies


CH151

CH159


Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	14.58	26.97	Complies
159	5795	14.00	26.97	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.12	0.25	8.37	26.97	Complies



Date: 30_MAR.2022 16:59:21

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.55	0.25	7.80	26.97	Complies






Date: 30_MAR.2022 16:46:20

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	11.11	26.97	Complies




Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
------------------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.21	0.09	14.30	26.97	Complies
157	5785	13.09	0.09	13.18	26.97	Complies
165	5825	12.24	0.09	12.33	26.97	Complies



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
------------------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.60	0.09	12.69	26.97	Complies
157	5785	12.41	0.09	12.50	26.97	Complies
165	5825	11.56	0.09	11.65	26.97	Complies




Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	16.58	26.97	Complies
157	5785	15.87	26.97	Complies
165	5825	15.02	26.97	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.38	0.17	11.55	26.97	Complies
159	5795	10.43	0.17	10.60	26.97	Complies

CH151



Date: 30_AUG_2022 16:57:13

CH159



Date: 30_AUG_2022 16:58:27

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.52	0.17	10.69	26.97	Complies
159	5795	10.02	0.17	10.19	26.97	Complies

CH151


Date: 30_AUG_2022 16:42:17

CH159



Date: 30_AUG_2022 16:43:22

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	14.16	26.97	Complies
159	5795	13.41	26.97	Complies


Test Mode UNII-3_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.65	0.32	7.97	26.97	Complies



Test Mode UNII-3_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.21	0.32	7.53	26.97	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	10.77	26.97	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
13.8	5179.9999
12	5180.0150
10.2	5179.9999
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.8982

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5180.0150
10	5180.0000
20	5180.0150
30	5180.0000
40	5179.9999
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.8982

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
13.8	5259.9999
12	5260.0150
10.2	5260.0150
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.8541

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5260.0200
10	5260.0150
20	5260.0150
30	5260.0150
40	5260.0150
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.7999

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
13.8	5744.9999
12	5745.0150
10.2	5745.0150
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.6131

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5745.0150
10	5744.9999
20	5745.0150
30	5745.0150
40	5744.9999
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.6131