


Test Mode	UNII-2C_TX AX (HE160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
114	5570	170.00	157.60

### CH114 26 dB Bandwidth



Date: 12\_MAR\_2021 15:40:39

### 99 % Emission Bandwidth




Date: 12\_MAR\_2021 15:40:17

Test Mode	UNII-3_TX AX (HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	19.09	19.40	500	Complies
157	5785	19.15	19.50	500	Complies
165	5825	18.95	19.50	500	Complies

**CH149**




Date: 10\_MAR.2021 19:02:40

**CH157**  
6 dB Bandwidth




Date: 10\_MAR.2021 19:04:18

**CH165**




Date: 10\_MAR.2021 19:06:29


**99 % Emission Bandwidth**



Date: 10\_MAR.2021 19:01:58



Date: 10\_MAR.2021 19:03:36




Date: 10\_MAR.2021 19:05:47

Test Mode	UNII-3_TX AX (HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	38.30	38.80	500	Complies
159	5795	38.30	39.20	500	Complies

**CH151**




Date: 10\_MAR.2021 19:11:46

**CH159**  
6 dB Bandwidth




Date: 10\_MAR.2021 19:14:07

99 % Emission Bandwidth



Date: 10\_MAR.2021 19:10:50




Date: 10\_MAR.2021 19:13:12

Test Mode	UNII-3_TX AX (HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	78.20	78.00	500	Complies

### CH155 6 dB Bandwidth



Date: 10\_MAR.2021 19:18:08

### 99 % Emission Bandwidth



Date: 10\_MAR.2021 19:17:14

## **APPENDIX F - MAXIMUM OUTPUT POWER**

**Non Beamforming**

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.04	0.00	21.04	30.00	1.00	Complies
40	5200	20.54	0.00	20.54	30.00	1.00	Complies
48	5240	20.63	0.00	20.63	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.99	0.00	18.99	30.00	1.00	Complies
40	5200	18.55	0.00	18.55	30.00	1.00	Complies
48	5240	18.75	0.00	18.75	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.60	0.00	19.60	30.00	1.00	Complies
40	5200	19.06	0.00	19.06	30.00	1.00	Complies
48	5240	19.21	0.00	19.21	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.32	30.00	1.00	Complies
40	5200	21.82	30.00	1.00	Complies
48	5240	22.00	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.10	0.00	16.10	30.00	1.00	Complies
46	5230	18.28	0.00	18.28	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.12	0.00	17.12	30.00	1.00	Complies
46	5230	18.88	0.00	18.88	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.65	30.00	1.00	Complies
46	5230	21.60	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.44	0.00	20.44	24.00	0.25	Complies
60	5300	20.56	0.00	20.56	24.00	0.25	Complies
64	5320	20.42	0.00	20.42	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.82	0.00	14.82	24.00	0.25	Complies
60	5300	15.00	0.00	15.00	24.00	0.25	Complies
64	5320	15.11	0.00	15.11	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.52	0.00	15.52	24.00	0.25	Complies
60	5300	15.34	0.00	15.34	24.00	0.25	Complies
64	5320	15.52	0.00	15.52	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.19	24.00	0.25	Complies
60	5300	18.18	24.00	0.25	Complies
64	5320	18.33	24.00	0.25	Complies



Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.95	0.00	16.95	24.00	0.25	Complies
62	5310	17.07	0.00	17.07	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.55	0.00	17.55	24.00	0.25	Complies
62	5310	17.69	0.00	17.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.27	24.00	0.25	Complies
62	5310	20.40	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.92	0.00	18.92	24.00	0.25	Complies
116	5580	18.74	0.00	18.74	24.00	0.25	Complies
140	5700	18.76	0.00	18.76	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.98	0.00	15.98	24.00	0.25	Complies
116	5580	15.26	0.00	15.26	24.00	0.25	Complies
140	5700	16.42	0.00	16.42	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.16	0.00	15.16	24.00	0.25	Complies
116	5580	14.60	0.00	14.60	24.00	0.25	Complies
140	5700	14.70	0.00	14.70	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.60	24.00	0.25	Complies
116	5580	17.95	24.00	0.25	Complies
140	5700	18.65	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.53	0.00	18.53	24.00	0.25	Complies
110	5550	17.69	0.00	17.69	24.00	0.25	Complies
134	5670	19.52	0.00	19.52	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.63	0.00	17.63	24.00	0.25	Complies
110	5550	17.16	0.00	17.16	24.00	0.25	Complies
134	5670	17.32	0.00	17.32	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.11	24.00	0.25	Complies
110	5550	20.44	24.00	0.25	Complies
134	5670	21.57	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.17	0.00	19.17	30.00	1.00	Complies
157	5785	19.15	0.00	19.15	30.00	1.00	Complies
165	5825	19.24	0.00	19.24	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.35	0.00	19.35	30.00	1.00	Complies
157	5785	19.26	0.00	19.26	30.00	1.00	Complies
165	5825	19.72	0.00	19.72	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.61	0.00	18.61	30.00	1.00	Complies
157	5785	18.52	0.00	18.52	30.00	1.00	Complies
165	5825	18.91	0.00	18.91	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.01	30.00	1.00	Complies
157	5785	21.92	30.00	1.00	Complies
165	5825	22.34	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.44	0.00	19.44	30.00	1.00	Complies
159	5795	19.86	0.00	19.86	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.01	0.00	18.01	30.00	1.00	Complies
159	5795	18.34	0.00	18.34	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.79	30.00	1.00	Complies
159	5795	22.18	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.01	0.00	19.01	30.00	1.00	Complies
40	5200	18.38	0.00	18.38	30.00	1.00	Complies
48	5240	18.72	0.00	18.72	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.65	0.00	19.65	30.00	1.00	Complies
40	5200	19.34	0.00	19.34	30.00	1.00	Complies
48	5240	19.32	0.00	19.32	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.35	30.00	1.00	Complies
40	5200	21.90	30.00	1.00	Complies
48	5240	22.04	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.32	0.21	16.53	30.00	1.00	Complies
46	5230	18.32	0.21	18.53	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.78	0.21	16.99	30.00	1.00	Complies
46	5230	18.74	0.21	18.95	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.77	30.00	1.00	Complies
46	5230	21.75	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.15	0.22	16.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.83	0.22	17.05	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.73	30.00	1.00	Complies



Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.37	0.00	15.37	24.00	0.25	Complies
60	5300	15.28	0.00	15.28	24.00	0.25	Complies
64	5320	15.33	0.00	15.33	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.21	0.00	15.21	24.00	0.25	Complies
60	5300	15.15	0.00	15.15	24.00	0.25	Complies
64	5320	15.52	0.00	15.52	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.30	24.00	0.25	Complies
60	5300	18.23	24.00	0.25	Complies
64	5320	18.44	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.02	0.21	17.23	24.00	0.25	Complies
62	5310	17.15	0.21	17.36	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.25	0.21	17.46	24.00	0.25	Complies
62	5310	17.31	0.21	17.52	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.35	24.00	0.25	Complies
62	5310	20.45	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.24	0.22	16.46	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.95	0.22	17.17	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.84	24.00	0.25	Complies

Test Mode	UNII-1+UNII-2A_TX AC (VHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.89	0.62	15.51	24.00	0.25	Complies

Test Mode	UNII-1+UNII-2A_TX AC (VHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.68	0.62	15.30	24.00	0.25	Complies

Test Mode	UNII-1+UNII-2A_TX AC (VHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.42	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.79	0.00	15.79	24.00	0.25	Complies
116	5580	15.02	0.00	15.02	24.00	0.25	Complies
140	5700	15.81	0.00	15.81	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.68	0.00	15.68	24.00	0.25	Complies
116	5580	15.17	0.00	15.17	24.00	0.25	Complies
140	5700	15.66	0.00	15.66	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.75	24.00	0.25	Complies
116	5580	18.11	24.00	0.25	Complies
140	5700	18.75	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.41	0.21	18.62	24.00	0.25	Complies
110	5550	17.28	0.21	17.49	24.00	0.25	Complies
134	5670	19.48	0.21	19.69	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.93	0.21	18.14	24.00	0.25	Complies
110	5550	17.35	0.21	17.56	24.00	0.25	Complies
134	5670	17.26	0.21	17.47	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.39	24.00	0.25	Complies
110	5550	20.53	24.00	0.25	Complies
134	5670	21.73	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.06	0.22	17.28	24.00	0.25	Complies
122	5610	19.24	0.22	19.46	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.44	0.22	17.66	24.00	0.25	Complies
122	5610	18.33	0.22	18.55	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.49	24.00	0.25	Complies
122	5610	22.04	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT160) Mode_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.01	0.62	15.63	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT160) Mode_Ant. 2
-----------	------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.91	0.62	15.53	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT160) Mode_Total
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.59	24.00	0.25	Complies



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.69	0.00	19.69	30.00	1.00	Complies
157	5785	19.83	0.00	19.83	30.00	1.00	Complies
165	5825	20.41	0.00	20.41	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.38	0.00	18.38	30.00	1.00	Complies
157	5785	18.45	0.00	18.45	30.00	1.00	Complies
165	5825	18.75	0.00	18.75	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.09	30.00	1.00	Complies
157	5785	22.20	30.00	1.00	Complies
165	5825	22.67	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.69	0.21	19.90	30.00	1.00	Complies
159	5795	19.84	0.21	20.05	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.15	0.21	18.36	30.00	1.00	Complies
159	5795	18.67	0.21	18.88	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.20	30.00	1.00	Complies
159	5795	22.51	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.27	0.22	19.49	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.25	0.22	18.47	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.02	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.76	0.00	18.76	30.00	1.00	Complies
40	5200	18.41	0.00	18.41	30.00	1.00	Complies
48	5240	18.63	0.00	18.63	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.49	0.00	19.49	30.00	1.00	Complies
40	5200	19.22	0.00	19.22	30.00	1.00	Complies
48	5240	19.25	0.00	19.25	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.15	30.00	1.00	Complies
40	5200	21.84	30.00	1.00	Complies
48	5240	21.96	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.22	0.00	16.22	30.00	1.00	Complies
46	5230	18.23	0.00	18.23	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.78	0.00	16.78	30.00	1.00	Complies
46	5230	18.63	0.00	18.63	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.52	30.00	1.00	Complies
46	5230	21.44	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.25	0.11	16.36	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.74	0.11	16.85	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.63	30.00	1.00	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.27	0.00	16.27	24.00	0.25	Complies
60	5300	16.15	0.00	16.15	24.00	0.25	Complies
64	5320	16.33	0.00	16.33	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.38	0.00	16.38	24.00	0.25	Complies
60	5300	16.36	0.00	16.36	24.00	0.25	Complies
64	5320	16.18	0.00	16.18	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.34	24.00	0.25	Complies
60	5300	19.27	24.00	0.25	Complies
64	5320	19.27	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.16	0.00	18.16	24.00	0.25	Complies
62	5310	17.12	0.00	17.12	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.81	0.00	18.81	24.00	0.25	Complies
62	5310	17.39	0.00	17.39	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.51	24.00	0.25	Complies
62	5310	20.27	24.00	0.25	Complies



Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.31	0.11	16.42	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.98	0.11	17.09	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.78	24.00	0.25	Complies

Test Mode	UNII-1+UNII-2A_TX AX (HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.51	0.58	15.09	24.00	0.25	Complies

Test Mode	UNII-1+UNII-2A_TX AX (HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.68	0.58	15.26	24.00	0.25	Complies

Test Mode	UNII-1+UNII-2A_TX AX (HE160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.19	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.46	0.00	17.46	24.00	0.25	Complies
116	5580	16.64	0.00	16.64	24.00	0.25	Complies
140	5700	18.26	0.00	18.26	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.18	0.00	17.18	24.00	0.25	Complies
116	5580	16.39	0.00	16.39	24.00	0.25	Complies
140	5700	17.08	0.00	17.08	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.33	24.00	0.25	Complies
116	5580	19.53	24.00	0.25	Complies
140	5700	20.72	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.24	0.00	17.24	24.00	0.25	Complies
110	5550	18.47	0.00	18.47	17.05	0.05	Complies
134	5670	17.65	0.00	17.65	17.05	0.05	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.08	0.00	17.08	24.00	0.25	Complies
110	5550	17.96	0.00	17.96	24.00	0.25	Complies
134	5670	16.62	0.00	16.62	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.17	24.00	0.25	Complies
110	5550	21.23	24.00	0.25	Complies
134	5670	20.18	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.33	0.11	16.44	24.00	0.25	Complies
122	5610	19.26	0.11	19.37	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.02	0.11	17.13	24.00	0.25	Complies
122	5610	18.45	0.11	18.56	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.81	24.00	0.25	Complies
122	5610	22.00	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.86	0.58	15.44	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.99	0.58	15.57	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.52	24.00	0.25	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.48	0.00	19.48	30.00	1.00	Complies
157	5785	19.66	0.00	19.66	30.00	1.00	Complies
165	5825	20.11	0.00	20.11	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.25	0.00	18.25	30.00	1.00	Complies
157	5785	18.32	0.00	18.32	30.00	1.00	Complies
165	5825	18.56	0.00	18.56	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.92	30.00	1.00	Complies
157	5785	22.05	30.00	1.00	Complies
165	5825	22.41	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.71	0.00	19.71	30.00	1.00	Complies
159	5795	19.77	0.00	19.77	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.22	0.00	18.22	30.00	1.00	Complies
159	5795	18.79	0.00	18.79	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.04	30.00	1.00	Complies
159	5795	22.32	30.00	1.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.38	0.11	19.49	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.06	0.11	18.17	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.89	30.00	1.00	Complies

### Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.86	0.00	18.86	30.00	1.00	Complies
40	5200	18.52	0.00	18.52	30.00	1.00	Complies
48	5240	18.60	0.00	18.60	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.50	0.00	19.50	30.00	1.00	Complies
40	5200	19.01	0.00	19.01	30.00	1.00	Complies
48	5240	19.07	0.00	19.07	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.20	26.98	0.50	Complies
40	5200	21.78	26.98	0.50	Complies
48	5240	21.85	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.91	0.00	15.91	30.00	1.00	Complies
46	5230	18.10	0.00	18.10	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.96	0.00	16.96	30.00	1.00	Complies
46	5230	18.68	0.00	18.68	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.48	26.98	0.50	Complies
46	5230	21.41	26.98	0.50	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.77	0.00	14.77	24.00	0.25	Complies
60	5300	14.85	0.00	14.85	24.00	0.25	Complies
64	5320	15.04	0.00	15.04	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.39	0.00	15.39	24.00	0.25	Complies
60	5300	15.24	0.00	15.24	24.00	0.25	Complies
64	5320	15.39	0.00	15.39	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.10	20.98	0.13	Complies
60	5300	18.06	20.98	0.13	Complies
64	5320	18.23	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.87	0.00	16.87	24.00	0.25	Complies
62	5310	17.05	0.00	17.05	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.54	0.00	17.54	24.00	0.25	Complies
62	5310	17.55	0.00	17.55	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.23	20.98	0.13	Complies
62	5310	20.32	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.83	0.00	15.83	24.00	0.25	Complies
116	5580	15.08	0.00	15.08	24.00	0.25	Complies
140	5700	16.26	0.00	16.26	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.09	0.00	15.09	24.00	0.25	Complies
116	5580	14.46	0.00	14.46	24.00	0.25	Complies
140	5700	14.53	0.00	14.53	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.49	20.98	0.13	Complies
116	5580	17.79	20.98	0.13	Complies
140	5700	18.49	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.22	0.00	18.22	24.00	0.25	Complies
110	5550	17.54	0.00	17.54	24.00	0.25	Complies
134	5670	18.36	0.00	18.36	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.19	0.00	17.19	24.00	0.25	Complies
110	5550	16.98	0.00	16.98	24.00	0.25	Complies
134	5670	17.04	0.00	17.04	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.75	20.98	0.13	Complies
110	5550	20.28	20.98	0.13	Complies
134	5670	20.76	20.98	0.13	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.30	0.00	19.30	30.00	1.00	Complies
157	5785	19.19	0.00	19.19	30.00	1.00	Complies
165	5825	19.69	0.00	19.69	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.58	0.00	18.58	30.00	1.00	Complies
157	5785	18.39	0.00	18.39	30.00	1.00	Complies
165	5825	18.71	0.00	18.71	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.97	26.98	0.50	Complies
157	5785	21.82	26.98	0.50	Complies
165	5825	22.24	26.98	0.50	Complies



Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.27	0.00	19.27	30.00	1.00	Complies
159	5795	19.85	0.00	19.85	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.97	0.00	17.97	30.00	1.00	Complies
159	5795	18.25	0.00	18.25	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.68	26.98	0.50	Complies
159	5795	22.13	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.89	0.00	18.89	30.00	1.00	Complies
40	5200	18.26	0.00	18.26	30.00	1.00	Complies
48	5240	18.70	0.00	18.70	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.54	0.00	19.54	30.00	1.00	Complies
40	5200	19.33	0.00	19.33	30.00	1.00	Complies
48	5240	19.31	0.00	19.31	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.24	26.98	0.50	Complies
40	5200	21.84	26.98	0.50	Complies
48	5240	22.03	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.29	0.21	16.50	30.00	1.00	Complies
46	5230	18.21	0.21	18.42	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.74	0.21	16.95	30.00	1.00	Complies
46	5230	18.60	0.21	18.81	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.74	26.98	0.50	Complies
46	5230	21.63	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.06	0.22	16.28	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.80	0.22	17.02	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.68	26.98	0.50	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.29	0.00	15.29	24.00	0.25	Complies
60	5300	15.20	0.00	15.20	24.00	0.25	Complies
64	5320	15.30	0.00	15.30	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.13	0.00	15.13	24.00	0.25	Complies
60	5300	15.02	0.00	15.02	24.00	0.25	Complies
64	5320	15.47	0.00	15.47	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.22	20.98	0.13	Complies
60	5300	18.12	20.98	0.13	Complies
64	5320	18.40	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.89	0.21	17.10	24.00	0.25	Complies
62	5310	17.04	0.21	17.25	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.18	0.21	17.39	24.00	0.25	Complies
62	5310	17.22	0.21	17.43	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.25	20.98	0.13	Complies
62	5310	20.35	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.12	0.22	16.34	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.86	0.22	17.08	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.74	20.98	0.13	Complies

Test Mode	UNII-1+UNII-2A_TX AC (VHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.76	0.62	15.38	24.00	0.25	Complies

Test Mode	UNII-1+UNII-2A_TX AC (VHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.66	0.62	15.28	24.00	0.25	Complies

Test Mode	UNII-1+UNII-2A_TX AC (VHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.34	20.98	0.13	Complies



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.78	0.00	15.78	24.00	0.25	Complies
116	5580	14.93	0.00	14.93	24.00	0.25	Complies
140	5700	15.76	0.00	15.76	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.59	0.00	15.59	24.00	0.25	Complies
116	5580	15.02	0.00	15.02	24.00	0.25	Complies
140	5700	15.62	0.00	15.62	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.70	20.98	0.13	Complies
116	5580	17.99	20.98	0.13	Complies
140	5700	18.70	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.91	0.21	18.12	24.00	0.25	Complies
110	5550	17.15	0.21	17.36	24.00	0.25	Complies
134	5670	17.95	0.21	18.16	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.43	0.21	17.64	24.00	0.25	Complies
110	5550	17.08	0.21	17.29	24.00	0.25	Complies
134	5670	16.96	0.21	17.17	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.89	20.98	0.13	Complies
110	5550	20.33	20.98	0.13	Complies
134	5670	20.70	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.05	0.22	17.27	24.00	0.25	Complies
122	5610	18.12	0.22	18.34	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.32	0.22	17.54	24.00	0.25	Complies
122	5610	17.21	0.22	17.43	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.42	20.98	0.13	Complies
122	5610	20.92	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT160) Mode_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.83	0.62	15.45	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT160) Mode_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.84	0.62	15.46	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT160) Mode_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.47	20.98	0.13	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.52	0.00	19.52	30.00	1.00	Complies
157	5785	19.81	0.00	19.81	30.00	1.00	Complies
165	5825	20.21	0.00	20.21	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.34	0.00	18.34	30.00	1.00	Complies
157	5785	18.44	0.00	18.44	30.00	1.00	Complies
165	5825	18.73	0.00	18.73	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.98	26.98	0.50	Complies
157	5785	22.19	26.98	0.50	Complies
165	5825	22.54	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.64	0.21	19.85	30.00	1.00	Complies
159	5795	19.81	0.21	20.02	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.96	0.21	18.17	30.00	1.00	Complies
159	5795	18.64	0.21	18.85	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.10	26.98	0.50	Complies
159	5795	22.48	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.19	0.22	19.41	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.25	0.22	18.47	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.98	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.56	0.00	18.56	30.00	1.00	Complies
40	5200	18.32	0.00	18.32	30.00	1.00	Complies
48	5240	18.58	0.00	18.58	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.35	0.00	19.35	30.00	1.00	Complies
40	5200	19.09	0.00	19.09	30.00	1.00	Complies
48	5240	19.06	0.00	19.06	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.98	26.98	0.50	Complies
40	5200	21.73	26.98	0.50	Complies
48	5240	21.84	26.98	0.50	Complies



Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.10	0.00	16.10	30.00	1.00	Complies
46	5230	18.09	0.00	18.09	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.71	0.00	16.71	30.00	1.00	Complies
46	5230	18.56	0.00	18.56	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.43	26.98	0.50	Complies
46	5230	21.34	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.09	0.11	16.20	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.65	0.11	16.76	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.50	26.98	0.50	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.13	0.00	16.13	24.00	0.25	Complies
60	5300	16.03	0.00	16.03	24.00	0.25	Complies
64	5320	16.20	0.00	16.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.29	0.00	16.29	24.00	0.25	Complies
60	5300	16.30	0.00	16.30	24.00	0.25	Complies
64	5320	16.09	0.00	16.09	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.22	20.98	0.13	Complies
60	5300	19.18	20.98	0.13	Complies
64	5320	19.16	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.41	0.00	17.41	24.00	0.25	Complies
62	5310	16.88	0.00	16.88	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.06	0.00	18.06	24.00	0.25	Complies
62	5310	17.31	0.00	17.31	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.76	20.98	0.13	Complies
62	5310	20.11	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.18	0.11	16.29	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.87	0.11	16.98	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.66	20.98	0.13	Complies

Test Mode	UNII-1+UNII-2C_TX AX (HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.36	0.58	14.94	24.00	0.25	Complies

Test Mode	UNII-1+UNII-2C_TX AX (HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.54	0.58	15.12	24.00	0.25	Complies

Test Mode	UNII-1+UNII-2C_TX AX (HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.04	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.31	0.00	17.31	24.00	0.25	Complies
116	5580	16.52	0.00	16.52	24.00	0.25	Complies
140	5700	18.21	0.00	18.21	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.99	0.00	16.99	24.00	0.25	Complies
116	5580	16.23	0.00	16.23	24.00	0.25	Complies
140	5700	17.06	0.00	17.06	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.16	20.98	0.13	Complies
116	5580	19.39	20.98	0.13	Complies
140	5700	20.68	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.20	0.00	17.20	24.00	0.25	Complies
110	5550	18.05	0.00	18.05	24.00	0.25	Complies
134	5670	17.60	0.00	17.60	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.89	0.00	16.89	24.00	0.25	Complies
110	5550	17.64	0.00	17.64	24.00	0.25	Complies
134	5670	16.44	0.00	16.44	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.06	20.98	0.13	Complies
110	5550	20.86	20.98	0.13	Complies
134	5670	20.07	20.98	0.13	Complies



Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.27	0.11	16.38	24.00	0.25	Complies
122	5610	18.01	0.11	18.12	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.83	0.11	16.94	24.00	0.25	Complies
122	5610	17.45	0.11	17.56	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.68	20.98	0.13	Complies
122	5610	20.86	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.82	0.58	15.40	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.99	0.58	15.57	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.50	20.98	0.13	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.44	0.00	19.44	30.00	1.00	Complies
157	5785	19.62	0.00	19.62	30.00	1.00	Complies
165	5825	19.91	0.00	19.91	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.12	0.00	18.12	30.00	1.00	Complies
157	5785	18.30	0.00	18.30	30.00	1.00	Complies
165	5825	18.50	0.00	18.50	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.84	26.98	0.50	Complies
157	5785	22.02	26.98	0.50	Complies
165	5825	22.27	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.67	0.00	19.67	30.00	1.00	Complies
159	5795	19.72	0.00	19.72	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.11	0.00	18.11	30.00	1.00	Complies
159	5795	18.66	0.00	18.66	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.97	26.98	0.50	Complies
159	5795	22.23	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.32	0.11	19.43	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.01	0.11	18.12	30.00	1.00	Complies


Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.84	26.98	0.50	Complies


## **APPENDIX G - POWER SPECTRAL DENSITY**

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.85	0.00	9.85	17.00	Complies
40	5200	9.56	0.00	9.56	17.00	Complies
48	5240	9.56	0.00	9.56	17.00	Complies



Date: 10\_MAR\_2021 19:52:48




Date: 10\_MAR\_2021 19:54:24




Date: 10\_MAR\_2021 19:56:18

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.48	0.00	9.48	11.00	Complies
60	5300	9.40	0.00	9.40	11.00	Complies
64	5320	9.43	0.00	9.43	11.00	Complies



Date: 10\_MAR\_2021 19:57:58






Date: 10\_MAR\_2021 19:59:26



Date: 10\_MAR\_2021 20:02:06

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.69	0.00	7.69	11.00	Complies
116	5580	7.91	0.00	7.91	11.00	Complies
140	5700	7.99	0.00	7.99	11.00	Complies






Date: 10\_MAR.2021 20:05:52

Date: 10\_MAR.2021 20:07:46

Date: 10\_MAR.2021 20:09:51

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.10	0.00	7.10	30.00	Complies
157	5785	7.14	0.00	7.14	30.00	Complies
165	5825	7.07	0.00	7.07	30.00	Complies



Date: 10\_MAR.2021 18:52:01




Date: 10\_MAR.2021 18:53:40

Date: 10\_MAR.2021 18:55:05






Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.51	0.00	9.51	17.00	Complies
40	5200	9.28	0.00	9.28	17.00	Complies
48	5240	9.28	0.00	9.28	17.00	Complies



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.68	0.00	9.68	17.00	Complies
40	5200	9.32	0.00	9.32	17.00	Complies
48	5240	9.32	0.00	9.32	17.00	Complies





Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.61	13.97	Complies
40	5200	12.31	13.97	Complies
48	5240	12.31	13.97	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.56	0.21	6.77	17.00	Complies
46	5230	6.43	0.21	6.64	17.00	Complies





Date: 12\_MAR\_2021 14:55:38

Date: 12\_MAR\_2021 14:56:34

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.53	0.21	6.74	17.00	Complies
46	5230	6.25	0.21	6.46	17.00	Complies



Date: 12\_MAR\_2021 17:18:20


Date: 12\_MAR\_2021 17:18:54

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.76	13.97	Complies
46	5230	9.56	13.97	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.98	0.22	3.20	17.00	Complies



Date: 12\_MAR\_2021 15:10:33

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.88	0.22	4.10	17.00	Complies






Date: 12\_MAR\_2021 18:31:27

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.68	13.97	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.66	0.00	4.66	11.00	Complies
60	5300	4.61	0.00	4.61	11.00	Complies
64	5320	4.62	0.00	4.62	11.00	Complies






Date: 12\_MAR\_2021 14:41:17

Date: 12\_MAR\_2021 14:41:19

Date: 12\_MAR\_2021 14:42:20

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.13	0.00	4.13	11.00	Complies
60	5300	4.26	0.00	4.26	11.00	Complies
64	5320	4.42	0.00	4.42	11.00	Complies



Date: 12\_MAR\_2021 17:08:06

Date: 12\_MAR\_2021 17:08:57



Date: 12\_MAR\_2021 17:09:22

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.41	7.97	Complies
60	5300	7.45	7.97	Complies
64	5320	7.53	7.97	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.66	0.21	4.87	11.00	Complies
62	5310	4.68	0.21	4.89	11.00	Complies





Date: 12\_MAR\_2021 14:59:25

Date: 12\_MAR\_2021 15:00:04

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.65	0.21	4.86	11.00	Complies
62	5310	4.45	0.21	4.66	11.00	Complies



Date: 12\_MAR\_2021 17:19:38


Date: 12\_MAR\_2021 17:20:54

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.87	7.97	Complies
62	5310	7.78	7.97	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.44	0.22	3.66	11.00	Complies



Date: 12\_MAR\_2021 15:11:14

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.91	0.22	4.13	11.00	Complies



Date: 12\_MAR\_2021 18:32:06


Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.91	7.97	Complies




Test Mode	UNII-1+UNII-2A_TX AC (VHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.33	0.62	0.95	11.00	Complies



Test Mode	UNII-1+UNII-2A_TX AC (VHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.54	0.62	1.16	11.00	Complies






Test Mode	UNII-1+UNII-2A_TX AC (VHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	4.07	7.97	Complies




Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.66	0.00	4.66	11.00	Complies
116	5580	4.71	0.00	4.71	11.00	Complies
140	5700	4.70	0.00	4.70	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.35	0.00	4.35	11.00	Complies
116	5580	4.59	0.00	4.59	11.00	Complies
140	5700	4.58	0.00	4.58	11.00	Complies






Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.52	7.97	Complies
116	5580	7.66	7.97	Complies
140	5700	7.65	7.97	Complies




**Test Mode** UNII-2C\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.46	0.21	4.67	11.00	Complies
110	5550	4.38	0.21	4.59	11.00	Complies
134	5670	3.95	0.21	4.16	11.00	Complies



**Test Mode** UNII-2C\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.17	0.21	4.38	11.00	Complies
110	5550	4.27	0.21	4.48	11.00	Complies
134	5670	4.25	0.21	4.46	11.00	Complies





Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.53	7.97	Complies
110	5550	7.54	7.97	Complies
134	5670	7.32	7.97	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.94	0.22	2.16	11.00	Complies
122	5610	1.12	0.22	1.34	11.00	Complies





Date: 12\_MAR\_2021 15:12:00

Date: 12\_MAR\_2021 15:12:49

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.14	0.22	2.36	11.00	Complies
122	5610	2.03	0.22	2.25	11.00	Complies



Date: 12\_MAR\_2021 19:11:00


Date: 12\_MAR\_2021 19:12:36

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.27	7.97	Complies
122	5610	4.83	7.97	Complies


Test Mode	UNII-2C_TX AC (VHT160) Mode_Ant. 1
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.70	0.62	-1.08	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT160) Mode_Ant. 2
-----------	------------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.65	0.62	-0.03	11.00	Complies




Test Mode	UNII-2C_TX AC (VHT160) Mode_Total
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.49	7.97	Complies

Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.71	0.00	6.71	30.00	Complies
157	5785	6.75	0.00	6.75	30.00	Complies
165	5825	6.69	0.00	6.69	30.00	Complies



Date: 10\_MAR.2021 18:57:12




Date: 10\_MAR.2021 18:59:33




Date: 10\_MAR.2021 19:00:57

Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.98	0.00	6.98	30.00	Complies
157	5785	6.82	0.00	6.82	30.00	Complies
165	5825	6.91	0.00	6.91	30.00	Complies



Date: 12\_MAR.2021 17:16:09



Date: 12\_MAR.2021 17:16:33



Date: 12\_MAR.2021 17:16:59





Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.86	26.97	Complies
157	5785	9.80	26.97	Complies
165	5825	9.81	26.97	Complies

**Test Mode** UNII-3\_TX AC (VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.18	0.21	3.39	30.00	Complies
159	5795	3.09	0.21	3.30	30.00	Complies





Date: 10\_MAR.2021 19:24:03

Date: 10\_MAR.2021 19:30:07

**Test Mode** UNII-3\_TX AC (VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.09	0.21	3.30	30.00	Complies
159	5795	2.95	0.21	3.16	30.00	Complies



Date: 12\_MAR.2021 17:29:49


Date: 12\_MAR.2021 17:30:44

**Test Mode** UNII-3\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.35	26.97	Complies
159	5795	6.24	26.97	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.51	0.22	-0.29	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.14	0.22	0.08	30.00	Complies






Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.91	26.97	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.30	0.00	9.30	17.00	Complies
40	5200	9.05	0.00	9.05	17.00	Complies
48	5240	9.09	0.00	9.09	17.00	Complies






Date: 12\_MAR.2021 15:16:00

Date: 12\_MAR.2021 15:16:30

Date: 12\_MAR.2021 15:17:25

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.05	0.00	10.05	17.00	Complies
40	5200	9.63	0.00	9.63	17.00	Complies
48	5240	9.67	0.00	9.67	17.00	Complies



Date: 12\_MAR.2021 18:37:05

Date: 12\_MAR.2021 18:37:50



Date: 12\_MAR.2021 18:38:21

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.70	13.97	Complies
40	5200	12.36	13.97	Complies
48	5240	12.40	13.97	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.36	0.00	6.36	17.00	Complies
46	5230	6.17	0.00	6.17	17.00	Complies





Date: 12\_MAR\_2021 15:04:49

Date: 12\_MAR\_2021 15:05:08

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.94	0.00	6.94	17.00	Complies
46	5230	6.62	0.00	6.62	17.00	Complies



Date: 12\_MAR\_2021 18:48:31


Date: 12\_MAR\_2021 18:49:03

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.67	13.97	Complies
46	5230	9.41	13.97	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.14	0.11	3.25	17.00	Complies



Date: 12\_MAR\_2021 15:34:07

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.48	0.11	3.59	17.00	Complies






Date: 12\_MAR\_2021 18:58:30

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.32	13.97	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.76	0.00	4.76	11.00	Complies
60	5300	4.77	0.00	4.77	11.00	Complies
64	5320	4.80	0.00	4.80	11.00	Complies






Date: 12\_MAR.2021 15:18:42

Date: 12\_MAR.2021 15:19:27

Date: 12\_MAR.2021 15:19:52

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.46	0.00	4.46	11.00	Complies
60	5300	4.51	0.00	4.51	11.00	Complies
64	5320	4.61	0.00	4.61	11.00	Complies



Date: 12\_MAR.2021 18:39:55

Date: 12\_MAR.2021 18:40:26

Date: 12\_MAR.2021 18:41:01





Test Mode	UNII-2A_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.62	7.97	Complies
60	5300	7.65	7.97	Complies
64	5320	7.72	7.97	Complies

<b>Test Mode</b>	<b>UNII-2A_TX AX (HE40) Mode_Ant. 1</b>
------------------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.48	0.00	4.48	11.00	Complies
62	5310	4.52	0.00	4.52	11.00	Complies





Date: 12\_MAR\_2021 15:27:28

Date: 12\_MAR\_2021 15:28:04

<b>Test Mode</b>	<b>UNII-2A_TX AX (HE40) Mode_Ant. 2</b>
------------------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.50	0.00	4.50	11.00	Complies
62	5310	4.68	0.00	4.68	11.00	Complies



Date: 12\_MAR\_2021 18:50:58


Date: 12\_MAR\_2021 18:51:28

<b>Test Mode</b>	<b>UNII-2A_TX AX (HE40) Mode_Total</b>
------------------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.50	7.97	Complies
62	5310	7.61	7.97	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.49	0.11	3.60	11.00	Complies



Date: 12\_MAR\_2021 15:35:25

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.54	0.11	3.65	11.00	Complies




Date: 12\_MAR\_2021 18:59:13

Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.64	7.97	Complies


Test Mode	UNII-1+UNII-2A_TX AX (HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.66	0.58	1.24	11.00	Complies



Test Mode	UNII-1+UNII-2A_TX AX (HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.48	0.58	1.06	11.00	Complies






Test Mode	UNII-1+UNII-2A_TX AX (HE160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	4.16	7.97	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.88	0.00	4.88	11.00	Complies
116	5580	4.75	0.00	4.75	11.00	Complies
140	5700	4.50	0.00	4.50	11.00	Complies






Date: 12\_MAR\_2021 15:21:16

Date: 12\_MAR\_2021 15:22:27

Date: 12\_MAR\_2021 15:23:30

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.47	0.00	4.47	11.00	Complies
116	5580	4.78	0.00	4.78	11.00	Complies
140	5700	4.41	0.00	4.41	11.00	Complies



Date: 12\_MAR\_2021 18:43:12

Date: 12\_MAR\_2021 18:43:49

Date: 12\_MAR\_2021 18:44:49

Test Mode	UNII-2C_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.69	7.97	Complies
116	5580	7.78	7.97	Complies
140	5700	7.47	7.97	Complies