







**Test Mode** UNII-2C\_TX AX (HE40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.22	0.00	4.22	11.00	Complies
110	5550	4.70	0.00	4.70	11.00	Complies
134	5670	3.86	0.00	3.86	11.00	Complies



**Test Mode** UNII-2C\_TX AX (HE40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.21	0.00	4.21	11.00	Complies
110	5550	4.60	0.00	4.60	11.00	Complies
134	5670	4.75	0.00	4.75	11.00	Complies





Test Mode	UNII-2C_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.23	7.97	Complies
110	5550	7.66	7.97	Complies
134	5670	7.34	7.97	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.84	0.11	1.95	11.00	Complies
122	5610	1.06	0.11	1.17	11.00	Complies





Date: 12\_MAR.2021 15:36:36

Date: 12\_MAR.2021 15:37:47

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.73	0.11	2.84	11.00	Complies
122	5610	1.28	0.11	1.39	11.00	Complies



Date: 12\_MAR.2021 19:00:21


Date: 12\_MAR.2021 19:00:57

Test Mode	UNII-2C_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.43	7.97	Complies
122	5610	4.29	7.97	Complies


Test Mode	UNII-2C_TX AX (HE160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.33	0.58	-0.75	11.00	Complies



Test Mode	UNII-2C_TX AX (HE160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.68	0.58	-0.10	11.00	Complies






Test Mode	UNII-2C_TX AX (HE160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.60	7.97	Complies




Test Mode UNII-3\_TX AX (HE20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.43	0.00	5.43	30.00	Complies
157	5785	5.41	0.00	5.41	30.00	Complies
165	5825	5.33	0.00	5.33	30.00	Complies



Test Mode UNII-3\_TX AX (HE20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.61	0.00	5.61	30.00	Complies
157	5785	5.95	0.00	5.95	30.00	Complies
165	5825	6.11	0.00	6.11	30.00	Complies





Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.53	26.97	Complies
157	5785	8.70	26.97	Complies
165	5825	8.75	26.97	Complies



**Test Mode** UNII-3\_TX AX (HE40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.47	0.00	2.47	30.00	Complies
159	5795	2.43	0.00	2.43	30.00	Complies



**Test Mode** UNII-3\_TX AX (HE40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.41	0.00	3.41	30.00	Complies
159	5795	3.91	0.00	3.91	30.00	Complies




**Test Mode** UNII-3\_TX AX (HE40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.98	26.97	Complies
159	5795	6.24	26.97	Complies


Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.84	0.11	-0.73	30.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.20	0.11	-0.09	30.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.61	26.97	Complies



## APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)
138	5180.0080
120	5180.0080
102	5180.0088
Maximum Deviation (MHz)	0.0088
Maximum Deviation (ppm)	1.6988

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)
0	5180.0076
10	5180.0080
20	5180.0080
30	5180.0080
40	5180.0068
Maximum Deviation (MHz)	0.0080
Maximum Deviation (ppm)	1.5444

Test Mode	UNII-2A
-----------	---------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
138	5260.0068
120	5260.0068
102	5260.0068
Maximum Deviation (MHz)	0.0068
Maximum Deviation (ppm)	1.2928

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5260.0068
10	5260.0068
20	5260.0064
30	5260.0060
40	5260.0072
Maximum Deviation (MHz)	0.0072
Maximum Deviation (ppm)	1.3688

Test Mode	UNII-2C
-----------	---------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
138	5500.0068
120	5500.0072
102	5500.0064
Maximum Deviation (MHz)	0.0072
Maximum Deviation (ppm)	1.3091

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5500.0064
10	5500.0072
20	5500.0068
30	5500.0064
40	5500.0068
Maximum Deviation (MHz)	0.0072
Maximum Deviation (ppm)	1.3091

Test Mode	UNII-3
-----------	--------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5745.0064
120	5745.0068
102	5745.0068
Maximum Deviation (MHz)	0.0068
Maximum Deviation (ppm)	1.1836

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0068
10	5745.0064
20	5745.0064
30	5745.0064
40	5745.0068
Maximum Deviation (MHz)	0.0076
Maximum Deviation (ppm)	1.3229

**End of Test Report**