




<b>TENDA</b>		
<b>W268R</b>		
Title		
Size B	Document Number	Rev
	11-RT3052-RF-A.SCH	0.1
Date:	Wednesday, June 10, 2009	Sheet 2 of 14




<b>TENDA</b>		
Title		
<b>W268R</b>		
Size B	Document Number 12-RT3052-Peripheral-B.SCH	Rev 0.1
Date:	Wednesday, June 10, 2009	Sheet 3 of 14



<b>TENDA</b>		
<b>W268R</b>		
Title		
Size B	Document Number 13-RT3052-Ethernet-C.SCH	Rev 0.1
Date:	Wednesday, June 10, 2009	Sheet 4 of 14




<b>TENDA</b>		
<b>W268R</b>		
Size B	Document Number 14-R3052-Power-D.SCH	Rev 0.1
Date:	Wednesday, June 10, 2009	Sheet 5 of 14






May be install  
 KH29LV160CBTC-70G/KH29LV160DBTC-70G; TS0P48; MXIC for  
 RT3050

<b>TENDA</b>		
<b>W268R</b>		
Size B	Document Number 21-FALSH.SCH	Rev 0.1
Date:	Wednesday, June 10, 2009	Sheet 6 of 14





May be not install when use RT3050





**Boot Up Strapping**

Pin Name	Description	Value=0	Value=1
MA[9:8]	BOOT FROM	00 : 16bit flash* 01 : 8bit flash 10 : NAND Flash 11 : Internal ROM	
MA10	CPU CLK SEL	320Mhz	384Mhz*
MA12	BIG ENDIAN	Little*	Big
MA13	Bypass PLL	Not Bypass*	Bypass
MA14	Boot Addr	0x1FC00000*	0x1F000000
MA15	Reserved		
MA[17:16]	GE MODE	Gagabit Port Mode 00 : GMI(10/100/1000 bps)* 01 : MI(10/100 bps) 10 : Reversed MI(10/100 bps) 11 : Reversed	
MA18	Reserved		
MA19	Reserved		
MA20	iNIC SDRAM	2MB*	8MB
MA21	iNIC Config	NA	EEPROM /MA20




<b>TENDA</b>		
<b>W268R</b>		
Size	Document Number	Rev
C	31-PA-RW-SCH	0.1
Date:	Wednesday, June 10, 2009	Sheet 8 of 14




<b>TENDA</b>		
<b>W268R</b>		
Size B	Document Number 32-LNA.SCH	Rev 0.1
Date: Wednesday, June 10, 2009 Sheet 9 of 14		






(2) ANT\_TRN >> ANT\_TRN  
(2) ANT\_TRNB >> ANT\_TRNB

Ant. Tx0 2412~2462MHz



(8) MPAOG0 >> MPAOG0  
(8) MPAOG1 >> MPAOG1


<b>TENDA</b>			
<b>W268R</b>			
Title	Document Number	33-Front	Rev 0.1
Size	C	End SCH	
Date	Wednesday, June 10, 2009	Sheet	10 of 14




<b>TENDA</b>		
<b>W268R</b>		
Size	Document Number	Rev
C	4-XMR-RJ45.SCH	0.1
Date:	Wednesday, June 10, 2009	Sheet 11 of 14

--> 3.3V/1.5A



### AC9V ADAPTER









--> 1.5V/1.5A



### Reset Circuit



TENDA			
W268R			
Size	Document Number	S-POWER-RESET.SCH	Rev
C			0.1
Date:	Wednesday, June 10, 2009	Sheet	12 of 14



<b>TENDA</b>		
<b>W268R</b>		
Size B	Document Number	Rev
	6-LED.SCH	0.1
Date:	Wednesday, June 10, 2009	Sheet 13 of 14

