

OUTPUT POWER BAND 25



XMIT 2019.09.05

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Keysight	N9010A	AFM	19-Mar-19	19-Mar-20
Generator - Signal	Keysight	N5171B-506	TEW	2-May-18	2-May-21

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The fundamental emission output power (maximum average conducted output power) was measured using the channels and modes as called out on the following data sheets. The transmit power was set to its default maximum.


The method in section 5.2.4.4 of ANSI C63.26 was used to make the measurement. This method uses trace averaging across ON and OFF times of the EUT transmissions in the spectrum analyzer channel power function using an RMS detector. Following the measurement a duty cycle correction was applied by adding $[10 \log (1 / D)]$, where D is the duty cycle, to the measured power to compute the average power during the actual transmission times.

Per FCC part 24.232(a)(1), 24.232(a)(2) and RSS 133 6.4, the Equivalent Isotropically Radiated Power (EIRP) of the transceiver cannot exceed 1640 Watts/MHz.

OUTPUT POWER BAND 25



Tb/Tx 2019.08.30.0 XMt 2019.08.05


EUT: AHFIA		Work Order: NOKI0008	
Serial Number: K9174623559		Date: 13-Feb-20	
Customer: Nokia of America Corporation		Temperature: 22.1 °C	
Attendees: Mitch Hill, John Rattanavong		Humidity: 25% RH	
Project: None		Barometric Pres.: 1033 mbar	
Tested by: Brandon Hobbs		Power: 54VDC	Job Site: TX09
TEST SPECIFICATIONS		Test Method	
FCC 24E:2020		ANSI C63.26:2015	
RSS-133:2018		RSS-133:2018	
COMMENTS			
All measurement path losses were accounted for in the reference level offset including any attenuators, filters and DC blocks. All measurement path losses were accounted for in the reference level offset including any attenuators, filters and DC blocks. The data was taken using the highest output power port which was found in the original client provided test report.			
DEVIATIONS FROM TEST STANDARD			
None			
Configuration #	2	Signature 	
		Initial Power (dBm/OBW)	Duty Cycle Factor (dB)
		Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)
		Limit EIRP (dBm/OBW)	Results
Band 25 (Single Carrier) Port 4			
QPSK			
5 MHz			
	Low Channel, 1932.5 MHz	46.118	0
	Mid Channel, 1962.5 MHz	46.127	0
	High Channel, 1992.5 MHz	46.17	0
10 MHz			
	Low Channel, 1935 MHz	46.034	0
	Mid Channel, 1962.5 MHz	46.007	0
	High Channel, 1990 MHz	46.085	0
15 MHz			
	Low Channel, 1937.5 MHz	46.089	0
	Mid Channel, 1962.5 MHz	45.998	0
	High Channel, 1987.5 MHz	46.104	0
20 MHz			
	Low Channel, 1940 MHz	46.156	0
	Mid Channel, 1962.5 MHz	46.055	0
	High Channel, 1985 MHz	46.171	0
16-QAM			
5 MHz			
	Low Channel, 1932.5 MHz	46.09	0
	Mid Channel, 1962.5 MHz	46.145	0
	High Channel, 1992.5 MHz	46.174	0
10 MHz			
	Low Channel, 1935 MHz	46.042	0
	Mid Channel, 1962.5 MHz	46.007	0
	High Channel, 1990 MHz	46.086	0
15 MHz			
	Low Channel, 1937.5 MHz	46.107	0
	Mid Channel, 1962.5 MHz	45.999	0
	High Channel, 1987.5 MHz	46.105	0
20 MHz			
	Low Channel, 1940 MHz	46.144	0
	Mid Channel, 1962.5 MHz	46.041	0
	High Channel, 1985 MHz	46.158	0
64-QAM			
5 MHz			
	Low Channel, 1932.5 MHz	46.011	0
	Mid Channel, 1962.5 MHz	46.061	0
	High Channel, 1992.5 MHz	46.129	0
10 MHz			
	Low Channel, 1935 MHz	46.022	0
	Mid Channel, 1962.5 MHz	46.001	0
	High Channel, 1990 MHz	46.071	0
15 MHz			
	Low Channel, 1937.5 MHz	46.092	0
	Mid Channel, 1962.5 MHz	46.009	0
	High Channel, 1987.5 MHz	46.118	0
20 MHz			
	Low Channel, 1940 MHz	46.178	0
	Mid Channel, 1962.5 MHz	46.08	0
	High Channel, 1985 MHz	46.192	0
256-QAM			
5 MHz			
	Low Channel, 1932.5 MHz	46.024	0
	Mid Channel, 1962.5 MHz	46.09	0
	High Channel, 1992.5 MHz	46.11	0
10 MHz			
	Low Channel, 1935 MHz	46.008	0
	Mid Channel, 1962.5 MHz	45.991	0
	High Channel, 1990 MHz	46.062	0
15 MHz			
	Low Channel, 1937.5 MHz	46.085	0
	Mid Channel, 1962.5 MHz	45.99	0
	High Channel, 1987.5 MHz	46.084	0
20 MHz			
	Low Channel, 1940 MHz	46.141	0
	Mid Channel, 1962.5 MHz	46.057	0
	High Channel, 1985 MHz	46.168	0

OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, QPSK, 5 MHz, Low Channel, 1932.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.118	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, QPSK, 5 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.127	0	Not Provided	46.1	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMI 2019.09.05

Band 25 (Single Carrier) Port 4, QPSK, 5 MHz, High Channel, 1992.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.17	0	Not Provided	46.2	N/A	N/A	



Band 25 (Single Carrier) Port 4, QPSK, 10 MHz, Low Channel, 1935 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.034	0	Not Provided	46	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, QPSK, 10 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.007	0	Not Provided	46	N/A	N/A	



Band 25 (Single Carrier) Port 4, QPSK, 10 MHz, High Channel, 1990 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.085	0	Not Provided	46.1	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, QPSK, 15 MHz, Low Channel, 1937.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.089	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, QPSK, 15 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
45.998	0	Not Provided	46	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, QPSK, 15 MHz, High Channel, 1987.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.104	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, QPSK, 20 MHz, Low Channel, 1940 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.156	0	Not Provided	46.2	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMI 2019.09.05

Band 25 (Single Carrier) Port 4, QPSK, 20 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.055	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, QPSK, 20 MHz, High Channel, 1985 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.171	0	Not Provided	46.2	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMI 2019.09.05

Band 25 (Single Carrier) Port 4, 16-QAM, 5 MHz, Low Channel, 1932.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.09	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 16-QAM, 5 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.145	0	Not Provided	46.1	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMI 2019.09.05

Band 25 (Single Carrier) Port 4, 16-QAM, 5 MHz, High Channel, 1992.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.174	0	Not Provided	46.2	N/A	N/A	



Band 25 (Single Carrier) Port 4, 16-QAM, 10 MHz, Low Channel, 1935 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.042	0	Not Provided	46	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, 16-QAM, 10 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.007	0	Not Provided	46	N/A	N/A	



Band 25 (Single Carrier) Port 4, 16-QAM, 10 MHz, High Channel, 1990 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.086	0	Not Provided	46.1	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, 16-QAM, 15 MHz, Low Channel, 1937.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.107	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 16-QAM, 15 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
45.999	0	Not Provided	46	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMM 2019.09.05

Band 25 (Single Carrier) Port 4, 16-QAM, 15 MHz, High Channel, 1987.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.105	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 16-QAM, 20 MHz, Low Channel, 1940 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.144	0	Not Provided	46.1	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMM 2019.09.05

Band 25 (Single Carrier) Port 4, 16-QAM, 20 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.041	0	Not Provided	46	N/A	N/A	



Band 25 (Single Carrier) Port 4, 16-QAM, 20 MHz, High Channel, 1985 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.158	0	Not Provided	46.2	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, 64-QAM, 5 MHz, Low Channel, 1932.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.011	0	Not Provided	46	N/A	N/A	



Band 25 (Single Carrier) Port 4, 64-QAM, 5 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.061	0	Not Provided	46.1	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMI 2019.09.05

Band 25 (Single Carrier) Port 4, 64-QAM, 5 MHz, High Channel, 1992.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.129	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 64-QAM, 10 MHz, Low Channel, 1935 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.022	0	Not Provided	46	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMI 2019.09.05

Band 25 (Single Carrier) Port 4, 64-QAM, 10 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.001	0	Not Provided	46	N/A	N/A	



Band 25 (Single Carrier) Port 4, 64-QAM, 10 MHz, High Channel, 1990 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.071	0	Not Provided	46.1	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, 64-QAM, 15 MHz, Low Channel, 1937.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.092	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 64-QAM, 15 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.009	0	Not Provided	46	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, 64-QAM, 15 MHz, High Channel, 1987.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.118	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 64-QAM, 20 MHz, Low Channel, 1940 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.178	0	Not Provided	46.2	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, 64-QAM, 20 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.08	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 64-QAM, 20 MHz, High Channel, 1985 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.192	0	Not Provided	46.2	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, 256-QAM, 5 MHz, Low Channel, 1932.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.024	0	Not Provided	46	N/A	N/A	



Band 25 (Single Carrier) Port 4, 256-QAM, 5 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.09	0	Not Provided	46.1	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMI 2019.09.05

Band 25 (Single Carrier) Port 4, 256-QAM, 5 MHz, High Channel, 1992.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.11	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 256-QAM, 10 MHz, Low Channel, 1935 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.008	0	Not Provided	46	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, 256-QAM, 10 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
45.991	0	Not Provided	46	N/A	N/A	



Band 25 (Single Carrier) Port 4, 256-QAM, 10 MHz, High Channel, 1990 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.062	0	Not Provided	46.1	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMI 2019.09.05

Band 25 (Single Carrier) Port 4, 256-QAM, 15 MHz, Low Channel, 1937.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.085	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 256-QAM, 15 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
45.99	0	Not Provided	46	N/A	N/A	




OUTPUT POWER BAND 25




TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, 256-QAM, 15 MHz, High Channel, 1987.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.084	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 256-QAM, 20 MHz, Low Channel, 1940 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.141	0	Not Provided	46.1	N/A	N/A	




OUTPUT POWER BAND 25



TbTx 2019.08.30.0 XMt 2019.09.05

Band 25 (Single Carrier) Port 4, 256-QAM, 20 MHz, Mid Channel, 1962.5 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.057	0	Not Provided	46.1	N/A	N/A	



Band 25 (Single Carrier) Port 4, 256-QAM, 20 MHz, High Channel, 1985 MHz						
Initial Power (dBm/OBW)	Duty Cycle Factor (dB)	Antenna Gain (dBi)	Final w/o Ant Gain Value (dBm/OBW)	Limit EIRP (dBm/OBW)	Results	
46.168	0	Not Provided	46.2	N/A	N/A	

