


# BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, QPSK Modulation, Low Channel 2117.5 MHz, Frequency Range 3

Value (dBm)	Limit (dBm)	Result
-24.322	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, QPSK Modulation, High Channel 2172.5 MHz, Frequency Range 1

Value (dBm)	Limit (dBm)	Result
-26.08	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, QPSK Modulation, High Channel 2172.5 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-24.19	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, QPSK Modulation, High Channel 2172.5 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.406	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-25.824	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-24.67	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz, Frequency Range 3						
	Value (dBm)	Limit (dBm)	Result			
	-24.552	-19	Pass			



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2172.5 MHz, Frequency Range 1						
	Value (dBm)	Limit (dBm)	Result			
	-25.135	-19	Pass			




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2172.5 MHz, Frequency Range 2						
			Value (dBm)	Limit (dBm)	Result	
			-24.16	-19	Pass	



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2172.5 MHz, Frequency Range 3						
			Value (dBm)	Limit (dBm)	Result	
			-24.301	-19	Pass	




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-24.365	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-24.3	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.499	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2172.5 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-25.393	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2172.5 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-24.04	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2172.5 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.173	-19	Pass






# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel 2117.5 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-24.718	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel 2117.5 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-24.49	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel 2117.5 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.286	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 256-QAM Modulation, High Channel 2172.5 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-25.296	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 256-QAM Modulation, High Channel 2172.5 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-23.9	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, 256-QAM Modulation, High Channel 2172.5 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.037	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-22.614	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-25.09	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.749	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, QPSK Modulation, High Channel 2170 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-22.808	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, QPSK Modulation, High Channel 2170 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-24.48	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, QPSK Modulation, High Channel 2170 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.2	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-23.239	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-25.08	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.848	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2170 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-22.913	-19	Pass






# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2170 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-24.62	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2170 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.215	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-22.772	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-25.17	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.867	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2170 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-22.072	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2170 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-24.4	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2170 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.304	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-22.932	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-25.04	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.829	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2170 MHz, Frequency Range 1						
				Value (dBm)	Limit (dBm)	Result
				-23.267	-19	Pass




# BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2170 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-24.47	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2170 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-24.364	-19	Pass

