

# BAND EDGE COMPLIANCE - BAND n66



XMIT 2020.03.25.0

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

## TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFL	27-Feb-20	27-Feb-21
Generator - Signal	Keysight	N5171B-506	TEW	2-May-18	2-May-21

## TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The spurious RF conducted emissions at the edges of the authorized bands were measured with the EUT set to low and high transmit frequencies in the available band. The channels closest to the band edges were selected. The EUT was transmitting at the data rate(s) listed in the datasheet.

The spectrum was scanned below the lower band edge and above the higher band edge.

All limits were adjusted by a factor of  $[-10 \cdot \log(4)]$  dB to account for the device operation as a 4 port MIMO transmitter, as per FCC KDB 622911.

Per section 27.53(h)(1) the power of any emission outside of the authorized operating frequency range cannot exceed -13 dBm. The limit is adjusted to -19 dBm  $[-13 \text{ dBm} - 10 \log(4)]$  per FCC KDB 662911D01 v02r01 because the BTS may operate as a 4 port MIMO transmitter.

Per 27.53(h)(3) emissions seen up to 1 MHz outside of authorized operating frequency range band edges shall be measured with a RBW of 1% of the measured emission bandwidth. Any emission seen to be  $> 1$  MHz further outside the band edges shall be measured with a RBW of 1 MHz. However, a narrower RBW of at least 1% of the emission bandwidth is still allowed provided that the measured power is integrated over the full reference bandwidth of 1 MHz.

RF conducted emissions testing was performed only on one port. The testing was performed on the same version of hardware (AHFIG) as the original certification test. The AHFIG antenna ports are essentially electrically identical (the RF power variation between antenna ports is small as shown in the original certification testing) and antenna port 4 was selected to perform the testing under this effort as allowed by ANSI C63.26-2015 paragraph 5.7.2i.

5G NR carrier bandwidths of 5MHz, 10MHz, 15MHz, and 20MHz with QPSK, 16QAM, 64QAM and 256QAM modulation types were verified under this effort. The 5G NR carriers/modulation types for this testing are set up according to 3GPP TS 38.141-1 Test Models and are NR-FR1-TM 1.1 (QPSK modulation type), NR-FR1-TM 3.1 (16QAM modulation type), NR-FR1-TM 3.1 (64QAM modulation type), and NR-FR1-TM 3.1a (256QAM modulation type).

# BAND EDGE COMPLIANCE - BAND n66



TS4Tx 2020.06.06.0 BETA XMI 2020.03.25.0

EUT: AHFIG		Work Order: NOKI0016	
Serial Number: K9191322351		Date: 18-Jun-20	
Customer: Nokia Solutions and Networks		Temperature: 22.5 °C	
Attendees: Mitchell Hill, John Rattanavong		Humidity: 51.6% RH	
Project: None		Barometric Pres.: 1015 mbar	
Tested by: Brandon Hobbs		Power: 54 VDC	
TEST SPECIFICATIONS		Test Method	
FCC 27:2020		ANSI C63.26:2015	
COMMENTS			
All measurement path losses were accounted for in the reference level offset including any attenuators, filters and DC blocks. The carrier was set to maximum for all testing.			
DEVIATIONS FROM TEST STANDARD			
None			
Configuration #	2	Signature	

Port 4, Band n66, 2110 MHz - 2200 MHz	Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result
5 MHz Bandwidth					
QPSK Modulation					
Low Channel 2112.5 MHz	1	2110.0	-24.52	-19	Pass
Low Channel 2112.5 MHz	2	2108.5	-24.50	-19	Pass
Low Channel 2112.5 MHz	3	2107.8	-25.07	-19	Pass
High Channel 2197.5 MHz	1	2200.0	-25.61	-19	Pass
High Channel 2197.5 MHz	2	2201.5	-24.51	-19	Pass
High Channel 2197.5 MHz	3	2202.0	-24.66	-19	Pass
16-QAM Modulation					
Low Channel 2112.5 MHz	1	2110.0	-25.76	-19	Pass
Low Channel 2112.5 MHz	2	2108.5	-24.93	-19	Pass
Low Channel 2112.5 MHz	3	2107.9	-24.16	-19	Pass
High Channel 2197.5 MHz	1	2200.0	-24.68	-19	Pass
High Channel 2197.5 MHz	2	2201.5	-24.77	-19	Pass
High Channel 2197.5 MHz	3	2202.1	-24.56	-19	Pass
64-QAM Modulation					
Low Channel 2112.5 MHz	1	2110.0	-26.05	-19	Pass
Low Channel 2112.5 MHz	2	2108.5	-24.97	-19	Pass
Low Channel 2112.5 MHz	3	2108.0	-24.18	-19	Pass
High Channel 2197.5 MHz	1	2200.0	-25.52	-19	Pass
High Channel 2197.5 MHz	2	2201.5	-23.80	-19	Pass
High Channel 2197.5 MHz	3	2202.1	-24.50	-19	Pass
256-QAM Modulation					
Low Channel 2112.5 MHz	1	2110.0	-26.27	-19	Pass
Low Channel 2112.5 MHz	2	2108.5	-24.37	-19	Pass
Low Channel 2112.5 MHz	3	2107.9	-23.01	-19	Pass
High Channel 2197.5 MHz	1	2200.0	-24.89	-19	Pass
High Channel 2197.5 MHz	2	2201.5	-24.72	-19	Pass
High Channel 2197.5 MHz	3	2202.1	-24.10	-19	Pass
10 MHz Bandwidth					
QPSK Modulation					
Low Channel 2115 MHz	1	2110.0	-27.73	-19	Pass
Low Channel 2115 MHz	2	2108.5	-26.74	-19	Pass
Low Channel 2115 MHz	3	2108.0	-25.16	-19	Pass
High Channel 2195 MHz	1	2200.0	-26.53	-19	Pass
High Channel 2195 MHz	2	2201.5	-25.30	-19	Pass
High Channel 2195 MHz	3	2202.1	-24.28	-19	Pass
16-QAM Modulation					
Low Channel 2115 MHz	1	2110.0	-27.95	-19	Pass
Low Channel 2115 MHz	2	2108.5	-26.73	-19	Pass
Low Channel 2115 MHz	3	2108.0	-25.09	-19	Pass
High Channel 2195 MHz	1	2200.0	-29.30	-19	Pass
High Channel 2195 MHz	2	2201.5	-25.85	-19	Pass
High Channel 2195 MHz	3	2202.1	-25.83	-19	Pass
64-QAM Modulation					
Low Channel 2115 MHz	1	2110.0	-28.14	-19	Pass
Low Channel 2115 MHz	2	2108.5	-26.25	-19	Pass
Low Channel 2115 MHz	3	2108.0	-25.59	-19	Pass
High Channel 2195 MHz	1	2200.0	-28.52	-19	Pass
High Channel 2195 MHz	2	2201.5	-25.67	-19	Pass
High Channel 2195 MHz	3	2202.0	-25.34	-19	Pass
256-QAM Modulation					
Low Channel 2115 MHz	1	2110.0	-26.96	-19	Pass
Low Channel 2115 MHz	2	2108.5	-26.82	-19	Pass
Low Channel 2115 MHz	3	2108.0	-26.14	-19	Pass
High Channel 2195 MHz	1	2200.0	-28.53	-19	Pass
High Channel 2195 MHz	2	2201.5	-25.19	-19	Pass
High Channel 2195 MHz	3	2202.0	-25.12	-19	Pass
15 MHz Bandwidth					
QPSK Modulation					
Low Channel 2117.5 MHz	1	2110.0	-24.93	-19	Pass
Low Channel 2117.5 MHz	2	2108.5	-27.68	-19	Pass
Low Channel 2117.5 MHz	3	2107.9	-26.84	-19	Pass
High Channel 2192.5 MHz	1	2200.0	-25.56	-19	Pass
High Channel 2192.5 MHz	2	2201.5	-26.51	-19	Pass
High Channel 2192.5 MHz	3	2202.4	-25.81	-19	Pass
16-QAM Modulation					
Low Channel 2117.5 MHz	1	2110.0	-24.56	-19	Pass
Low Channel 2117.5 MHz	2	2108.5	-27.22	-19	Pass
Low Channel 2117.5 MHz	3	2107.4	-26.68	-19	Pass
High Channel 2192.5 MHz	1	2200.0	-24.93	-19	Pass
High Channel 2192.5 MHz	2	2201.5	-26.30	-19	Pass
High Channel 2192.5 MHz	3	2202.2	-26.13	-19	Pass
64-QAM Modulation					
Low Channel 2117.5 MHz	1	2110.0	-27.61	-19	Pass


Low Channel 2117.5 MHz	2	2108.5	-28.03	-19	Pass
Low Channel 2117.5 MHz	3	2106.6	-26.94	-19	Pass
High Channel 2192.5 MHz	1	2200.0	-25.96	-19	Pass
High Channel 2192.5 MHz	2	2201.5	-26.14	-19	Pass
High Channel 2192.5 MHz	3	2202.3	-25.57	-19	Pass
<b>256-QAM Modulation</b>					
Low Channel 2117.5 MHz	1	2110.0	-26.56	-19	Pass
Low Channel 2117.5 MHz	2	2108.5	-27.85	-19	Pass
Low Channel 2117.5 MHz	3	2107.7	-27.38	-19	Pass
High Channel 2192.5 MHz	1	2200.0	-27.15	-19	Pass
High Channel 2192.5 MHz	2	2201.5	-26.31	-19	Pass
High Channel 2192.5 MHz	3	2202.2	-25.99	-19	Pass
<b>20 MHz Bandwidth</b>					
<b>QPSK Modulation</b>					
Low Channel 2120 MHz	1	2110.0	-21.78	-19	Pass
Low Channel 2120 MHz	2	2108.5	-27.99	-19	Pass
Low Channel 2120 MHz	3	2105.9	-26.97	-19	Pass
High Channel 2190 MHz	1	2200.0	-20.97	-19	Pass
High Channel 2190 MHz	2	2201.5	-26.31	-19	Pass
High Channel 2190 MHz	3	2202.4	-26.10	-19	Pass
<b>16-QAM Modulation</b>					
Low Channel 2120 MHz	1	2110.0	-21.32	-19	Pass
Low Channel 2120 MHz	2	2108.5	-27.96	-19	Pass
Low Channel 2120 MHz	3	2107.7	-26.84	-19	Pass
High Channel 2190 MHz	1	2200.0	-20.38	-19	Pass
High Channel 2190 MHz	2	2201.5	-26.77	-19	Pass
High Channel 2190 MHz	3	2202.1	-25.91	-19	Pass
<b>64-QAM Modulation</b>					
Low Channel 2120 MHz	1	2110.0	-22.68	-19	Pass
Low Channel 2120 MHz	2	2108.5	-28.07	-19	Pass
Low Channel 2120 MHz	3	2107.5	-26.60	-19	Pass
High Channel 2190 MHz	1	2200.0	-21.78	-19	Pass
High Channel 2190 MHz	2	2201.5	-26.44	-19	Pass
High Channel 2190 MHz	3	2202.1	-25.66	-19	Pass
<b>256-QAM Modulation</b>					
Low Channel 2120 MHz	1	2110.0	-23.14	-19	Pass
Low Channel 2120 MHz	2	2108.5	-28.25	-19	Pass
Low Channel 2120 MHz	3	2107.8	-27.00	-19	Pass
High Channel 2190 MHz	1	2200.0	-21.60	-19	Pass
High Channel 2190 MHz	2	2201.5	-26.46	-19	Pass
High Channel 2190 MHz	3	2202.3	-26.25	-19	Pass

# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, QPSK Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110	-24.52	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, QPSK Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-24.50	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66



TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, QPSK Modulation, Low Channel 2112.5 MHz

Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result
3	2107.8	-25.07	-19	Pass



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, QPSK Modulation, High Channel 2197.5 MHz

Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result
1	2200.0	-25.61	-19	Pass




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, QPSK Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-24.51	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, QPSK Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.0	-24.66	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-25.76	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-24.93	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66



TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2107.9	-24.16	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, 16-QAM Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-24.68	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth , 16-QAM Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-24.77	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth , 16-QAM Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.1	-24.56	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66



TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-26.05	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-24.97	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66



TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth , 64-QAM Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2108.0	-24.18	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth , 64-QAM Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-25.52	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth , 64-QAM Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-23.80	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth , 64-QAM Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.1	-24.50	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth , 256-QAM Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-26.27	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth , 256-QAM Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-24.37	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth , 256-QAM Modulation, Low Channel 2112.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2107.9	-23.01	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth , 256-QAM Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-24.89	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, 256-QAM Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-24.72	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 5 MHz Bandwidth, 256-QAM Modulation, High Channel 2197.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.1	-24.10	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, QPSK Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-27.73	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, QPSK Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-26.74	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth , QPSK Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2108.0	-25.16	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth , QPSK Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-26.53	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, QPSK Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-25.30	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, QPSK Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.1	-24.28	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-27.95	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-26.73	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2108.0	-25.09	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 16-QAM Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-29.30	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 16-QAM Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-25.85	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 16-QAM Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.1	-25.83	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-28.14	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-26.25	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66



TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2108.0	-25.59	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 64-QAM Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-28.52	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth , 64-QAM Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-25.67	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth , 64-QAM Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.0	-25.34	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth , 256-QAM Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-26.96	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth , 256-QAM Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-26.82	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth , 256-QAM Modulation, Low Channel 2115 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2108.0	-26.14	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth , 256-QAM Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-28.53	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 256-QAM Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-25.19	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 10 MHz Bandwidth, 256-QAM Modulation, High Channel 2195 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.0	-25.12	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, QPSK Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-24.93	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, QPSK Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-27.68	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66



TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, QPSK Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2107.9	-26.84	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, QPSK Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-25.56	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, QPSK Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-26.51	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, QPSK Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.4	-25.81	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-24.56	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-27.22	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2107.4	-26.68	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-24.93	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-26.30	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.2	-26.13	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-27.61	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-28.03	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2106.6	-26.94	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-25.96	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-26.14	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.3	-25.57	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth , 256-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-26.56	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth , 256-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-27.85	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66



TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth , 256-QAM Modulation, Low Channel 2117.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2107.7	-27.38	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth , 256-QAM Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-27.15	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth , 256-QAM Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-26.31	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 15 MHz Bandwidth , 256-QAM Modulation, High Channel 2192.5 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.2	-25.99	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-21.78	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-27.99	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2105.9	-26.97	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, QPSK Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-20.97	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, QPSK Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-26.31	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, QPSK Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.4	-26.10	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-21.32	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-27.96	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2107.7	-26.84	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-20.38	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-26.77	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.1	-25.91	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-22.68	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-28.07	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2107.5	-26.60	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-21.78	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-26.44	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.1	-25.66	-19	Pass		






# BAND EDGE COMPLIANCE - BAND n66




TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2110.0	-23.14	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2108.5	-28.25	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66



TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2107.8	-27.00	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
1	2200.0	-21.60	-19	Pass		




# BAND EDGE COMPLIANCE - BAND n66



TMTX 2020.06.08.0 BETA XMI 2020.03.25.0

Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
2	2201.5	-26.46	-19	Pass		



Port 4, Band n66, 2110 MHz - 2200 MHz, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2190 MHz						
Frequency Range	Measured Freq (MHz)	Max Value (dBm)	Limit < (dBm)	Result		
3	2202.3	-26.25	-19	Pass		

