


BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 5 MHz Bandwidth, 256-QAM Modulation, High Channel, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-23.1	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 5 MHz Bandwidth, 256-QAM Modulation, High Channel, 1992.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-22.8	-19	Pass			




BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, QPSK Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-23.9	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, QPSK Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.9	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, QPSK Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.9	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, QPSK Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-23.0	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, QPSK Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-21.0	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, QPSK Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-21.5	-19	Pass			




BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-23.5	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-20.2	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-20.4	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-23.1	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-21.0	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-21.1	-19	Pass			




BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
	-23.1	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.7	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.8	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-22.7	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-21.3	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-21.5	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-23.3	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.7	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1935 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-20.0	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-22.9	-19	Pass			




BAND EDGE COMPLIANCE




Tel: +44 (0)1235 838900 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-21.1	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, High Channel, 1990 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-21.1	-19	Pass			




BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, QPSK Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-20.6	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, QPSK Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-20.0	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, QPSK Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.7	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, QPSK Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-20.2	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, QPSK Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-20.3	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, QPSK Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.9	-19	Pass			




BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-20.6	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-20.0	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.6	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-20.8	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-20.5	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-20.4	-19	Pass			




BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-20.6	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.9	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-20.0	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-20.0	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-20.2	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.9	-19	Pass			




BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-20.8	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.9	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.8	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-19.9	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.8	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.7	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-21.7	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-20.1	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-20.0	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-21.6	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.5	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.6	-19	Pass			




BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-21.5	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.9	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.8	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-21.9	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.5	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.6	-19	Pass			




BAND EDGE COMPLIANCE




TelTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-22.3	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-20.4	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-20.1	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-21.2	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.5	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.5	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-21.9	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-20.2	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-20.2	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
1	-21.4	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2021.12.14.1 XMI 2022.02.07.0

Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
2	-19.4	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, LTE Single Carrier, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Results			
3	-19.4	-19	Pass			

