


BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, QPSK Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.93	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, QPSK Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.19	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.21	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.98	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-21.55	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-24.64	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.79	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 16-QAM Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.14	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-24.64	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.75	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-20.78	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.10	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.69	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 64-QAM Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-21.97	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-24.42	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.99	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-20.99	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.44	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-23.07	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, 256-QAM Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.18	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.43	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-24.11	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-23.29	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-24.55	-19	Pass			




BAND EDGE COMPLIANCE




Tel: +44 (0)1235 838900 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.16	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-20.25	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.23	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-23.71	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-23.28	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-24.51	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.19	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-19.62	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.65	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-23.79	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-23.05	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-24.05	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.09	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-20.32	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-24.89	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-23.78	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2120 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.82	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-24.80	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.10	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 2190 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-19.98	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, QPSK Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-22.37	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, QPSK Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-23.15	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, QPSK Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.37	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, QPSK Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-21.28	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, QPSK Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-20.50	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, QPSK Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-19.83	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-22.63	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-23.10	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.12	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 16-QAM Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-22.32	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 16-QAM Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-20.84	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 16-QAM Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-20.16	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-20.64	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.85	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-20.68	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 64-QAM Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-21.65	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 64-QAM Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-20.46	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 64-QAM Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-19.99	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-21.94	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.89	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2125 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.01	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 256-QAM Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-21.61	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 256-QAM Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-20.56	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 30 MHz Bandwidth, 256-QAM Modulation, High Channel, 2185 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-20.12	-19	Pass			

