

BAND EDGE COMPLIANCE



TestTx 2022.03.14.0 XMN 2022.02.07.0

EUT: AHFII Remote Radio Head	Work Order: NOKI0038			
Serial Number: YK214000035	Date: 19-Mar-22			
Customer: Nokia of America Corporation	Temperature: 22.1 °C			
Attendees: Mitchell Hill	Humidity: 25.5% RH			
Project: None	Barometric Pres.: 1022 mbar			
Tested by: Brandon Hobbs	Power: 54 VDC			
	Job Site: TX06			
TEST SPECIFICATIONS				
FCC 27-2022	Test Method: ANSI C63.26:2015			
RSS-139 Issue 3:2015, RSS-170 Issue 3:2015	RSS-139 Issue 3:2015, RSS-170 Issue 3:2015			
COMMENTS				
All measurement path losses were accounted for in the reference level offset including any attenuators, filters and DC blocks. Band n66 carriers are enabled at maximum power (80 watts/carrier). Some measurement marker values were offset by RBW/2 from the band edge frequency as allowed by ANSI C63.26 clause 5.7.2 for some test cases.				
DEVIATIONS FROM TEST STANDARD				
None				
Configuration #	2			
Signature				
	Frequency Range	Max Value (dBm)	Limit (dBm)	Result

Configuration #	Frequency Range	Max Value (dBm)	Limit (dBm)	Result	
Band n66, 2110 MHz - 2200 MHz, 5G NR					
Port 1					
5 MHz Bandwidth					
QPSK Modulation					
	Low Channel, 2112.5 MHz	1	-27.8	-19	Pass
	Low Channel, 2112.5 MHz	2	-20.6	-19	Pass
	Low Channel, 2112.5 MHz	3	-19.8	-19	Pass
	High Channel, 2197.5 MHz	1	-27.1	-19	Pass
	High Channel, 2197.5 MHz	2	-22.4	-19	Pass
	High Channel, 2197.5 MHz	3	-21.0	-19	Pass
16-QAM Modulation					
	Low Channel, 2112.5 MHz	1	-27.8	-19	Pass
	Low Channel, 2112.5 MHz	2	-20.1	-19	Pass
	Low Channel, 2112.5 MHz	3	-20.4	-19	Pass
	High Channel, 2197.5 MHz	1	-28.1	-19	Pass
	High Channel, 2197.5 MHz	2	-23.1	-19	Pass
	High Channel, 2197.5 MHz	3	-21.5	-19	Pass
64-QAM Modulation					
	Low Channel, 2112.5 MHz	1	-28.1	-19	Pass
	Low Channel, 2112.5 MHz	2	-19.9	-19	Pass
	Low Channel, 2112.5 MHz	3	-20.0	-19	Pass
	High Channel, 2197.5 MHz	1	-27.9	-19	Pass
	High Channel, 2197.5 MHz	2	-22.6	-19	Pass
	High Channel, 2197.5 MHz	3	-20.5	-19	Pass
256-QAM Modulation					
	Low Channel, 2112.5 MHz	1	-27.5	-19	Pass
	Low Channel, 2112.5 MHz	2	-19.6	-19	Pass
	Low Channel, 2112.5 MHz	3	-19.4	-19	Pass
	High Channel, 2197.5 MHz	1	-27.8	-19	Pass
	High Channel, 2197.5 MHz	2	-22.5	-19	Pass
	High Channel, 2197.5 MHz	3	-21.3	-19	Pass
10 MHz Bandwidth					
QPSK Modulation					
	Low Channel, 2115 MHz	1	-25.7	-19	Pass
	Low Channel, 2115 MHz	2	-21.9	-19	Pass
	Low Channel, 2115 MHz	3	-21.9	-19	Pass
	High Channel, 2195 MHz	1	-25.8	-19	Pass
	High Channel, 2195 MHz	2	-22.1	-19	Pass
	High Channel, 2195 MHz	3	-22.3	-19	Pass
16-QAM Modulation					
	Low Channel, 2115 MHz	1	-25.9	-19	Pass
	Low Channel, 2115 MHz	2	-21.8	-19	Pass
	Low Channel, 2115 MHz	3	-21.7	-19	Pass
	High Channel, 2195 MHz	1	-27.6	-19	Pass
	High Channel, 2195 MHz	2	-22.9	-19	Pass
	High Channel, 2195 MHz	3	-22.2	-19	Pass
64-QAM Modulation					
	Low Channel, 2115 MHz	1	-25.8	-19	Pass
	Low Channel, 2115 MHz	2	-22.1	-19	Pass
	Low Channel, 2115 MHz	3	-22.1	-19	Pass
	High Channel, 2195 MHz	1	-26.3	-19	Pass
	High Channel, 2195 MHz	2	-21.9	-19	Pass
	High Channel, 2195 MHz	3	-21.9	-19	Pass

256-QAM Modulation					
	Low Channel, 2115 MHz	1	-26.0	-19	Pass
	Low Channel, 2115 MHz	2	-22.3	-19	Pass
	Low Channel, 2115 MHz	3	-21.7	-19	Pass
	High Channel, 2195 MHz	1	-26.1	-19	Pass
	High Channel, 2195 MHz	2	-22.6	-19	Pass
	High Channel, 2195 MHz	3	-22.1	-19	Pass
15 MHz Bandwidth					
QPSK Modulation					
	Low Channel, 2117.5 MHz	1	-25.4	-19	Pass
	Low Channel, 2117.5 MHz	2	-22.0	-19	Pass
	Low Channel, 2117.5 MHz	3	-21.4	-19	Pass
	High Channel, 2192.5 MHz	1	-25.8	-19	Pass
	High Channel, 2192.5 MHz	2	-22.9	-19	Pass
	High Channel, 2192.5 MHz	3	-22.2	-19	Pass
16-QAM Modulation					
	Low Channel, 2117.5 MHz	1	-25.2	-19	Pass
	Low Channel, 2117.5 MHz	2	-22.0	-19	Pass
	Low Channel, 2117.5 MHz	3	-21.6	-19	Pass
	High Channel, 2192.5 MHz	1	-24.6	-19	Pass
	High Channel, 2192.5 MHz	2	-22.8	-19	Pass
	High Channel, 2192.5 MHz	3	-22.1	-19	Pass
64-QAM Modulation					
	Low Channel, 2117.5 MHz	1	-24.6	-19	Pass
	Low Channel, 2117.5 MHz	2	-21.8	-19	Pass
	Low Channel, 2117.5 MHz	3	-20.8	-19	Pass
	High Channel, 2192.5 MHz	1	-25.1	-19	Pass
	High Channel, 2192.5 MHz	2	-22.7	-19	Pass
	High Channel, 2192.5 MHz	3	-22.0	-19	Pass
256-QAM Modulation					
	Low Channel, 2117.5 MHz	1	-24.4	-19	Pass
	Low Channel, 2117.5 MHz	2	-22.0	-19	Pass
	Low Channel, 2117.5 MHz	3	-21.0	-19	Pass
	High Channel, 2192.5 MHz	1	-25.4	-19	Pass
	High Channel, 2192.5 MHz	2	-23.1	-19	Pass
	High Channel, 2192.5 MHz	3	-22.2	-19	Pass
20 MHz Bandwidth					
QPSK Modulation					
	Low Channel, 2120 MHz	1	-25.4	-19	Pass
	Low Channel, 2120 MHz	2	-24.1	-19	Pass
	Low Channel, 2120 MHz	3	-23.3	-19	Pass
	High Channel, 2190 MHz	1	-24.6	-19	Pass
	High Channel, 2190 MHz	2	-21.2	-19	Pass
	High Channel, 2190 MHz	3	-20.3	-19	Pass
16-QAM Modulation					
	Low Channel, 2120 MHz	1	-25.2	-19	Pass
	Low Channel, 2120 MHz	2	-23.7	-19	Pass
	Low Channel, 2120 MHz	3	-23.3	-19	Pass
	High Channel, 2190 MHz	1	-24.5	-19	Pass
	High Channel, 2190 MHz	2	-21.2	-19	Pass
	High Channel, 2190 MHz	3	-19.6	-19	Pass


64-QAM Modulation					
Low Channel, 2120 MHz	1	-25.7	-19	Pass	
Low Channel, 2120 MHz	2	-23.8	-19	Pass	
Low Channel, 2120 MHz	3	-23.1	-19	Pass	
High Channel, 2190 MHz	1	-24.1	-19	Pass	
High Channel, 2190 MHz	2	-21.1	-19	Pass	
High Channel, 2190 MHz	3	-20.3	-19	Pass	
256-QAM Modulation					
Low Channel, 2120 MHz	1	-24.9	-19	Pass	
Low Channel, 2120 MHz	2	-23.8	-19	Pass	
Low Channel, 2120 MHz	3	-22.8	-19	Pass	
High Channel, 2190 MHz	1	-24.8	-19	Pass	
High Channel, 2190 MHz	2	-21.1	-19	Pass	
High Channel, 2190 MHz	3	-20.0	-19	Pass	
30 MHz Bandwidth					
QPSK Modulation					
Low Channel, 2125 MHz	1	-22.4	-19	Pass	
Low Channel, 2125 MHz	2	-23.2	-19	Pass	
Low Channel, 2125 MHz	3	-22.4	-19	Pass	
High Channel, 2185 MHz	1	-21.3	-19	Pass	
High Channel, 2185 MHz	2	-20.5	-19	Pass	
High Channel, 2185 MHz	3	-19.8	-19	Pass	
16-QAM Modulation					
Low Channel, 2125 MHz	1	-22.6	-19	Pass	
Low Channel, 2125 MHz	2	-23.1	-19	Pass	
Low Channel, 2125 MHz	3	-22.1	-19	Pass	
High Channel, 2185 MHz	1	-22.3	-19	Pass	
High Channel, 2185 MHz	2	-20.8	-19	Pass	
High Channel, 2185 MHz	3	-20.2	-19	Pass	
64-QAM Modulation					
Low Channel, 2125 MHz	1	-20.6	-19	Pass	
Low Channel, 2125 MHz	2	-21.9	-19	Pass	
Low Channel, 2125 MHz	3	-20.7	-19	Pass	
High Channel, 2185 MHz	1	-21.7	-19	Pass	
High Channel, 2185 MHz	2	-20.5	-19	Pass	
High Channel, 2185 MHz	3	-20.0	-19	Pass	
256-QAM Modulation					
Low Channel, 2125 MHz	1	-21.9	-19	Pass	
Low Channel, 2125 MHz	2	-22.9	-19	Pass	
Low Channel, 2125 MHz	3	-22.0	-19	Pass	
High Channel, 2185 MHz	1	-21.6	-19	Pass	
High Channel, 2185 MHz	2	-20.6	-19	Pass	
High Channel, 2185 MHz	3	-20.1	-19	Pass	

BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, QPSK Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-27.78	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, QPSK Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-20.56	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, QPSK Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-19.82	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, QPSK Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-27.08	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, QPSK Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.44	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, QPSK Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-21.03	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-27.80	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-20.08	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-20.37	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 16-QAM Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-28.13	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 16-QAM Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-23.08	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 16-QAM Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-21.48	-19	Pass			




BAND EDGE COMPLIANCE




Tel: +44 (0)1235 838900 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-28.08	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-19.94	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-19.95	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 64-QAM Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-27.90	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 64-QAM Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.55	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 64-QAM Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-20.45	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-27.48	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-19.60	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2112.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-19.44	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 256-QAM Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-27.78	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 256-QAM Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.45	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 5 MHz Bandwidth, 256-QAM Modulation, High Channel, 2197.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-21.28	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, QPSK Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.69	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, QPSK Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.92	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, QPSK Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-21.89	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, QPSK Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.80	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, QPSK Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.06	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, QPSK Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.32	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.90	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.81	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-21.72	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-27.57	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.92	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 16-QAM Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.24	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.75	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.05	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.08	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-26.31	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.92	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 64-QAM Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-21.91	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-26.00	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.33	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel, 2115 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-21.71	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-26.05	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-22.62	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 10 MHz Bandwidth, 256-QAM Modulation, High Channel, 2195 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-22.09	-19	Pass			




BAND EDGE COMPLIANCE




TbTx 2022.03.14.0 XMI 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, QPSK Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.37	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, QPSK Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
2	-21.99	-19	Pass			




BAND EDGE COMPLIANCE



TbTx 2022.03.14.0 XMi 2022.02.07.0

Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, QPSK Modulation, Low Channel, 2117.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
3	-21.41	-19	Pass			



Band n66, 2110 MHz - 2200 MHz, 5G NR, Port 1, 15 MHz Bandwidth, QPSK Modulation, High Channel, 2192.5 MHz						
Frequency Range	Max Value (dBm)	Limit (dBm)	Result			
1	-25.84	-19	Pass			

