


# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMi 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 64-QAM Modulation, Low Ch. 3730.02 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-22.21	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 64-QAM Modulation, Low Ch. 3730.02 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-22.77	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 64-QAM Modulation, Low Ch. 3730.02 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
5			-22.62	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 64-QAM Modulation, Low Ch. 3730.02 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
6			-22.88	-22	Pass	




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMi 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 64-QAM Modulation, High Ch. 3949.98 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-23.90	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 64-QAM Modulation, High Ch. 3949.98 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-24.23	-22	Pass	




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 64-QAM Modulation, High Ch. 3949.98 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-22.17	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 64-QAM Modulation, High Ch. 3949.98 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-22.40	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMi 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 256-QAM Modulation, Low Ch. 3730.02 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-23.37	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 256-QAM Modulation, Low Ch. 3730.02 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-22.70	-22	Pass	




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 256-QAM Modulation, Low Ch. 3730.02 MHz						
Frequency			Value (dBm)	Limit (dBm)	Result	
Range						
3			-22.55	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 256-QAM Modulation, Low Ch. 3730.02 MHz						
Frequency			Value (dBm)	Limit (dBm)	Result	
Range						
4			-22.87	-22	Pass	




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 256-QAM Modulation, Low Ch. 3730.02 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
5		-23.30	-22	Pass		



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 256-QAM Modulation, Low Ch. 3730.02 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
6		-23.44	-22	Pass		




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMi 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 256-QAM Modulation, High Ch. 3949.98 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-24.61	-22	Pass		



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 256-QAM Modulation, High Ch. 3949.98 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-24.25	-22	Pass		






# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 256-QAM Modulation, High Ch. 3949.98 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-23.16	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 60 MHz BW, 256-QAM Modulation, High Ch. 3949.98 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-22.33	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMi 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, QPSK Modulation, Low Ch. 3740.01 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-23.57	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, QPSK Modulation, Low Ch. 3740.01 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-23.93	-22	Pass	




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, QPSK Modulation, Low Ch. 3740.01 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-23.25	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, QPSK Modulation, Low Ch. 3740.01 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-22.34	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, QPSK Modulation, High Ch. 3939.99 MHz						
Frequency						
Range		Value (dBm)	Limit (dBm)	Result		
1		-24.48	-22	Pass		



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, QPSK Modulation, High Ch. 3939.99 MHz						
Frequency						
Range		Value (dBm)	Limit (dBm)	Result		
2		-25.07	-22	Pass		




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, QPSK Modulation, High Ch. 3939.99 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-24.19	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, QPSK Modulation, High Ch. 3939.99 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-24.03	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMi 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 16-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-23.68	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 16-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-23.74	-22	Pass	




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 16-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-22.57	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 16-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-22.51	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 16-QAM Modulation, High Ch. 3939.99 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
1	-23.86	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 16-QAM Modulation, High Ch. 3939.99 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
2	-24.66	-22	Pass			






# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 16-QAM Modulation, High Ch. 3939.99 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-23.65	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 16-QAM Modulation, High Ch. 3939.99 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-23.53	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMi 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 64-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency						
Range		Value (dBm)	Limit (dBm)	Result		
1		-22.83	-22	Pass		



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 64-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency						
Range		Value (dBm)	Limit (dBm)	Result		
2		-23.44	-22	Pass		




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 64-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-22.85	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 64-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-22.50	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 64-QAM Modulation, High Ch. 3939.99 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-24.39	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 64-QAM Modulation, High Ch. 3939.99 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-24.49	-22	Pass	




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 64-QAM Modulation, High Ch. 3939.99 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-23.67	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 64-QAM Modulation, High Ch. 3939.99 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-23.72	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 256-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-24.06	-22	Pass		



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 256-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-24.30	-22	Pass		




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 256-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-23.55	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 256-QAM Modulation, Low Ch. 3740.01 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-22.95	-22	Pass			




# BAND EDGE COMPLIANCE




Tel: +44 (0)1235 838900 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 256-QAM Modulation, High Ch. 3939.99 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-22.73	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 256-QAM Modulation, High Ch. 3939.99 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-23.94	-22	Pass	






# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 256-QAM Modulation, High Ch. 3939.99 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-23.39	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 80 MHz BW, 256-QAM Modulation, High Ch. 3939.99 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
4	-23.37	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, QPSK Modulation, Low Ch. 3750 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-22.55	-22	Pass		



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, QPSK Modulation, Low Ch. 3750 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-22.30	-22	Pass		




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, QPSK Modulation, Low Ch. 3750 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-22.34	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, QPSK Modulation, High Ch. 3930 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
1	-23.35	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, QPSK Modulation, High Ch. 3930 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-24.03	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, QPSK Modulation, High Ch. 3930 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
3			-24.22	-22	Pass	




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMi 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 16-QAM Modulation, Low Ch. 3750 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-22.80	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 16-QAM Modulation, Low Ch. 3750 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-23.22	-22	Pass	




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 16-QAM Modulation, Low Ch. 3750 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-23.05	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 16-QAM Modulation, High Ch. 3930 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
1	-24.20	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 16-QAM Modulation, High Ch. 3930 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.13	-22	Pass		



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 16-QAM Modulation, High Ch. 3930 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-24.98	-22	Pass		




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMi 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 64-QAM Modulation, Low Ch. 3750 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-22.54	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 64-QAM Modulation, Low Ch. 3750 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-22.96	-22	Pass	






# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 64-QAM Modulation, Low Ch. 3750 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-22.83	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 64-QAM Modulation, High Ch. 3930 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
1	-23.89	-22	Pass			




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 64-QAM Modulation, High Ch. 3930 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-24.40	-22	Pass		



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 64-QAM Modulation, High Ch. 3930 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-24.58	-22	Pass		




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMi 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 256-QAM Modulation, Low Ch. 3750 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-23.10	-22	Pass	



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 256-QAM Modulation, Low Ch. 3750 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-23.16	-22	Pass	




# BAND EDGE COMPLIANCE




TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 256-QAM Modulation, Low Ch. 3750 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-23.02	-22	Pass			



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 256-QAM Modulation, High Ch. 3930 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
1	-24.31	-22	Pass			




# BAND EDGE COMPLIANCE



TbTx 2021.03.19.1 XMI 2020.12.30.0

Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 256-QAM Modulation, High Ch. 3930 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-24.32	-22	Pass		



Band n77, 3700 MHz - 3980 MHz, 5G NR, Port 8, 100 MHz BW, 256-QAM Modulation, High Ch. 3930 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-24.30	-22	Pass		

