


BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-21.7	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-26.47	-19	Pass		




BAND EDGE COMPLIANCE



TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation , Low Channel, 1937.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
3	-25.86	-19	Pass



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation , High Channel, 1987.5 MHz

Frequency Range	Value (dBm)	Limit (dBm)	Result
1	-21.21	-19	Pass




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.60	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, QPSK Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-26.16	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-20.6	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-26.04	-19	Pass		




BAND EDGE COMPLIANCE



TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-25.82	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-20.67	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.51	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 16-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-26.16	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-24.683	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-26.75	-19	Pass		



BAND EDGE COMPLIANCE



TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-26.319	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-21.332	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.36	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 64-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-25.975	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-22.38	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-26.47	-19	Pass		




BAND EDGE COMPLIANCE



TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, Low Channel, 1937.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-26.44	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-24.7	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.90	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 15 MHz Bandwidth, 1dB Reduced Power, 256-QAM Modulation, High Channel, 1987.5 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-26.31	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 1940 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-22.4	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 1940 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.13	-19	Pass		




BAND EDGE COMPLIANCE



TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation , Low Channel, 1940 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-24.77	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation , High Channel, 1985 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-21.44	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 1985 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.48	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, QPSK Modulation, High Channel, 1985 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-26.03	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-22.46	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.39	-19	Pass		




BAND EDGE COMPLIANCE



TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-25.51	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
1	-21.08	-19	Pass			




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.59	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-26.29	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
1		-21.56	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.08	-19	Pass		




BAND EDGE COMPLIANCE



TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-24.67	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
1	-21.18	-19	Pass			




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.57	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-26.18	-19	Pass		




BAND EDGE COMPLIANCE




TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
1			-20.72	-19	Pass	



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz						
Frequency Range			Value (dBm)	Limit (dBm)	Result	
2			-24.93	-19	Pass	




BAND EDGE COMPLIANCE



TMTx 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
3	-24.83	-19	Pass			



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz						
Frequency						
Range	Value (dBm)	Limit (dBm)	Result			
1	-19.71	-19	Pass			




BAND EDGE COMPLIANCE



TMTX 2020.09.08.0 BETA XMI 2020.03.25.0

Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
2		-25.54	-19	Pass		



Band 25, 1930 MHz - 1995 MHz, 5G, Port 1, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz						
Frequency Range		Value (dBm)	Limit (dBm)	Result		
3		-26.2	-19	Pass		

