


BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtX 2020.10.20.0 BETA XMI 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, QPSK Modulation, Low Channel 2117.5 MHz | | | | | | |
|--|---|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| | 3 | | -26.46 | -19 | Pass | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, QPSK Modulation, High Channel 2147.5 MHz | | | | | | |
|---|---|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| | 1 | | -20.2 | -19 | Pass | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtx 2020.10.20.0 BETA XMI 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, QPSK Modulation, High Channel 2147.5 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -27.53 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, QPSK Modulation, High Channel 2147.5 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 3 | | -27.42 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbTfx 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 1 | | -21.29 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -26.39 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtX 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel 2117.5 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 3 | | -26.19 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2147.5 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 1 | | -20.15 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtx 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2147.5 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -27.38 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 16-QAM Modulation, High Channel 2147.5 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 3 | | -27.25 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbTfx 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 1 | | -24.86 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -26.70 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtX 2020.10.20.0 BETA XMI 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel 2117.5 MHz | | | | | | |
|--|-------------|-------------|--------|--|--|--|
| Frequency Range | Value (dBm) | Limit (dBm) | Result | | | |
| 3 | -26.4 | -19 | Pass | | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2147.5 MHz | | | | | | |
|---|-------------|-------------|--------|--|--|--|
| Frequency Range | Value (dBm) | Limit (dBm) | Result | | | |
| 1 | -20.15 | -19 | Pass | | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbTFx 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2147.5 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -27.53 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth, 64-QAM Modulation, High Channel 2147.5 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 3 | | -27.15 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtX 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth , 256-QAM Modulation, Low Channel 2117.5 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 1 | | -21.43 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth , 256-QAM Modulation, Low Channel 2117.5 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -26.89 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbTfx 2020.10.20.0 BETA XMI 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth , 256-QAM Modulation, Low Channel 2117.5 MHz | | | | | | |
|--|-------------|-------------|--------|--|--|--|
| Frequency Range | Value (dBm) | Limit (dBm) | Result | | | |
| 3 | -26.61 | -19 | Pass | | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth , 256-QAM Modulation, High Channel 2147.5 MHz | | | | | | |
|---|-------------|-------------|--------|--|--|--|
| Frequency Range | Value (dBm) | Limit (dBm) | Result | | | |
| 1 | -21.81 | -19 | Pass | | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbxFx 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth , 256-QAM Modulation, High Channel 2147.5 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -27.50 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 15 MHz Bandwidth , 256-QAM Modulation, High Channel 2147.5 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 3 | | -27.2 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbxFx 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz | | | | | | |
|--|--|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| 1 | | | -19.83 | -19 | Pass | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz | | | | | | |
|--|--|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| 2 | | | -26.97 | -19 | Pass | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtX 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, Low Channel 2120 MHz | | | | | | |
|--|---|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| | 3 | | -26.49 | -19 | Pass | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, High Channel 2145 MHz | | | | | | |
|---|---|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| | 1 | | -20.33 | -19 | Pass | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFTx 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, High Channel 2145 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -27.97 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, QPSK Modulation, High Channel 2145 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 3 | | -27.31 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbTfx 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 1 | | -20.04 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -26.64 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtX 2020.10.20.0 BETA XMI 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel 2120 MHz | | | | | | |
|--|---|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| | 3 | | -26.37 | -19 | Pass | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2140 MHz | | | | | | |
|---|---|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| | 1 | | -19.88 | -19 | Pass | |




BAND EDGE COMPLIANCE - 4 PORT MODE



TbTFx 2020.10.20.0 BETA XMI 2020.03.25.0


30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2145 MHz

| Frequency Range | Value (dBm) | Limit (dBm) | Result |
|-----------------|-------------|-------------|--------|
| 2 | -27.78 | -19 | Pass |



30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 16-QAM Modulation, High Channel 2145 MHz

| Frequency Range | Value (dBm) | Limit (dBm) | Result |
|-----------------|-------------|-------------|--------|
| 3 | -27.32 | -19 | Pass |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtX 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 1 | | -20.29 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -27.17 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtX 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel 2120 MHz | | | | | | |
|--|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 3 | | -26.94 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2140 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 1 | | -20.75 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFTx 2020.10.20.0 BETA XMI 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2145 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 2 | | -27.90 | -19 | Pass | | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 64-QAM Modulation, High Channel 2145 MHz | | | | | | |
|---|--|-------------|-------------|--------|--|--|
| Frequency Range | | Value (dBm) | Limit (dBm) | Result | | |
| 3 | | -27.54 | -19 | Pass | | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtX 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz | | | | | | |
|---|--|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| 1 | | | -19.81 | -19 | Pass | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz | | | | | | |
|---|--|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| 2 | | | -27.08 | -19 | Pass | |




BAND EDGE COMPLIANCE - 4 PORT MODE




TbFtX 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel 2120 MHz | | | | | | |
|---|---|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| | 3 | | -26.69 | -19 | Pass | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2145 MHz | | | | | | |
|--|---|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| | 1 | | -20.46 | -19 | Pass | |




BAND EDGE COMPLIANCE - 4 PORT MODE



Tb1Tx 2020.10.20.0 BETA XMt 2020.03.25.0

| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2145 MHz | | | | | | |
|--|---|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| | 2 | | -27.94 | -19 | Pass | |



| 30 Watt Port 1, Band 1, 2110 MHz - 2155 MHz, 20 MHz Bandwidth, 256-QAM Modulation, High Channel 2145 MHz | | | | | | |
|--|---|--|-------------|-------------|--------|--|
| Frequency Range | | | Value (dBm) | Limit (dBm) | Result | |
| | 3 | | -27.62 | -19 | Pass | |

