







LTE Band 12
Channel Bandwidth: 3 MHz
Channel 23025



Channel 23095





Channel 23165





Note: The signal over the limit in 9 kHz is from spectrum analyzer.



LTE Band 12
Channel Bandwidth: 5 MHz
Channel 23035



Channel 23095





Channel 23155





Note: The signal over the limit in 9 kHz is from spectrum analyzer.



LTE Band 12
Channel Bandwidth: 10 MHz
Channel 23060



Channel 23095



Channel 23130




Note: The signal over the limit in 9 kHz is from spectrum analyzer.

LTE Band 13


Channel Bandwidth: 5 MHz

Channel 23205


Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 1.559 GHz



Frequency Range: 1.559 GHz ~ 1.61 GHz




Frequency Range: 1.61 GHz ~ 8 GHz




Channel 23230


Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 1.559 GHz



Frequency Range: 1.559 GHz ~ 1.61 GHz




Frequency Range: 1.61 GHz ~ 8 GHz




Channel 23255


Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 1.559 GHz



Frequency Range: 1.559 GHz ~ 1.61 GHz



Frequency Range: 1.61 GHz ~ 8 GHz




Note: The signal over the limit in 9 kHz is from spectrum analyzer.


LTE Band 13

Channel Bandwidth: 10 MHz


Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 1.559 GHz



Frequency Range: 1.559 GHz ~ 1.61 GHz





Frequency Range: 1.61 GHz ~ 8 GHz





Note: The signal over the limit in 9 kHz is from spectrum analyzer.



LTE Band 66
Channel Bandwidth: 1.4 MHz
Channel 131979



Channel 132322





Channel 132655





Note: The signal over the limit in 9 kHz is from spectrum analyzer.



LTE Band 66
Channel Bandwidth: 3 MHz
Channel 131987



Channel 132322




Channel 132657




Note: The signal over the limit in 9 kHz is from spectrum analyzer.


LTE Band 66
Channel Bandwidth: 5 MHz
Channel 131997



Channel 132322




Channel 132647




Note: The signal over the limit in 9 kHz is from spectrum analyzer.

NB-IoT


**LTE Band 4
Channel 19952**



Channel 20175



Channel 20398




Note: The signal over the limit in 9 kHz is from spectrum analyzer.


LTE Band 12

Channel 23012

Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 8 GHz




Channel 23095

Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 8 GHz




Channel 23178

Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 8 GHz




Note: The signal over the limit in 9 kHz is from spectrum analyzer.

LTE Band 13
Channel 23182


Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 1.559 GHz



Frequency Range: 1.559 kHz ~ 1.61 GHz




Frequency Range: 1.61 GHz ~ 8 GHz




Note: The signal over the limit in 9 kHz is from spectrum analyzer.

LTE Band 13
Channel 23230


Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 1.559 GHz



Frequency Range: 1.559 kHz ~ 1.61 GHz




Frequency Range: 1.61 GHz ~ 8 GHz




Note: The signal over the limit in 9 kHz is from spectrum analyzer.

LTE Band 13
Channel 23278


Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 1.559 GHz



Frequency Range: 1.559 kHz ~ 1.61 GHz




Frequency Range: 1.61 GHz ~ 8 GHz




Note: The signal over the limit in 9 kHz is from spectrum analyzer.

TE Band 66
Channel 131972

Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 18 GHz




Channel 132322

Frequency Range: 9 kHz ~ 1 GHz




Frequency Range: 1 GHz ~ 18 GHz




Channel 132670

Frequency Range: 9 kHz ~ 1 GHz



Frequency Range: 1 GHz ~ 18 GHz



Note: The signal over the limit in 9 kHz is from spectrum analyzer.

4.8 Radiated Emission Measurement

4.8.1 Limits of Radiated Emission Measurement

- a. The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log (P)$ dB. The limit of emission is equal to -13 dBm.
- b. For operations in the 775-788 MHz, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz. The limit of emissions is equal to -40 dBm.

4.8.2 Test Procedure

- a. Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8 m (below or equal 1 GHz) and/or 1.5 m (above 1 GHz) height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1 m to 4 m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- b. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G.
- c. $EIRP = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn}$.
- d. E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole, $E.R.P \text{ power} = E.I.R.P \text{ power} - 2.15 \text{ dB}$.


Note: The resolution bandwidth of spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz.

4.8.3 Deviation from Test Standard


No deviation.

4.8.4 Test Setup

<Radiated Emission below or equal 1 GHz>



<Radiated Emission above 1 GHz>



For the actual test configuration, please refer to the attached file (Test Setup Photo).

4.8.5 Test Results

Cat-M1

LTE Band 4

Channel Bandwidth: 1.4 MHz / QPSK


Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 4 QPSK_1.4M Link_L-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3421.40	-38.26	-29.92	-13.00	-8.34	-25.26	Peak
2	5132.10	-43.16	-41.42	-13.00	-1.74	-30.16	Peak
3	6842.80	-42.33	-44.64	-13.00	2.31	-29.33	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 4 QPSK_1.4M Link_L-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3421.40	-32.95	-24.61	-13.00	-8.34	-19.95	Peak
2	5132.10	-38.59	-36.85	-13.00	-1.74	-25.59	Peak
3	6842.80	-36.98	-39.29	-13.00	2.31	-23.98	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 4 QPSK_1.4M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3465.00	-36.12	-28.24	-13.00	-7.88	-23.12	Peak
2	5197.50	-44.52	-42.45	-13.00	-2.07	-31.52	Peak
3	6930.00	-40.13	-42.82	-13.00	2.69	-27.13	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 4 QPSK_1.4M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm		dB	dB	
1 pp	3465.00	-33.62	-25.74	-13.00		-7.88	-20.62	Peak
2	5197.50	-41.23	-39.16	-13.00		-2.07	-28.23	Peak
3	6930.00	-36.52	-39.21	-13.00		2.69	-23.52	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2020-06-10



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 4 QPSK_1.4M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3508.60	-36.95	-29.50	-13.00	-7.45	-23.95	Peak
2	5262.90	-46.85	-44.33	-13.00	-2.52	-33.85	Peak
3	7017.20	-43.85	-47.04	-13.00	3.19	-30.85	Peak
4	8771.50	-44.03	-48.76	-13.00	4.73	-31.03	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2020-06-10



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 4 QPSK_1.4M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3508.60	-32.62	-25.17	-13.00	-7.45	-19.62	Peak
2	5262.90	-43.62	-41.10	-13.00	-2.52	-30.62	Peak
3	7017.20	-33.52	-36.71	-13.00	3.19	-20.52	Peak
4	8771.50	-38.16	-42.89	-13.00	4.73	-25.16	Peak

Channel Bandwidth: 5 MHz / QPSK
Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-10-2020



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : Cat-M1 Band 4 QPSK_5M Link_L-CH
Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3425.00	-40.23	-31.89	-13.00	-8.34	-27.23	Peak
2	5137.50	-44.62	-42.88	-13.00	-1.74	-31.62	Peak
3	6850.00	-43.58	-45.89	-13.00	2.31	-30.58	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 4 QPSK_5M Link_L-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3425.00	-35.26	-26.92	-13.00	-8.34	-22.26	Peak
2	5137.50	-41.12	-39.38	-13.00	-1.74	-28.12	Peak
3	6850.00	-40.23	-42.54	-13.00	2.31	-27.23	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 4 QPSK_5M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Over	Factor	Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	dB	
1 pp	3465.00	-39.85	-31.97	-13.00	-7.88	-26.85	Peak	
2	5197.50	-47.26	-45.19	-13.00	-2.07	-34.26	Peak	
3	6930.00	-42.69	-45.38	-13.00	2.69	-29.69	Peak	




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 4 QPSK_5M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3465.00	-37.95	-30.07	-13.00	-7.88	-24.95	Peak
2	5197.50	-42.65	-40.58	-13.00	-2.07	-29.65	Peak
3	6930.00	-39.58	-42.27	-13.00	2.69	-26.58	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2020-06-10



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 4 QPSK_5M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3505.00	-38.62	-31.17	-13.00	-7.45	-25.62	Peak
2	5257.50	-48.62	-46.10	-13.00	-2.52	-35.62	Peak
3	7010.00	-44.12	-47.31	-13.00	3.19	-31.12	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2020-06-10



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 4 QPSK_5M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3505.00	-35.62	-28.17	-13.00	-7.45	-22.62	Peak
2	5257.50	-45.68	-43.16	-13.00	-2.52	-32.68	Peak
3	7010.00	-35.98	-39.17	-13.00	3.19	-22.98	Peak


Channel Bandwidth: 20 MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : Cat-M1 Band 4 QPSK_20M Link_L-CH
Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3440.00	-34.62	-26.40	-13.00	-8.22	-21.62	Peak
2	5160.00	-41.23	-39.32	-13.00	-1.91	-28.23	Peak
3	6880.00	-40.25	-42.73	-13.00	2.48	-27.25	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 4 QPSK_20M Link_L-CH
 Tested by: Jisyoung Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	dB	
1 pp	3440.00	-32.62	-24.40	-13.00	-8.22	-19.62	Peak	
2	5160.00	-37.95	-36.04	-13.00	-1.91	-24.95	Peak	
3	6880.00	-34.25	-36.73	-13.00	2.48	-21.25	Peak	
4	8600.00	-37.26	-41.87	-13.00	4.61	-24.26	Peak	
5	10320.00	-37.62	-43.54	-13.00	5.92	-24.62	Peak	

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 4 QPSK_20M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	3465.00	-39.85	-31.97	-13.00	-7.88	-26.85	Peak
2	5197.50	-42.62	-40.55	-13.00	-2.07	-29.62	Peak
3 pp	6930.00	-36.54	-39.23	-13.00	2.69	-23.54	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 4 QPSK_20M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit Line	Over Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3465.00	-33.25	-25.37	-13.00	-7.88	-20.25	Peak
2	5197.50	-39.65	-37.58	-13.00	-2.07	-26.65	Peak
3	6930.00	-34.26	-36.95	-13.00	2.69	-21.26	Peak
4	8662.50	-38.46	-43.20	-13.00	4.74	-25.46	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : CAT M1 Band 4 QPSK_20M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over	Limit	Remark
	MHz	dBm	dBm	dBm		dB	dB	dB	
1	45.52	-51.15	-48.65	-13.00		-2.50	-38.15		Peak
2	209.45	-62.11	-54.48	-13.00		-7.63	-49.11		Peak
3	276.38	-63.62	-57.09	-13.00		-6.53	-50.62		Peak
4	470.38	-70.41	-65.24	-13.00		-5.17	-57.41		Peak
5	701.24	-65.71	-65.63	-13.00		-0.08	-52.71		Peak
6	891.36	-64.51	-65.03	-13.00		0.52	-51.51		Peak
7 pp	3490.00	-33.62	-25.97	-13.00		-7.65	-20.62		Peak
8	5235.00	-41.52	-39.11	-13.00		-2.41	-28.52		Peak
9	6980.00	-40.12	-43.18	-13.00		3.06	-27.12		Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : CAT M1 Band 4 QPSK_20M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over	Limit	Remark
	MHz	dBm	dBm	dBm		dB	dB		
1	30.97	-50.55	-50.44	-13.00		-0.11	-37.55		Peak
2	44.55	-51.26	-49.27	-13.00		-1.99	-38.26		Peak
3	112.45	-62.83	-52.63	-13.00		-10.20	-49.83		Peak
4	390.84	-71.20	-65.20	-13.00		-6.00	-58.20		Peak
5	620.73	-66.13	-65.32	-13.00		-0.81	-53.13		Peak
6	850.62	-64.80	-65.10	-13.00		0.30	-51.80		Peak
7 pp	3490.00	-28.65	-21.00	-13.00		-7.65	-15.65		Peak
8	5235.00	-40.11	-37.70	-13.00		-2.41	-27.11		Peak
9	6980.00	-32.25	-35.31	-13.00		3.06	-19.25		Peak


LTE Band 12
Channel Bandwidth: 1.4 MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : Cat-M1 Band 12 QPSK_1.4M Link_L-CH
Tested by: Jisyong Wang


	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1399.40	-52.23	-40.38	-13.00	-11.85	-39.23	Peak
2	2099.10	-50.25	-40.09	-13.00	-10.16	-37.25	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 12 QPSK_1.4M Link_L-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1399.40	-47.62	-35.77	-13.00	-11.85	-34.62	Peak
2	2099.10	-48.82	-38.66	-13.00	-10.16	-35.82	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 12 QPSK_1.4M Link_M-CH
 Tested by: Jisyong Wang


	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1415.00	-48.62	-36.54	-13.00	-12.08	-35.62	Peak
2 pp	2122.50	-47.62	-37.75	-13.00	-9.87	-34.62	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 12 QPSK_1.4M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1415.00	-45.62	-33.54	-13.00	-12.08	-32.62	Peak
2	2122.50	-47.85	-37.98	-13.00	-9.87	-34.85	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 12 QPSK_1.4M Link_H-CH
 Tested by: Jisyong Wang


	Read	Limit	Over			
Freq	Level	Level	Line	Factor	Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1	1430.60	-50.89	-38.58	-13.00	-12.31	-37.89 Peak
2 pp	2145.90	-50.45	-40.98	-13.00	-9.47	-37.45 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 12 QPSK_1.4M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1430.60	-50.53	-38.22	-13.00	-12.31	-37.53	Peak
2	2145.98	-52.13	-42.66	-13.00	-9.47	-39.13	Peak


Channel Bandwidth: 5 MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : Cat-M1 Band 12 QPSK_5M Link_L-CH
Tested by: Jisyong Wang


	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1403.00	-54.62	-42.71	-13.00	-11.91	-41.62	Peak
2 pp	2104.50	-52.69	-42.53	-13.00	-10.16	-39.69	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 12 QPSK_5M Link_L-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1403.00	-49.85	-37.94	-13.00	-11.91	-36.85	Peak
2	2104.50	-51.26	-41.10	-13.00	-10.16	-38.26	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 12 QPSK_5M Link_M-CH
 Tested by: Jisyong Wang


	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 1415.00	-52.58	-40.50	-13.00	-12.08	-39.58	Peak
2	2122.50	-55.63	-45.76	-13.00	-9.87	-42.63	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 12 QPSK_5M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1415.00	-47.62	-35.54	-13.00	-12.08	-34.62	Peak
2	2122.50	-49.62	-39.75	-13.00	-9.87	-36.62	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 12 QPSK_5M Link_H-CH
 Tested by: Jisyong Wang


	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1427.00	-55.26	-43.01	-13.00	-12.25	-42.26	Peak
2 pp	2140.50	-52.78	-43.21	-13.00	-9.57	-39.78	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 12 QPSK_5M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1427.00	-50.26	-38.01	-13.00	-12.25	-37.26	Peak
2	2140.50	-52.69	-43.12	-13.00	-9.57	-39.69	Peak


Channel Bandwidth: 10 MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : Cat-M1 Band 12 QPSK_10M Link_L-CH
Tested by: Jisyong Wang


	Freq	Level	Read Level	Limit	Over	Remark
	MHz	dBm	dBm	dBm	dB	dB
1	1408.00	-51.23	-39.27	-13.00	-11.96	-38.23 Peak
2 pp	2112.00	-48.62	-38.66	-13.00	-9.96	-35.62 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 12 QPSK_10M Link_L-CH
 Tested by: Jisyong Wang

	Read	Limit	Over			
Freq	Level	Level	Line	Factor	Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1408.00	-46.52	-34.56	-13.00	-11.96	-33.52	Peak
2 2112.00	-47.36	-37.40	-13.00	-9.96	-34.36	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 12 QPSK_10M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm		dB	dB	
1	43.58	-52.54	-51.07	-13.00		-1.47	-39.54	Peak
2	53.28	-60.47	-54.66	-13.00		-5.81	-47.47	Peak
3	162.89	-61.49	-56.44	-13.00		-5.05	-48.49	Peak
4	212.36	-62.29	-54.78	-13.00		-7.51	-49.29	Peak
5	296.75	-63.75	-56.80	-13.00		-6.95	-50.75	Peak
6	637.22	-65.65	-64.80	-13.00		-0.85	-52.65	Peak
7	1415.00	-47.26	-35.18	-13.00		-12.08	-34.26	Peak
8 pp	2122.50	-45.52	-35.65	-13.00		-9.87	-32.52	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 12 QPSK_10M Link_M-CH
 Tested by: Jisyong Wang

	Read	Limit	Over			
Freq	Level	Level	Line	Factor	Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1	43.58	-51.58	-50.11	-13.00	-1.47	-38.58 Peak
2	114.39	-66.35	-56.24	-13.00	-10.11	-53.35 Peak
3	348.16	-71.02	-64.75	-13.00	-6.27	-58.02 Peak
4	609.09	-66.17	-65.39	-13.00	-0.78	-53.17 Peak
5	782.72	-64.07	-64.86	-13.00	0.79	-51.07 Peak
6	913.67	-63.95	-64.86	-13.00	0.91	-50.95 Peak
7 pp	1415.00	-42.12	-30.04	-13.00	-12.08	-29.12 Peak
8	2122.50	-45.69	-35.82	-13.00	-9.87	-32.69 Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 12 QPSK_10M Link_H-CH
 Tested by: Jisyong Wang


	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1422.00	-51.23	-39.04	-13.00	-12.19	-38.23	Peak
2 pp	2133.00	-48.62	-38.95	-13.00	-9.67	-35.62	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 12 QPSK_10M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1422.00	-47.02	-34.83	-13.00	-12.19	-34.02	Peak
2	2133.00	-49.03	-39.36	-13.00	-9.67	-36.03	Peak


LTE Band 13
 Channel Bandwidth: 5 MHz / QPSK
 Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
 Condition: PART27(B13) HORIZONTAL
 Remak : CAT M1 Band 13 QPSK_5M Link_L-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1559.00	-56.52	-43.20	-40.00	-13.32	-16.52	Peak
2	2338.50	-42.12	-32.74	-13.00	-9.38	-29.12	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2020-06-10



Site : 966 Chamber 5
 Condition: PART27(B13) VERTICAL
 Remak : CAT M1 Band 13 QPSK_5M Link_L-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1559.00	-54.81	-41.49	-40.00	-13.32	-14.81	Peak
2	2338.50	-42.92	-33.54	-13.00	-9.38	-29.92	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27(B13) HORIZONTAL
 Remak : Cat-M1 Band 13 QPSK_5M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 1564.00	-57.62	-44.28	-40.00	-13.34	-17.62	Peak
2	2346.00	-42.13	-32.69	-13.00	-9.44	-29.13	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27(B13) VERTICAL
 Remak : Cat-M1 Band 13 QPSK_5M Link_M-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1564.00	-53.26	-39.92	-40.00	-13.34	-13.26	Peak
2	2346.00	-43.25	-33.81	-13.00	-9.44	-30.25	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27(B13) HORIZONTAL
 Remak : Cat-M1 Band 13 QPSK_5M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 1569.00	-58.65	-45.30	-40.00	-13.35	-18.65	Peak
2	2353.50	-45.23	-35.72	-13.00	-9.51	-32.23	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27(B13) VERTICAL
 Remak : Cat-M1 Band 13 QPSK_5M Link_H-CH
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1569.00	-55.99	-42.64	-40.00	-13.35	-15.99	Peak
2	2353.50	-47.62	-38.11	-13.00	-9.51	-34.62	Peak


Channel Bandwidth: 10 MHz / QPSK
Middle Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5



Site : 966 Chamber 5
Condition: PART27(B13) HORIZONTAL
Remak : Cat-M1 Band 13 QPSK_10M Link_M-CH
Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	43.58	-51.88	-50.41	-13.00	-1.47	-38.88	Peak
2	162.89	-60.85	-55.80	-13.00	-5.05	-47.85	Peak
3	208.48	-62.49	-54.82	-13.00	-7.67	-49.49	Peak
4	292.87	-62.47	-55.60	-13.00	-6.87	-49.47	Peak
5	483.96	-69.67	-64.75	-13.00	-4.92	-56.67	Peak
6	669.23	-64.98	-64.40	-13.00	-0.58	-51.98	Peak
7 pp	1564.00	-55.23	-41.89	-40.00	-13.34	-15.23	Peak
8	2346.00	-41.26	-31.82	-13.00	-9.44	-28.26	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 06-11-2020



Site : 966 Chamber 5
 Condition: PART27(B13) VERTICAL
 Remak : Cat-M1 Band 13 QPSK_10M Link_M-CH
 Tested by: Jisyoung Wang

	Read	Limit	Over			
Freq	Level	Level	Line	Factor	Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1	42.61	-51.60	-50.66	-13.00	-0.94	-38.60 Peak
2	68.80	-59.27	-50.95	-13.00	-8.32	-46.27 Peak
3	112.45	-62.83	-52.63	-13.00	-10.20	-49.83 Peak
4	320.03	-71.30	-64.60	-13.00	-6.70	-58.30 Peak
5	628.49	-65.16	-64.33	-13.00	-0.83	-52.16 Peak
6	899.12	-64.66	-65.23	-13.00	0.57	-51.66 Peak
7 pp	1564.00	-51.03	-37.69	-40.00	-13.34	-11.03 Peak
8	2346.00	-42.58	-33.14	-13.00	-9.44	-29.58 Peak


LTE Band 66:
 Channel Bandwidth: 1.4 MHz / QPSK
 Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 66 QPSK_1.4M_L-CH Link
 Tested by: Jisyong Wang


Freq	Level	Read Level	Limit	Over	Remark
MHz	dBm	dBm	dBm	dB	dB
1 pp 3421.40	-54.26	-45.92	-13.00	-8.34	-41.26 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 66 QPSK_1.4M_L-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3421.40	-53.98	-45.64	-13.00	-8.34	-40.98	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 66 QPSK_1.4M_M-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	


1 pp 3490.00 -51.23 -43.58 -13.00 -7.65 -38.23 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 66 QPSK_1.4M_M-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3490.00	-51.89	-44.24	-13.00	-7.65	-38.89	Peak


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 66 QPSK_1.4M_H-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	


1 pp 3558.60 -51.26 -44.19 -13.00 -7.07 -38.26 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 66 QPSK_1.4M_H-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3558.60	-52.39	-45.32	-13.00	-7.07	-39.39	Peak


Channel Bandwidth: 5 MHz / QPSK
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : Cat-M1 Band 66 QPSK_5M_L-CH Link
Tested by: Jisyong Wang


Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3425.00	-54.16	-45.82	-13.00	-8.34	-41.16	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 66 QPSK_5M_L-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3425.00	-52.58	-44.24	-13.00	-8.34	-39.58	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 66 QPSK_5M_M-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Over	Remark
MHz	dBm	dBm	dBm	dB	dB


1 pp 3490.00 -53.56 -45.91 -13.00 -7.65 -40.56 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 66 QPSK_5M_M-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3490.00	-52.89	-45.24	-13.00	-7.65	-39.89	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 66 QPSK_5M_H-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	


1 pp 3555.00 -52.26 -45.11 -13.00 -7.15 -39.26 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 66 QPSK_5M_H-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3555.00	-52.46	-45.31	-13.00	-7.15	-39.46	Peak

Channel Bandwidth: 20 MHz / QPSK
Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-10-2020



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : Cat-M1 Band 66 QPSK_20M_L-CH Link
Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	


1 pp 3440.00 -49.52 -41.30 -13.00 -8.22 -36.52 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 66 QPSK_20M_L-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3440.00	-48.65	-40.43	-13.00	-8.22	-35.65	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 66 QPSK_20M_M-CH Link
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over	Remark
	MHz	dBm	dBm	dBm		dB	dB	
1	44.55	-50.66	-48.67	-13.00	-1.99	-37.66	Peak	
2	154.16	-58.25	-51.77	-13.00	-6.48	-45.25	Peak	
3	191.99	-62.59	-55.31	-13.00	-7.28	-49.59	Peak	
4	274.44	-64.03	-57.54	-13.00	-6.49	-51.03	Peak	
5	519.85	-68.35	-64.43	-13.00	-3.92	-55.35	Peak	
6	698.33	-65.57	-65.44	-13.00	-0.13	-52.57	Peak	
7 pp	3490.00	-45.23	-37.58	-13.00	-7.65	-32.23	Peak	




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 06-10-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 66 QPSK_20M_M-CH Link
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm		dB	dB	
1	43.58	-51.92	-50.45	-13.00	-1.47	-38.92	Peak	
2	112.45	-62.83	-52.63	-13.00	-10.20	-49.83	Peak	
3	387.93	-71.45	-65.43	-13.00	-6.02	-58.45	Peak	
4	612.97	-64.87	-64.08	-13.00	-0.79	-51.87	Peak	
5	848.68	-62.33	-62.63	-13.00	0.30	-49.33	Peak	
6	947.62	-63.96	-65.71	-13.00	1.75	-50.96	Peak	
7 pp	3490.00	-47.89	-40.24	-13.00	-7.65	-34.89	Peak	


High Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : Cat-M1 Band 66 QPSK_20M_H-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	


1 pp 3540.00 -50.25 -43.03 -13.00 -7.22 -37.25 Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : Cat-M1 Band 66 QPSK_20M_H-CH Link
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 3540.00	-50.46	-43.24	-13.00	-7.22	-37.46	Peak

NB-IoT
 LTE Band 4
 Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : NB-IOT Band 4 Stand-alone_Link_L-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	3420.40	-48.11	-39.77	-13.00	-8.34	-35.11	Peak
2 pp	5130.60	-41.02	-39.28	-13.00	-1.74	-28.02	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : NB-IOT Band 4 Stand-alone_Link_L-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	3420.40	-43.03	-34.69	-13.00	-8.34	-30.03	Peak
2	5130.60	-42.89	-41.15	-13.00	-1.74	-29.89	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : NB-IOT Band 4 Stand-alone_Link_M-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over	Remark
	MHz	dBm	dBm	dBm		dB	dB	
1	43.58	-54.46	-52.99	-13.00		-1.47	-41.46	Peak
2	160.95	-59.70	-54.79	-13.00		-4.91	-46.70	Peak
3	193.93	-64.79	-57.33	-13.00		-7.46	-51.79	Peak
4	280.26	-67.62	-61.01	-13.00		-6.61	-54.62	Peak
5	588.72	-67.43	-66.19	-13.00		-1.24	-54.43	Peak
6	888.45	-65.58	-66.09	-13.00		0.51	-52.58	Peak
7	3465.00	-49.11	-41.23	-13.00		-7.88	-36.11	Peak
8 pp	5205.00	-39.85	-37.67	-13.00		-2.18	-26.85	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : NB-IOT Band 4 Stand-alone_Link_M-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over	Limit	Remark
	MHz	dBm	dBm	dBm		dB	dB		
1	44.55	-53.56	-51.57	-13.00		-1.99	-40.56		Peak
2	161.92	-67.66	-62.68	-13.00		-4.98	-54.66		Peak
3	319.06	-73.12	-66.40	-13.00		-6.72	-60.12		Peak
4	657.59	-65.49	-64.73	-13.00		-0.76	-52.49		Peak
5	859.35	-66.04	-66.39	-13.00		0.35	-53.04		Peak
6	911.73	-65.73	-66.59	-13.00		0.86	-52.73		Peak
7	3465.00	-42.89	-35.01	-13.00		-7.88	-29.89		Peak
8 pp	5190.00	-42.79	-40.72	-13.00		-2.07	-29.79		Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2020-06-07



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : NB-IOT Band 4 Stand-alone_Link_H-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	3509.60	-49.85	-42.40	-13.00	-7.45	-36.85	Peak
2 pp	5264.40	-44.11	-41.59	-13.00	-2.52	-31.11	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2020-06-07



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : NB-IOT Band 4 Stand-alone_Link_H-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3509.60	-45.85	-38.40	-13.00	-7.45	-32.85	Peak
2	5264.40	-46.13	-43.61	-13.00	-2.52	-33.13	Peak

LTE Band 12
Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 06-08-2020



Site : 966 Chamber 5
Condition: PART27 HORIZONTAL
Remak : NB-IOT Band 4 Stand-alone_Link_L-Ch
Tested by: Jisyong Wang

	Read	Limit	Over			
Freq	Level	Level	Line	Factor	Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp	42.61	-56.74	-55.80	-13.00	-0.94	-43.74 Peak
2	162.89	-58.16	-53.11	-13.00	-5.05	-45.16 Peak
3	209.45	-66.07	-58.44	-13.00	-7.63	-53.07 Peak
4	431.58	-72.25	-66.55	-13.00	-5.70	-59.25 Peak
5	550.89	-69.07	-66.26	-13.00	-2.81	-56.07 Peak
6	663.41	-67.29	-66.62	-13.00	-0.67	-54.29 Peak
7	1398.40	-58.13	-46.28	-13.00	-11.85	-45.13 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : NB-IOT Band 4 Stand-alone_Link_L-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm		dB	dB	
1	43.58	-53.64	-52.17	-13.00	-1.47	-40.64	Peak	
2	65.89	-62.78	-54.68	-13.00	-8.10	-49.78	Peak	
3	251.16	-71.32	-65.31	-13.00	-6.01	-58.32	Peak	
4	405.39	-71.43	-65.53	-13.00	-5.90	-58.43	Peak	
5	571.26	-66.79	-64.83	-13.00	-1.96	-53.79	Peak	
6	888.45	-65.03	-65.54	-13.00	0.51	-52.03	Peak	
7	1398.40	-51.89	-40.04	-13.00	-11.85	-38.89	Peak	
8 pp	2097.70	-47.01	-36.76	-13.00	-10.25	-34.01	Peak	

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : NB-IOT Band 12 Stand-alone_Link_M-Ch
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	
1 pp 1415.00	-59.32	-47.24	-13.00	-12.08	-46.32	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : NB-IOT Band 12 Stand-alone_Link_M-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1415.00	-53.98	-41.90	-13.00	-12.08	-40.98	Peak
2	2122.50	-49.11	-39.24	-13.00	-9.87	-36.11	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : NB-IOT Band 12 Stand-alone_Link_H-Ch
 Tested by: Jisyong Wang

Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
MHz	dBm	dBm	dBm	dB	dB	

1 pp 1431.60 -60.85 -48.54 -13.00 -12.31 -47.85 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : NB-IOT Band 12 Stand-alone_Link_H-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1431.60	-53.16	-40.85	-13.00	-12.31	-40.16	Peak
2	pp 2147.40	-49.32	-39.85	-13.00	-9.47	-36.32	Peak

LTE Band 13
Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2020-06-07



Site : 966 Chamber 5
 Condition: PART27(B13) HORIZONTAL
 Remak : NB-IOT Band 13 Stand-alone_Link_L-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1554.40	-57.99	-44.68	-13.00	-13.31	-44.99	Peak
2 pp	2331.60	-52.12	-42.80	-13.00	-9.32	-39.12	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2020-06-07



Site : 966 Chamber 5
 Condition: PART27(B13) VERTICAL
 Remak : NB-IOT Band 13 Stand-alone_Link_L-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1554.40	-61.13	-47.82	-13.00	-13.31	-48.13	Peak
2	pp 2331.60	-54.23	-44.91	-13.00	-9.32	-41.23	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27(B13) HORIZONTAL
 Remak : NB-IOT Band 13 Stand-alone_Link_M-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 1564.00	-58.99	-45.65	-40.00	-13.34	-18.99	Peak
2	2346.00	-51.52	-42.08	-13.00	-9.44	-38.52	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27(B13) VERTICAL
 Remak : NB-IOT Band 13 Stand-alone_Link_M-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	1564.00	-62.13	-48.79	-40.00	-13.34	-22.13	Peak
2	2346.00	-54.12	-44.68	-13.00	-9.44	-41.12	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27(B13) HORIZONTAL
 Remak : NB-IOT Band 13 Stand-alone_Link_H-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	44.55	-53.43	-51.44	-13.00	-1.99	-40.43	Peak
2	162.89	-60.09	-55.04	-13.00	-5.05	-47.09	Peak
3	209.45	-63.94	-56.31	-13.00	-7.63	-50.94	Peak
4	286.08	-64.18	-57.45	-13.00	-6.73	-51.18	Peak
5	575.14	-67.92	-66.12	-13.00	-1.80	-54.92	Peak
6	894.27	-64.42	-64.96	-13.00	0.54	-51.42	Peak
7 pp	1573.60	-54.23	-40.87	-40.00	-13.36	-14.23	Peak
8	2360.40	-48.11	-38.54	-13.00	-9.57	-35.11	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27(B13) VERTICAL
 Remak : NB-IOT Band 13 Stand-alone_Link_H-Ch
 Tested by: Jisyoung Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	43.58	-53.31	-51.84	-13.00	-1.47	-40.31	Peak
2	160.95	-64.33	-59.42	-13.00	-4.91	-51.33	Peak
3	405.39	-71.25	-65.35	-13.00	-5.90	-58.25	Peak
4	552.83	-68.10	-65.37	-13.00	-2.73	-55.10	Peak
5	664.38	-66.64	-65.98	-13.00	-0.66	-53.64	Peak
6	813.76	-65.40	-66.01	-13.00	0.61	-52.40	Peak
7 pp	1573.60	-60.13	-46.77	-40.00	-13.36	-20.13	Peak
8	2360.40	-51.11	-41.54	-13.00	-9.57	-38.11	Peak

LTE Band 66:
Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : NB-IOT Band 66 Stand-alone_Link_L-Ch
 Tested by: Thomas Wei


	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	3420.40	-50.11	-41.77	-13.00	-8.34	-37.11	Peak
2 pp	5130.60	-46.85	-45.11	-13.00	-1.74	-33.85	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : NB-IOT Band 66 Stand-alone_Link_L-Ch
 Tested by: Thomas Wei

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	3420.40	-43.99	-35.65	-13.00	-8.34	-30.99	Peak
2	5130.60	-43.85	-42.11	-13.00	-1.74	-30.85	Peak

Middle Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : NB-IOT Band 66 Stand-alone_Link_M-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over	Remark
	MHz	dBm	dBm	dBm		dB	dB	
1	43.58	-53.54	-52.07	-13.00	-1.47	-40.54	Peak	
2	160.95	-58.82	-53.91	-13.00	-4.91	-45.82	Peak	
3	278.32	-66.10	-59.53	-13.00	-6.57	-53.10	Peak	
4	592.60	-67.00	-65.92	-13.00	-1.08	-54.00	Peak	
5	841.89	-65.01	-65.37	-13.00	0.36	-52.01	Peak	
6	905.91	-64.61	-65.33	-13.00	0.72	-51.61	Peak	
7	3490.00	-48.13	-40.48	-13.00	-7.65	-35.13	Peak	
8 pp	5235.00	-44.98	-42.57	-13.00	-2.41	-31.98	Peak	




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : NB-IOT Band 66 Stand-alone_Link_M-Ch
 Tested by: Jisyoung Wang

	Freq	Level	Read Level	Limit	Line	Factor	Over	Limit	Remark
	MHz	dBm	dBm	dBm		dB	dB		
1	43.58	-50.66	-49.19	-13.00		-1.47	-37.66	Peak	
2	160.95	-64.28	-59.37	-13.00		-4.91	-51.28	Peak	
3	309.36	-72.70	-65.84	-13.00		-6.86	-59.70	Peak	
4	596.48	-65.24	-64.33	-13.00		-0.91	-52.24	Peak	
5	835.10	-65.74	-66.16	-13.00		0.42	-52.74	Peak	
6	959.26	-64.36	-66.50	-13.00		2.14	-51.36	Peak	
7 pp	3490.00	-42.01	-34.36	-13.00		-7.65	-29.01	Peak	
8	5235.00	-42.26	-39.85	-13.00		-2.41	-29.26	Peak	

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 06-08-2020



Site : 966 Chamber 5
 Condition: PART27 HORIZONTAL
 Remak : NB-IOT Band 66 Stand-alone_Link_H-Ch
 Tested by: Jisyong Wang


	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	3559.60	-50.12	-43.05	-13.00	-7.07	-37.12	Peak
2 pp	5339.40	-47.14	-44.51	-13.00	-2.63	-34.14	Peak



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4



Site : 966 Chamber 5
 Condition: PART27 VERTICAL
 Remak : NB-IOT Band 66 Stand-alone_Link_H-Ch
 Tested by: Jisyong Wang

	Freq	Level	Read Level	Limit	Line Factor	Over Limit	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	3559.60	-43.13	-36.06	-13.00	-7.07	-30.13	Peak
2	5339.40	-43.99	-41.36	-13.00	-2.63	-30.99	Peak

5 Pictures of Test Arrangements

Please refer to the attached file (Test Setup Photo).

Appendix – Information of the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are FCC recognized accredited test firms and accredited according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Lin Kou EMC/RF Lab

Tel: 886-2-26052180

Fax: 886-2-26051924

Hsin Chu EMC/RF/Telecom Lab

Tel: 886-3-6668565

Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety Lab

Tel: 886-3-3183232

Fax: 886-3-3270892

Email: service.adt@tw.bureauveritas.com

Web Site: www.bureauveritas-adt.com

The address and road map of all our labs can be found in our web site also.

--- END ---