

## **Quick user Guide for Integrity MCC-RF**

- 1) Connect MCC-RF adaptor to mini usb port  
Ensure the power is switched ON.



- 2) Place the Integrity Mobile unit on the cradle for charging.




- 3) LED indication for charging will light on.



- 4) Press and hold the push button switch for 10seconds.  
This will enable the learning process between Integrity MCC-RF & Integrity Mobile.

After the learning process is successful, if the button on mobile device is pressed this Will activate the indication at Integrity MCC-RF via beeping.



## **Federal Communications Commission (FCC) Statement**

15.21

You are cautioned that changes or modifications not expressly approved by the part responsible for compliance could void the user's authority to operate the equipment.

15.105(b)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:**

- 1) this device may not cause harmful interference and
- 2) this device must accept any interference received, including interference that may cause undesired operation of the device.