Valeo Schalter und Sensoren GmbH

FCC ID: VE2-12PM11

IC: 7173A-12PM11

[Operational description/User Manual]

The Remote Parking Pilot[®] assistant allows you to leave your car at the entrance of an outside or underground car parking and let your car find a space and park by itself, by activating the Remote Parking Pilot[®] application from your Smart Phone.

Once the Remote Parking Pilot[®] assistant is enabled your vehicle becomes autonomous and start to search for a parking space.

Once a parking slot is detected, the system takes in charge the maneuvers in order to fit in, without any further intervention from you. Once the operation is complete, you receive a notification on your Smart Phone.

The Remote Parking Pilot [®] assistant works in both ways. When you want to get back your car out of the parking, you only need to notify your request through your Smart Phone and your car rolls back automatically to you.

[Instruction]:

- 1. Stop the car at the location you need to head to
- 2. Exit your car and close all doors

3. Select the Remote Parking Pilot [®] application in your smart Phone

- 4. At this stage your vehicle takes over and looks for a parking slot
- 5. Detection of a free slot











[DRAFT] / Subject to change

Valeo Schalter und Sensoren GmbH

FCC ID: VE2-12PM11

- IC: 7173A-12PM11
- 6. Your vehicle manoeuvers by itself







7. End

Regulatory notices

US, Canada:

This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standard(s).

Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications made to this equipment not expressly approved by (manufacturer name) may void the FCC authorization to operate this equipment.

Valeo Schalter und Sensoren GmbH

FCC ID: VE2-12PM11

IC: 7173A-12PM11

This radio transmitter 7173A-12PM11 has been approved by Industry Canada to operate with the antenna types listed below with the maximum permissible gain indicated. Antenna types not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

Description	Average Gain [dBi]	Manufacturer
Evaluation Antenna (W1010)	2.0	PULSE