



A D T

RF EXPOSURE REPORT

REPORT NO.: SA991217C12B

MODEL NO.: BXR-100

FCC ID: VEG-BXR-100

RECEIVED: Nov. 18, 2011

TESTED: Nov. 22 ~ Nov. 23, 2011

ISSUED: May 07, 2012

APPLICANT: General Infinity Co., Ltd

ADDRESS: 2F, No 36, Reihu Street, Neihu District, Taipei 114, Taiwan

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan (R.O.C.)

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.

This test report consists of 5 pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced, except in full, without the written approval of our laboratory. The client should not use it to claim product certification, approval or endorsement by any government agency. The test results in the report only apply to the tested sample.



A D T

TABLE OF CONTENTS

RELEASE CONTROL RECORD	3
1. CERTIFICATION.....	4
2. REDUCED CONDITION FOR SAR	5
3. MAXIMUM MEASURED POWER OF EUT.....	5
4. CONCLUSION	5



A D T

RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
SA991217C12B	Original release	May 07, 2012



A D T

1. CERTIFICATION

PRODUCT: Bluetooth stereo receiver

MODEL NO.: BXR-100

BRAND: Antec

APPLICANT: General Infinity Co., Ltd

TESTED: Nov. 22 ~ Nov. 23, 2011

TEST SAMPLE: ENGINEERING SAMPLE

STANDARDS: FCC Part 2 (Section 2.1093)

FCC OET Bulletin 65, Supplement C (01-01)

IEEE C95.1

The above equipment (model: BXR-100) have been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

PREPARED BY : Andrea Hsia , DATE: May 07, 2012
Andrea Hsia / Specialist

APPROVED BY : Gary Chang , DATE: May 07, 2012
Gary Chang / Technical Manager



2. REDUCED CONDITION FOR SAR

When output power is $\leq 60/f(\text{GHz})$ mW, SAR evaluation is not required.

3. MAXIMUM MEASURED POWER OF EUT

Maximum measured transmitter power:

Pout (dBm)	Pout (mW)	
Bluetooth		
Conducted Power	6.64	4.613
EIRP Power	8.14	6.516

***Note:** The antenna is chip antenna with 1.5dBi gain.

4. CONCLUSION

No SAR evaluation is required since output power of EUT is less than threshold of SAR.