


Specification



Customer	Reverie
Specification	5Key RF(433.92MHz) remote control
Motek No.	H4TX110001
Customer No.	RC-WM-213
Version	1.0
SW version (label)	TX11 V12 CS52A3.hex
battery	AAA*3

Label



Model Number : RC-WM-213

*RC-WM-213-XXX(where“X” may be any alphanumeric character,black or “ —“)。

Function



編號	按鍵定義	按鍵功能	按鍵說明
1	M1+	頭部上升	按住按鍵才動作，放開按鍵即停止。
2	M1-	頭部下降	按住按鍵才動作，放開按鍵即停止。
3	M2+	腿上升	按住按鍵才動作，放開按鍵即停止。
4	M2-	腿下降	按住按鍵才動作，放開按鍵即停止。
5	M1-M2-	FLAT	按一下按鍵即縮回到底。

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- . Reorient or relocate the receiving antenna.
- . Increase the separation between the equipment and receiver.
- . Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- . Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

FCC Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 0.5 centimeters between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The antennas used for this transmitter must be installed to provide a separation distance of at least 0.5 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.