

# **EMC TEST REPORT**

**Report No.:** SET2020-07779

Product Name: Microwave Oven

Trade Name: Midea

Model No.: EM025F##, AM025F##, EM025F\*\*\*, AM025F\*\*\*

FCC ID: VG8XM025FXX-Y

**Applicant:** Guangdong Midea Kitchen Appliances Manufacturing Co.,Ltd.

**Received Date:** 2020-07-07

Tested Date: 2020-07-10 to 2020-07-14

**Issued by:** CCIC Southern Testing Co., Ltd.

Lab Location: Electronic Testing Building, No.43 Shahe Road, Xili Street, Nanshan

District, Shenzhen, Guangdong, China

This test report consists of **21** pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The client should not use it to claim product endorsement by CCIC-SET. The test results in the report only apply to the tested sample. The test report shall be invalid without all the signatures of testing engineers, reviewer and approver. Any objections must be raised to CCIC-SET within 15 days since the date when the report is received. It will not be taken into consideration beyond this limit.

CCIC-SET/T Page 1 of 21





### **Test Report**

Product Name..... Microwave Oven

Model No. ..... EM025F##, AM025F##, EM025F\*\*\*, AM025F\*\*\*

Trade name ...... Midea

Applicant...... Guangdong Midea Kitchen Appliances Manufacturing Co.,Ltd.

Applicant Address...... No.6, Yong An Road, Beijiao, Shunde, Foshan, China

Manufacturer ...... Guangdong Midea Kitchen Appliances Manufacturing Co.,Ltd.

Manufacturer Address ...... No.6, Yong An Road, Beijiao, Shunde, Foshan, China

Test Standards ...... 47 CFR Part 18

Test Result...... PASS

Tested by ...... Yun Lie formy

Fang Yun Lei Test Engineer 2020.07.15

Reviewed by ......

Chris You Senior Engineer 2020.07.15

Approved by ..... Shuangwen thomag

Shuangwen Zhang, Manager 2020.07.15

CCIC-SET/T Page 2 of 21



#### TABLE OF CONTENTS GENERAL INFORMATION ......5 1. GENERAL DESCRIPTION OF EUT ......5 1.1 1.2 Facilities and Accreditations......7 1.3 1.3.1 Facilities 7 1.3.2 2. EQUIPMENTS LIST ......8 EMC EMISSION TEST......9 **3.** 3.1 Test Procedure......9 Frequency For Normal Voltage ......9 3.1.1 3.1.2 3.1.3 3.2 3.2.1 Test Setup 10 3.2.2 3.2.3 3.3 RF OUTPUT POWER MEASUREMENT ......11 3.3.1 Test Standard 11 3.3.2 3.3.3 CONDUCTED EMISSION ......12 4. 4.1.1 4.1.2 Test Procedure 12 4.1.3 RADIATED EMISSION .......15 5. 5.1.1 5.1.2 5.1.3 Test Procedure \_\_\_\_\_\_\_16 APPENDIX I: PHOTOGRAPHS OF EMC TEST CONFIGURATION......20



|       | Change History           |  |  |  |  |
|-------|--------------------------|--|--|--|--|
| Issue | e Date Reason for change |  |  |  |  |
| 1.0   | 2020.07.15 First edition |  |  |  |  |
|       |                          |  |  |  |  |
|       |                          |  |  |  |  |

CCIC-SET/T Page 4 of 21



### 1. GENERAL INFORMATION

### 1.1 GENERAL DESCRIPTION OF EUT

EUT Name .....: Microwave Oven

Trade Name....: Midea
Brand Name....: N/A

Model EM025F##, AM025F##, EM025F\*\*\*, AM025F\*\*\* model

designations as follow:

A or E: "A" indicates Rotating type knob; "E" indicates Film

type keypad.

M: indicates microwave function;

025: "0" indicate the microwave output power is 1000W, "25"

indicates cavity capacity is 25 liters;

F: indicate the design No.;

## or \*\*\*: "#", "\*" = 0-9, A-Z or blank, indicates different

appearance;

Model AM025FJT was selected for the final testing.

Power Supply .....: 120V AC/60Hz

Rated input Power(microwave): 1500W Rated output Power(microwave): 1000W

Frequency .....: 2450MHz(ClassB/Group 2)

Magnetron Model.....: 2M392J Magnetron Manufacturer ...: WITOL

Description of Support Units: -Load for power output measurement: 1000 milliliters of water in

the beaker located in the center of the oven.

-Load for frequency measurement: 1000 milliliters of water in

the beaker located in the center of the oven.

-Load for measurement of radiation on second and third harmonic: Two loads, one of 700 and the other of 300 milliliters, of water are used. Each load is tested both with the beaker located in the center of the oven and with it in the right front

corner.

-Load for all other measurements: 700 milliliters of water, with

the beaker located in the center of the oven.

*Note 1*: The EUT have the following typical setups during the test: Setup1: Running;

*Note 2:* For a more detailed description, please refer to Specification or User's Manual supplied by the applicant and/or manufacturer.

CCIC-SET/T Page 5 of 21



### 1.2 Test Standards and Results

The objective of the report is to perform testing according to 47 CFR Part 18:

| No. | Identity            | Document Title          |
|-----|---------------------|-------------------------|
| 1   | 47 CFR Part 18:2017 | Radio Frequency Devices |

Test detailed items/sectionrequired by FCC rules andresults are as below:

| Emission       |  |           |      |  |  |  |  |
|----------------|--|-----------|------|--|--|--|--|
| Standard       | Standard Item Class / Severity Result  |           |      |  |  |  |  |
| 47 CFR PART 18 | Conducted Emission (150 kHz to 30 MHz) | 18.307(b) | PASS |  |  |  |  |
|                | Radiated Emission (30 MHz to1 GHz)     | 18.305(b) | PASS |  |  |  |  |

CCIC-SET/T Page 6 of 21



### 1.3 Facilities and Accreditations

#### 1.3.1 Facilities

### FCC-Registration No.: CN5031

CCIC Southern Testing Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. DesignationNumber: CN5031, valid time is until December 31, 2020.

### ISED Registration: 11185A-1

CCIC Southern Testing Co., Ltd. EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 11185A-1 on Aug. 04, 2016, valid time is until Aug. 03, 2020.

#### NVLAP Lab Code: 201008

CCIC Southern Testing Co., Ltd. is a third party testing organization accredited by NVLAP according to ISO/IEC 17025. The accreditation certificate number is 201008.

#### **Test Environment Conditions**

During the measurement, the environmental conditions were within the listed ranges:

| Temperature (°C):           | 15°C- 35°C   |
|-----------------------------|--------------|
| Relative Humidity (%):      | 25% -75%     |
| Atmospheric Pressure (kPa): | 86kPa-106kPa |

### 1.3.2 Measurement Uncertainty

The uncertainty is calculated using the methods suggested in the "Guide to the Expression of Uncertainty in Measurement" (GUM) published by ISO.

| Uncertainty of Conducted Emission: | Uc = 3.6  dB (k=2) |
|------------------------------------|--------------------|
| Uncertainty of Radiated Emission:  | Uc = 4.5  dB (k=2) |

CCIC-SET/T Page 7 of 21



# 2. EQUIPMENTS LIST

### A. Equipments List:

| Description            | Manufacturer      | Model                     | Serial No. | Calibration<br>Date | Calibration Due. Date |
|------------------------|-------------------|---------------------------|------------|---------------------|-----------------------|
| Test Receiver          | KEYSIGHT          | N9038A                    | A141202036 | 2019.11.21          | 2020.11.21            |
| LISN                   | ROHDE&SCHWARZ     | ESH2-Z5                   | A0304221   | 2020.07.30          | 2021.06.29            |
| Shield Room            | Xinju Electronics | L7300*W4500*<br>H3100     | A181003226 | 2018.09.06          | 2021.09.05            |
| EMI Test Receiver      | ROHDE&SCHWARZ     | ESIB7                     | A0501375   | 2019.07.30          | 2020.07.29            |
| Broadband Ant.         | 2786              | ETC                       | A150402239 | 2018.09.17          | 2021.09.16            |
| 3M Anechoic<br>Chamber | Albatross         | SAC-3MAC<br>9*6*6m        | A0412375   | 2019.03.26          | 2023.03.25            |
| EMI Test Receiver      | ROHDE&SCHWARZ     | ESW26                     | A180502935 | 2019.09.22          | 2020.09.22            |
| System Simulator       | ROHDE&SCHWARZ     | CMW500                    | A150802214 | 2019.07.30          | 2021.07.29            |
| 5M Anechoic<br>Chamber | Albatross         | SAC-5MAC<br>12.8x6.8x6.4m | A0304210   | 2019.03.25          | 2023.03.24            |
| EMI Horn Ant.          | ROHDE&SCHWARZ     | HF906                     | A0304225   | 2019.04.17          | 2022.04.17            |
| Spectrum Analyzer      | KEYSIGHT          | E7515A                    | A160702555 | 2019.04.01          | 2021.04.01            |

CCIC-SET/T Page 8 of 21



### 3. EMC EMISSION TEST

### 3.1 Test Procedure

Test Requirement: 47 CFR PART 18

Test Method: FCC/OST MP-5:1986

Power Supply: AC 120V/ 60Hz Frequency Range: 22410-2468MHz

Detector: Peak

Limit:

ISM equipment may be operated at any frequency above 9KHz and the frequency band 2400-2500MHz is allocated for use by ISM equipment

| ISM frequency | Tolerance  |
|---------------|------------|
| 6.78 MHz      | ±15.0 kHz  |
| 13.56 MHz     | ±7.0 kHz   |
| 27.12 MHz     | ±163.0 kHz |
| 40.68 MHz     | ±20.0 kHz  |
| 915 MHz       | ±13.0 MHz  |
| 2,450 MHz     | ±50.0 MHz  |
| 5,800 MHz     | ±75.0 MHz  |
| 24,125 MHz    | ±125.0 MHz |
| 61.25 GHz     | ±250.0 MHz |
| 122.50 GHz    | ±500.0 MHz |
| 245.00 GHz    | ±1.0 GHz   |

### 3.1.1 Frequency For Normal Voltage

The operating frequency was measured using a spectrum analyzer. Starting with the EUT at room temperature, a 1000mL water load was placed in the center of the oven and the oven was operated at maximum output power. The fundamental operating frequency was monitored until the water load was reduced to 20 percent of the original load.

### 3.1.2 Frequency For Line Voltage

The EUT was operated / warmed by at least 10 minutes of use with a 1000mL water load at room temperature at the beginning of the test. Then the operating frequency was monitored as the input voltage was varied between 80 and 125 percent of the nominal rating.

CCIC-SET/T Page 9 of 21



### 3.1.3 Measurement data

| Operating Mode | Frequency(MHz) |
|----------------|----------------|
| Normal Voltage | 2410.1-2468.8  |
| Line Voltage   | 2411.5-2470.2  |

### 3.2 RADIATION HAZARD TEST

### 3.2.1 Test Setup

The EUT was set-up according to the FCC MP-5 and FCC Part 18 for radiation Hazard measurement. The measurement was using a microwave leakage meter to measure the radiation leakage in the as-received condition with the oven door closed A 700mL water load in a breaker was located in the center of the oven and the microwave oven was set to maximum power. While the oven operating, the microwavemeter will check the leakage and then record the maximum leakage.

#### 3.2.2 **Limit**

A maximum of 1.0mW/cm<sup>2</sup> is allowed in according with the applicable FCC standards

### 3.2.3 Test results

There was no microwave leakage exceeding a power level of 0.15 mW/cm<sup>2</sup>Observed at any point 5cm or more from the external surface of the oven

CCIC-SET/T Page 10 of 21



### 3.3 RF OUTPUT POWER MEASUREMENT

### 3.3.1 Test Standard

| Test Requirement | 47 CFR PART 18    |  |  |
|------------------|-------------------|--|--|
| Test Method      | FCC/OST MP-5:1986 |  |  |
| Power Supply     | AC120/60Hz        |  |  |

### 3.3.2 EUT Operating mode

Test the EUT in microwave mode with full power.

### 3.3.3 Test Data

| Mass of<br>Water(g) | Mass of the container(g) | ambient<br>temperature<br>(°C) | Initial temperature( $^{\circ}$ C) | Final temperature(°C) | Heating<br>Time(S) | Output<br>Power(Watt) |
|---------------------|--------------------------|--------------------------------|------------------------------------|-----------------------|--------------------|-----------------------|
| 1000                | 280                      | 20.0                           | 10                                 | 32                    | 120                | 795.2                 |

Formula:

$$P = \frac{4.2 \times m_W(T_2 - T_1) + 0.9 \times m_c(T_2 - T_0)}{t}$$

P is the microwave power output, in watts

Mw is the mass of the water, in grams

Mc is the mass of the container, in grams

T0 is the ambient temperature, in degrees Celsius

T1 is Initial temperature of the water, in degrees Celsius

T2 is final temperature of the water, in degrees Celsius

T is heating time, in seconds, excluding the magnetron filament heating-up time

CCIC-SET/T Page 11 of 21



### 4. CONDUCTED EMISSION

#### 4.1.1 Conducted Emission Limit

| Eraguanay ranga (MHz) | Conducted Limit (dBµV) |          |  |  |  |
|-----------------------|------------------------|----------|--|--|--|
| Frequency range (MHz) | Quasi-peak             | Average  |  |  |  |
| 0.15 - 0.50           | 66 to 56               | 56 to 46 |  |  |  |
| 0.50 - 5              | 56                     | 46       |  |  |  |
| 5 - 30                | 60                     | 50       |  |  |  |


#### Note:

- a) The limit decreases linearly with the logarithm of the frequency in therange 0.05 MHz to 0.5 MHz.
- b) The lower limit is applicable at the transition frequency.

#### 4.1.2 Test Procedure

The EUT is placed on a 0.8m high insulating table, which stands on the grounded conducting floor, and keeps 0.4m away from the grounded conducting wall. The EUT is connected to the power mains through a LISN which provides  $50\Omega/50\mu H$  of coupling impedance for the measuring instrument. The Common Antenna is used for the call between the EUT and the System Simulator (SS). A Pulse Limiter is used to protect the measuring instrument. The factors of the whole test system are calibrated to correct the reading.

### 4.1.3 Test Setup




CCIC-SET/T Page 12 of 21



### A. Test Result:

Mains terminal disturbance voltage, Setup1,L phase




(Plot A: L Phase)

|   | <b>Conducted Disturbance at Mains Terminals</b> |       |      |                        |               |                                 |             |  |
|---|---|-------|------|------------------------|---------------|---------------------------------|-------------|--|
|   | L Test Data                                     |       |      |                        |               |                                 |             |  |
|   | QP AV   |       |      |                        |               |                                 |             |  |
| cy   Limits   ent Value   Margin   $cy$   $cy$ |   |       |      | Frequen<br>cy<br>(MHz) | Limits (dBµV) | Measurem<br>ent Value<br>(dBμV) | Margin (dB) |  |
| 0.510   | 56.00   | 48.26 | 7.74 | 0.510                  | 46.00         | 19.11                           | 26.89       |  |
| 0.582   | 56.00   | 48.79 | 7.21 | 0.582                  | 46.00         | 18.42                           | 27.58       |  |
| 0.627   | 56.00   | 47.69 | 8.31 | 0.627                  | 46.00         | 16.59                           | 29.41       |  |
| 0.694   | 56.00   | 46.35 | 9.65 | 0.694                  | 46.00         | 15.00                           | 31.00       |  |
| 0.366   | 58.60   | 50.74 | 7.86 | 0.366                  | 48.60         | 18.79                           | 29.81       |  |
| 0.262   | 61.40   | 53.29 | 8.11 | 0.262                  | 51.40         | 21.9                            | 29.5        |  |

CCIC-SET/T Page 13 of 21



### Mains terminal disturbance voltage, Setup 1, N phase



(Plot B: N Phase)

|  | <b>Conducted Disturbance at Mains Terminals</b> |       |             |                    |          |       |       |  |  |  |  |
|--|---|-------|-------------|--------------------|----------|-------|-------|--|--|--|--|
|  | N Test Data                                     |       |             |                    |          |       |       |  |  |  |  |
|  | QP  |       |             |                    |          |       |       |  |  |  |  |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ |   |       | Margin (dB) | Frequency<br>(MHz) | nt Value |       |       |  |  |  |  |
| 0.280  | 60.80   | 54.67 | 6.13        | 0.280              | 50.80    | 21.62 | 29.18 |  |  |  |  |
| 0.402  | 57.80   | 48.53 | 9.27        | 0.402              | 47.80    | 15.06 | 32.74 |  |  |  |  |
| 0.519  | 56.00   | 43.59 | 12.41       | 0.519              | 46.00    | 13.00 | 33.00 |  |  |  |  |
| 0.645  | 56.00   | 40.37 | 15.63       | 0.645              | 46.00    | 8.47  | 37.53 |  |  |  |  |
| 1.250  | 56.00   | 44.28 | 11.72       | 1.250              | 46.00    | 14.52 | 31.48 |  |  |  |  |
| 2.040  | 56.00   | 34.99 | 21.01       | 2.040              | 46.00    | 11.39 | 34.61 |  |  |  |  |

**Test Result: PASS** 

CCIC-SET/T Page 14 of 21



### 5. RADIATED EMISSION

### **5.1.1** Radiated Emission Limits

- (a) ISM equipment operation on a frequency specified in §18.301 is permitted unlimited radiated energy in the band specified for that frequency.
- (b) The field strength levels of emissions which lie outside the bands specified in §18.301,unless otherwise indicated, shall not exceed the following:


| RF Power generated by equipment(watts) | Field strength limit(uV/m) @300m |
|--|----------------------------------|
| Below 500                              | 25                               |
| 500or more                             | 25*SQRT(power/500)               |

Power = 795.2W

Limit=20lg(25\*SQRT(power/500))+20lg(300/3) @ 3m distance.

### 5.1.2 Test Setup


For radiated emissions from 30MHz to1GHz



CCIC-SET/T Page 15 of 21



For radiated emissions above 1GHz



#### **5.1.3** Test Procedure

- a. The measuring distance of at 3 m shall be used for measurements at frequency up to 1GHz. For frequencies above 1GHz, any suitable measuring distance may be used.
- b.The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter open area test site. The table was rotated 360 degrees to determine the position of the highest radiation.
- c.The height of the equipment or of the substitution antenna shall be 0.8 m; the height of the test antenna shall vary between 1 m to 4 m. Both horizontal and vertical polarizations of the antenna are set to make the measurement
- d.The initial step in collecting conducted emission data is a spectrum analyzer peak detector mode pre-scanning the measurement frequency range. Significant peaks are then marked and then Quasi Peak detector mode re-measured.
- e.If the Peak Mode measured value compliance with and lower than Quasi Peak Mode Limit, the EUT shall be deemed to meet QP Limits and then no additional QP Mode measurement performed.
- f. For the actual test configuration, please refer to the related Item –EUT Test Photos.


**Note:** Both horizontal and vertical antenna polarities were tested and performed pretest to three orthogonal axis. The worst case emissions were reported

CCIC-SET/T Page 16 of 21



### **Test Result:**

Radiation disturbances, antenna polarization:Setup1,Horizontal





(Plot C: Test Antenna Vertical30M - 1G)

| Frequency<br>(MHz) | QuasiPeak<br>(dBµV/m) | Bandwidth<br>(kHz) | Antenna<br>height<br>(cm) | Limit<br>(dBµV/m) | Margin<br>(dB) | Antenna    | Verdict |
|--------------------|-----------------------|--------------------|---------------------------|-------------------|----------------|------------|---------|
| 30.08              | 26.98                 | 120.000            | 112.0                     | 69.97             | 42.99          | Horizontal | Pass    |

CCIC-SET/T Page 17 of 21







(Plot D: Test Antenna Horizontal30M - 1G)

| Frequency<br>(MHz) | QuasiPeak<br>(dBµV/m) | Bandwidth<br>(kHz) | Antenna<br>height<br>(cm) | Limit<br>(dBµV/m) | Margin<br>(dB) | Antenna  | Horizontal |
|--------------------|-----------------------|--------------------|---------------------------|-------------------|----------------|----------|------------|
| 30.63              | 27.06                 | 120.000            | 123.0                     | 69.97             | 42.91          | Vertical | Pass       |

CCIC-SET/T Page 18 of 21



### Above 1GHz Setup1

| NO  | Freq.   | Level    | Factor | Limit    | Margin | Height | Angle | Dolority   |
|-----|---------|----------|--------|----------|--------|--------|-------|------------|
| NO. | [MHz]   | [dBµV/m] | [dB]   | [dBµV/m] | [dB]   | [cm]   | [°]   | Polarity   |
| 1   | 2186.04 | 62.08    | -8.31  | 69.97    | 7.89   | 100    | 200   | Horizontal |
| 2   | 2402.85 | 62.46    | -7.19  | 69.97    | 7.51   | 100    | 220   | Horizontal |
| 3   | 4919.47 | 63.26    | 3.56   | 69.97    | 6.71   | 100    | 190   | Horizontal |
| 4   | 7380.84 | 62.85    | 7.61   | 69.97    | 7.12   | 100    | 20    | Horizontal |
| 5   | 8290.57 | 61.84    | 8.40   | 69.97    | 8.13   | 100    | 70    | Horizontal |
| 6   | 9859.21 | 62.46    | 11.38  | 69.97    | 7.51   | 100    | 110   | Horizontal |

| NO  | Freq.   | Level    | Factor | Limit    | Margin | Height | Angle | Dolority |
|-----|---------|----------|--------|----------|--------|--------|-------|----------|
| NO. | [MHz]   | [dBµV/m] | [dB]   | [dBµV/m] | [dB]   | [cm]   | [°]   | Polarity |
| 1   | 1726.93 | 55.57    | -9.28  | 69.97    | 14.40  | 100    | 110   | Vertical |
| 2   | 2190.29 | 56.92    | -8.30  | 69.97    | 13.05  | 100    | 80    | Vertical |
| 3   | 2449.61 | 61.54    | -7.23  | 69.97    | 8.43   | 100    | 160   | Vertical |
| 4   | 4247.81 | 60.40    | 1.59   | 69.97    | 9.57   | 100    | 130   | Vertical |
| 5   | 8299.07 | 61.73    | 8.35   | 69.97    | 8.24   | 100    | 260   | Vertical |
| 6   | 10471.3 | 62.57    | 11.17  | 69.97    | 7.40   | 100    | 180   | Vertical |

#### **REMARKS:**

- 1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
- 2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB)
  - Pre-Amplifier Factor(dB)
- 3.For Set up 2 mode, The EUT's internal highest frequency is less than 108MHz,so test frequency range is up to 1000MHz.Other frequency reading was too low against the official limit that not recorded.

CCIC-SET/T Page 19 of 21




### APPENDIX I: PHOTOGRAPHS OF EMC TEST CONFIGURATION

### 1. Radiated Emission Measurement below 1GHz



### 2. Radiated Emission Measurement above 1GHz



CCIC-SET/T Page 20 of 21



## 3. Conducted emission at AC mains input/output port Measurement



CCIC-SET/T Page 21 of 21






# APPENDIX II: PHOTOGRAPHS OF PRODUCT PHOTO


### **External Photo**




























### **Internal Photo**





































 $\times \times \times$  End Of Report  $\times \times \times$