


Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	42.11	12.79	54.90	74.00	-19.10	Peak	
2	5460.0000	34.20	12.79	46.99	54.00	-7.01	AVG	
3	5470.0000	44.54	12.79	57.33	68.20	-10.87	Peak	
4 *	5509.2000	99.55	12.81	112.36	68.20	44.16	Peak	No Limit
5	5509.2000	90.99	12.81	103.80	999.00	-895.20	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11001.4000	36.36	8.24	44.60	74.00	-29.40	Peak	
2 *	11013.2000	29.38	8.24	37.62	54.00	-16.38	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11108.5250	36.52	8.27	44.79	74.00	-29.21	Peak	
2 *	11112.2750	29.52	8.27	37.79	54.00	-16.21	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5668.7000	90.32	13.30	103.62	999.00	-895.38	AVG	No Limit
2 *	5673.1000	99.48	13.32	112.80	68.20	44.60	Peak	No Limit
3	5725.0000	44.71	13.48	58.19	68.20	-10.01	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11347.5000	37.69	8.33	46.02	74.00	-27.98	Peak	
2 *	11348.1000	30.67	8.33	39.00	54.00	-15.00	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5458.8000	47.24	12.79	60.03	74.00	-13.97	Peak	
2	5458.8000	41.03	12.79	53.82	54.00	-0.18	AVG	
3	5460.0000	44.63	12.79	57.42	74.00	-16.58	Peak	
4	5460.0000	37.26	12.79	50.05	54.00	-3.95	AVG	
5	5470.0000	50.09	12.79	62.88	68.20	-5.32	Peak	
6	5533.8000	86.53	12.89	99.42	999.00	-899.58	AVG	No Limit
7 *	5543.4000	93.96	12.92	106.88	68.20	38.68	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11039.1250	35.87	8.25	44.12	74.00	-29.88	Peak	
2 *	11078.0000	29.06	8.26	37.32	54.00	-16.68	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5599.0000	99.34	13.09	112.43	68.20	44.23	Peak	No Limit
2	5608.8000	90.20	13.12	103.32	999.00	-895.68	AVG	No Limit
3	5725.0000	50.22	13.48	63.70	68.20	-4.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11197.6000	30.37	8.29	38.66	54.00	-15.34	AVG	
2	11223.2000	38.22	8.30	46.52	74.00	-27.48	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5433.6000	54.27	12.79	67.06	74.00	-6.94	Peak	
2	5433.6000	40.23	12.79	53.02	54.00	-0.98	AVG	
3	5460.0000	48.21	12.79	61.00	74.00	-13.00	Peak	
4	5460.0000	37.02	12.79	49.81	54.00	-4.19	AVG	
5	5470.0000	48.68	12.79	61.47	68.20	-6.73	Peak	
6	5573.6000	82.26	13.01	95.27	999.00	-903.73	AVG	No Limit
7 *	5578.8000	92.31	13.03	105.34	68.20	37.14	Peak	No Limit
8	5725.0000	47.73	13.48	61.21	68.20	-6.99	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11135.0000	36.86	8.28	45.14	74.00	-28.86	Peak	
2 *	11139.8250	29.48	8.28	37.76	54.00	-16.24	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	57.72	13.44	71.16	109.40	-38.24	Peak	
2	5725.0000	72.70	13.48	86.18	122.20	-36.02	Peak	
3 *	5747.6000	107.78	13.55	121.33	122.20	-0.87	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11494.1750	39.60	8.37	47.97	74.00	-26.03	Peak	
2 *	11494.2500	31.84	8.37	40.21	54.00	-13.79	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11565.1500	32.30	8.33	40.63	54.00	-13.37	AVG	
2	11565.6000	41.30	8.33	49.63	74.00	-24.37	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.2000	107.24	13.79	121.03	122.20	-1.17	Peak	No Limit
2	5850.0000	64.77	13.86	78.63	122.20	-43.57	Peak	
3	5860.0000	63.41	13.89	77.30	109.40	-32.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11651.5500	41.01	8.28	49.29	74.00	-24.71	Peak	
2 *	11651.8750	31.51	8.28	39.79	54.00	-14.21	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	46.51	13.44	59.95	109.40	-49.45	Peak	
2	5725.0000	57.17	13.48	70.65	122.20	-51.55	Peak	
3 *	5742.4000	105.69	13.53	119.22	122.20	-2.98	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11493.1250	29.94	8.37	38.31	54.00	-15.69	AVG	
2	11498.4250	38.37	8.37	46.74	74.00	-27.26	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11568.3250	29.28	8.33	37.61	54.00	-16.39	AVG	
2	11575.2000	39.27	8.32	47.59	74.00	-26.41	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5822.3000	103.50	13.77	117.27	122.20	-4.93	Peak	No Limit
2	5850.0000	52.28	13.86	66.14	122.20	-56.06	Peak	
3	5860.0000	47.26	13.89	61.15	109.40	-48.25	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11649.3000	39.29	8.28	47.57	74.00	-26.43	Peak	
2 *	11653.3500	29.84	8.27	38.11	54.00	-15.89	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	57.12	13.44	70.56	109.40	-38.84	Peak	
2	5725.0000	58.10	13.48	71.58	122.20	-50.62	Peak	
3 *	5752.2000	103.45	13.56	117.01	122.20	-5.19	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11503.2000	30.50	8.37	38.87	54.00	-15.13	AVG	
2	11503.4000	37.49	8.37	45.86	74.00	-28.14	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5797.2000	103.85	13.70	117.55	122.20	-4.65	Peak	No Limit
2	5850.0000	58.15	13.86	72.01	122.20	-50.19	Peak	
3	5860.0000	54.87	13.89	68.76	109.40	-40.64	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11585.1000	37.72	8.32	46.04	74.00	-27.96	Peak	
2 *	11591.2500	30.75	8.31	39.06	54.00	-14.94	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	65.69	13.44	79.13	109.40	-30.27	Peak	
2	5725.0000	63.81	13.48	77.29	122.20	-44.91	Peak	
3 *	5776.6000	100.82	13.63	114.45	122.20	-7.75	Peak	No Limit
4	5850.0000	60.46	13.86	74.32	122.20	-47.88	Peak	
5	5860.0000	58.85	13.89	72.74	109.40	-36.66	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11563.8000	30.17	8.33	38.50	54.00	-15.50	AVG	
2	11564.0000	37.05	8.33	45.38	74.00	-28.62	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	49.65	13.44	63.09	109.40	-46.31	Peak	
2	5725.0000	59.47	13.48	72.95	122.20	-49.25	Peak	
3 *	5737.1000	105.84	13.51	119.35	122.20	-2.85	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11483.4750	37.53	8.37	45.90	74.00	-28.10	Peak	
2 *	11493.1000	31.75	8.37	40.12	54.00	-13.88	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11563.1500	31.31	8.33	39.64	54.00	-14.36	AVG	
2	11581.2500	38.07	8.32	46.39	74.00	-27.61	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5822.0000	106.22	13.77	119.99	122.20	-2.21	Peak	No Limit
2	5850.0000	52.63	13.86	66.49	122.20	-55.71	Peak	
3	5860.0000	50.23	13.89	64.12	109.40	-45.28	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11651.2250	31.96	8.28	40.24	54.00	-13.76	AVG	
2	11663.2250	38.83	8.27	47.10	74.00	-26.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	56.08	13.44	69.52	109.40	-39.88	Peak	
2	5725.0000	58.82	13.48	72.30	122.20	-49.90	Peak	
3 *	5756.8000	105.69	13.57	119.26	122.20	-2.94	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11503.6250	37.64	8.37	46.01	74.00	-27.99	Peak	
2 *	11523.2750	30.47	8.36	38.83	54.00	-15.17	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5797.2000	103.95	13.70	117.65	122.20	-4.55	Peak	No Limit
2	5850.0000	56.94	13.86	70.80	122.20	-51.40	Peak	
3	5860.0000	54.34	13.89	68.23	109.40	-41.17	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11575.8000	30.36	8.32	38.68	54.00	-15.32	AVG	
2	11591.2500	37.81	8.31	46.12	74.00	-27.88	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	62.73	13.44	76.17	109.40	-33.23	Peak	
2	5725.0000	66.66	13.48	80.14	122.20	-42.06	Peak	
3 *	5756.8000	100.12	13.57	113.69	122.20	-8.51	Peak	No Limit
4	5850.0000	62.39	13.86	76.25	122.20	-45.95	Peak	
5	5860.0000	60.75	13.89	74.64	109.40	-34.76	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11551.2500	36.73	8.34	45.07	74.00	-28.93	Peak	
2 *	11562.8750	30.17	8.33	38.50	54.00	-15.50	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode Channel Mode 5825 MHz	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		20350.25	42.11	7.54	49.65	83.54	-33.89	peak	
2	*	20350.25	32.45	7.54	39.99	65.30	-25.31	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode Channel Mode 5825 MHz	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		18476.00	42.47	7.04	49.51	83.54	-34.03	peak	
2	*	18476.00	30.94	7.04	37.98	65.30	-27.32	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode Channel Mode 5825 MHz	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	27195.25	51.46	9.81	61.27	77.74	-16.47	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode Channel Mode 5825 MHz	Polarization	Horizontal
-----------	--	--------------	------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	31947.25	53.17	8.86	62.03	77.74	-15.71	peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	29.348	17.200
40	5200	28.589	17.200
48	5240	20.298	16.900

CH36




Date: 4.MAR.2024 15:24:29

CH40
26 dB Bandwidth




Date: 4.MAR.2024 15:25:34

CH48




Date: 4.MAR.2024 15:26:35


99 % Occupied Bandwidth



Date: 4.MAR.2024 15:24:07



Date: 4.MAR.2024 15:25:03




Date: 4.MAR.2024 15:26:09

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	30.649	18.200
40	5200	29.999	18.200
48	5240	22.850	17.800

CH36




Date: 4.MAR.2024 15:43:49

CH40
26 dB Bandwidth




Date: 4.MAR.2024 15:45:14

CH48




Date: 4.MAR.2024 15:46:59


99 % Occupied Bandwidth



Date: 4.MAR.2024 15:43:27



Date: 4.MAR.2024 15:44:48




Date: 4.MAR.2024 15:46:34


Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	50.995	37.200
46	5230	44.300	36.800



CH38



CH46
26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	109.188	76.400

CH42 26 dB Bandwidth



Date: 4.MAR.2024 16:33:25

99 % Occupied Bandwidth




Date: 4.MAR.2024 16:32:43

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	32.550	19.300
40	5200	31.000	19.300
48	5240	20.300	19.000

CH36




Date: 5.MAR.2024 09:07:46

CH40
26 dB Bandwidth




Date: 5.MAR.2024 09:16:48

CH48




Date: 5.MAR.2024 09:17:49


99 % Occupied Bandwidth



Date: 5.MAR.2024 09:07:28



Date: 5.MAR.2024 09:16:17




Date: 5.MAR.2024 09:17:23

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	53.999	38.200
46	5230	39.800	38.000

CH38




Date: 5.MAR.2024 09:41:55

CH46 26 dB Bandwidth




Date: 5.MAR.2024 09:45:10

99 % Occupied Bandwidth



Date: 5.MAR.2024 09:41:27




Date: 5.MAR.2024 09:44:44

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	93.590	77.600

CH42 26 dB Bandwidth



Date: 5.MAR.2024 10:37:37

99 % Occupied Bandwidth




Date: 5.MAR.2024 10:36:57

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.250	16.800
60	5300	30.890	17.300
64	5320	28.990	17.200

CH52




Date: 4.MAR.2024 15:27:54

CH60
26 dB Bandwidth




Date: 4.MAR.2024 15:29:45

CH64




Date: 4.MAR.2024 15:30:41


99 % Occupied Bandwidth



Date: 4.MAR.2024 15:27:28



Date: 4.MAR.2024 15:29:24




Date: 4.MAR.2024 15:30:16

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.190	17.800
60	5300	29.098	18.300
64	5320	32.190	18.300

CH52




Date: 4.MAR.2024 15:48:17

CH60
26 dB Bandwidth




Date: 4.MAR.2024 15:49:22

CH64




Date: 4.MAR.2024 15:50:53


99 % Occupied Bandwidth



Date: 4.MAR.2024 15:47:51



Date: 4.MAR.2024 15:48:55




Date: 4.MAR.2024 15:50:30

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.300	36.600
62	5310	46.000	37.200

CH54




Date: 4.MAR.2024 16:20:12

CH62
26 dB Bandwidth




Date: 4.MAR.2024 16:22:08

99 % Occupied Bandwidth



Date: 4.MAR.2024 16:20:16




Date: 4.MAR.2024 16:21:28

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	107.200	76.000

CH58 26 dB Bandwidth



Date: 4.MAR.2024 16:35:06

99 % Occupied Bandwidth




Date: 4.MAR.2024 16:34:18

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.490	19.100
60	5300	28.990	19.300
64	5320	28.990	19.300

CH52




Date: 5.MAR.2024 09:19:47

CH60
26 dB Bandwidth




Date: 5.MAR.2024 09:21:55

CH64




Date: 5.MAR.2024 09:22:55


99 % Occupied Bandwidth



Date: 5.MAR.2024 09:19:21



Date: 5.MAR.2024 09:21:29




Date: 5.MAR.2024 09:22:30

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.500	37.800
62	5310	43.399	38.200

CH54




Date: 5.MAR.2024 09:46:53

CH62 26 dB Bandwidth




Date: 5.MAR.2024 09:46:29

99 % Occupied Bandwidth



Date: 5.MAR.2024 09:46:16




Date: 5.MAR.2024 09:47:38

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	94.000	77.600

CH58 26 dB Bandwidth



Date: 5.MAR.2024 10:40:48

99 % Occupied Bandwidth




Date: 5.MAR.2024 10:40:14

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	168.400	154.400

CH50 26 dB Bandwidth



Date: 4.MAR.2024 16:45:34

99 % Occupied Bandwidth




Date: 4.MAR.2024 16:44:58

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	162.000	156.800

CH50 26 dB Bandwidth



Date: 5.MAR.2024 10:52:15

99 % Occupied Bandwidth




Date: 5.MAR.2024 10:51:43

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	27.697	17.200
116	5580	21.589	16.700
140	5700	29.050	17.000

CH100




Date: 4.MAR.2024 15:34:39

CH116
26 dB Bandwidth




Date: 4.MAR.2024 15:35:43

CH140




Date: 4.MAR.2024 15:37:20


99 % Occupied Bandwidth



Date: 4.MAR.2024 15:34:14



Date: 4.MAR.2024 15:35:18




Date: 4.MAR.2024 15:36:58

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	28.800	18.100
116	5580	21.589	17.800
140	5700	26.900	18.100

CH100




Date: 4.MAR.2024 15:52:08

CH116
26 dB Bandwidth




Date: 4.MAR.2024 15:53:36

CH140




Date: 4.MAR.2024 15:55:08


99 % Occupied Bandwidth



Date: 4.MAR.2024 15:51:46



Date: 4.MAR.2024 15:53:11




Date: 4.MAR.2024 15:54:42

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	49.100	37.000
110	5550	39.900	36.400
134	5670	54.799	37.400

CH102




Date: 4.MAR.2024 16:23:34

CH110
26 dB Bandwidth




Date: 4.MAR.2024 16:24:49

CH134




Date: 4.MAR.2024 16:26:27


99 % Occupied Bandwidth



Date: 4.MAR.2024 16:23:01



Date: 4.MAR.2024 16:24:12



Date: 4.MAR.2024 16:25:58