

Test Report No.50343090 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50343090 001 Appendix D)

Contents


Spurious Emissions, Bandedge, 1-DH5_Left Ear	2
Spurious Emissions, Bandedge, 3-DH5_Left Ear	14
Spurious Emissions, TX Mode, 9kHz-30MHz, 1-DH5_Left Ear	26
Spurious Emissions, TX Mode, 30MHz-1GHz, 1-DH5_Left Ear.....	28
Spurious Emissions, TX Mode, 1GHz-26.5GHz, 1-DH5_Left Ear	30
Spurious Emissions, TX Mode, 1GHz-26.5GHz, 3-DH5_Left Ear	36
Spurious Emissions, Bandedge, 1-DH5_Right Ear	42
Spurious Emissions, Bandedge, 3-DH5_Right Ear	54
Spurious Emissions, TX Mode, 9kHz-30MHz, 1-DH5_Right Ear	60
Spurious Emissions, TX Mode, 30MHz-1GHz, 1-DH5_Right Ear	62
Spurious Emissions, TX Mode, 1GHz-26.5GHz, 1-DH5_Right Ear	64
Spurious Emissions, TX Mode, 1GHz-26.5GHz, 3-DH5_Right Ear	70

Spurious Emissions, Bandedge, 1-DH5_Left Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2362.038	46.94	9.77	37.17	74.00	-27.06	204	41	Peak	Horizontal
2 *	2402.000	98.24	61.09	37.15	74.00	24.24	204	41	Peak	Horizontal
3	2740.228	49.68	11.69	37.99	74.00	-24.32	204	41	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2381.862	48.52	11.37	37.15	74.00	-25.48	121	130	Peak	VERTICAL
2 *	2402.000	98.94	61.79	37.15	74.00	24.94	121	130	Peak	VERTICAL
3	2762.648	49.28	11.20	38.08	74.00	-24.72	121	130	Peak	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.582	34.60	-2.55	37.15	54.00	-19.40	204	41	Average	Horizontal
2 *	2402.000	97.84	60.69	37.15	54.00	43.84	204	41	Average	Horizontal
3	2807.842	36.39	-1.73	38.12	54.00	-17.61	204	41	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.768	34.82	-2.32	37.14	54.00	-19.18	121	130	Average	VERTICAL
2 *	2402.000	98.48	61.33	37.15	54.00	44.48	121	130	Average	VERTICAL
3	2809.730	36.39	-1.73	38.12	54.00	-17.61	121	130	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2325.222	47.05	9.91	37.14	74.00	-26.95	127	0	Peak	Horizontal
2 *	2441.000	96.72	59.37	37.35	74.00	22.72	127	0	Peak	Horizontal
3	2737.632	49.32	11.34	37.98	74.00	-24.68	127	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.296	48.91	11.77	37.14	74.00	-25.09	169	216	Peak	Vertical
2 *	2441.000	98.89	61.54	37.35	74.00	24.89	169	216	Peak	Vertical
3	2760.878	49.62	11.54	38.08	74.00	-24.38	169	216	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.588	34.48	-2.66	37.14	54.00	-19.52	127	0	Average	Horizontal
2 *	2441.000	96.28	58.93	37.35	54.00	42.28	127	0	Average	Horizontal
3	2778.578	36.37	-1.73	38.10	54.00	-17.63	127	0	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.694	34.62	-2.53	37.15	54.00	-19.38	169	216	Average	Vertical
2 *	2441.000	98.40	61.05	37.35	54.00	44.40	169	216	Average	Vertical
3	2814.214	36.65	-1.46	38.11	54.00	-17.35	169	216	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2327.818	46.63	9.48	37.15	74.00	-27.37	110	11	Peak	Horizontal
2 *	2480.000	94.81	57.25	37.56	74.00	20.81	110	11	Peak	Horizontal
3	2836.516	48.77	10.67	38.10	74.00	-25.23	110	11	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2349.766	47.35	10.18	37.17	74.00	-26.65	117	215	Peak	Vertical
2 *	2480.000	98.13	60.57	37.56	74.00	24.13	117	215	Peak	Vertical
3	2802.532	49.46	11.34	38.12	74.00	-24.54	117	215	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2373.602	34.44	-2.71	37.15	54.00	-19.56	110	11	Average	Horizontal
2 *	2480.000	94.33	56.77	37.56	54.00	40.33	110	11	Average	Horizontal
3	2761.350	36.31	-1.77	38.08	54.00	-17.69	110	11	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2380.918	34.52	-2.63	37.15	54.00	-19.48	117	215	Average	Vertical
2 *	2480.000	97.71	60.15	37.56	54.00	43.71	117	215	Average	Vertical
3	2817.990	36.44	-1.67	38.11	54.00	-17.56	117	215	Average	Vertical

Spurious Emissions, Bandedge, 3-DH5_Left Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2357.908	47.84	10.68	37.16	74.00	-26.16	204	41	Peak	Horizontal
2 *	2402.000	98.84	61.69	37.15	74.00	24.84	204	41	Peak	Horizontal
3	2830.380	49.54	11.44	38.10	74.00	-24.46	204	41	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.148	47.55	10.40	37.15	74.00	-26.45	121	130	Peak	Vertical
2 *	2402.000	98.45	61.30	37.15	74.00	24.45	121	130	Peak	Vertical
3	2796.042	49.43	11.31	38.12	74.00	-24.57	121	130	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2366.994	34.52	-2.65	37.17	54.00	-19.48	204	41	Average	Horizontal
2 *	2402.000	98.75	61.60	37.15	54.00	44.75	204	41	Average	Horizontal
3	2782.708	36.42	-1.68	38.10	54.00	-17.58	204	41	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.296	34.74	-2.40	37.14	54.00	-19.26	121	130	Average	Vertical
2 *	2402.000	98.32	61.17	37.15	54.00	44.32	121	130	Average	Vertical
3	2793.092	36.31	-1.81	38.12	54.00	-17.69	121	130	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2360.150	46.94	9.77	37.17	74.00	-27.06	127	0	Peak	Horizontal
2 *	2441.000	96.49	59.14	37.35	74.00	22.49	127	0	Peak	Horizontal
3	2597.212	48.88	11.09	37.79	74.00	-25.12	127	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	49.42	12.28	37.14	74.00	-24.58	169	216	Peak	Vertical
2 *	2441.000	98.62	61.27	37.35	74.00	24.62	169	216	Peak	Vertical
3	2844.304	50.15	12.06	38.09	74.00	-23.85	169	216	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2380.682	34.58	-2.57	37.15	54.00	-19.42	127	0	Average	Horizontal
2 *	2441.000	96.41	59.06	37.35	54.00	42.41	127	0	Average	Horizontal
3	2815.276	36.33	-1.78	38.11	54.00	-17.67	127	0	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.706	34.57	-2.57	37.14	54.00	-19.43	169	216	Average	Vertical
2 *	2441.000	98.55	61.20	37.35	54.00	44.55	169	216	Average	Vertical
3	2816.102	36.44	-1.68	38.12	54.00	-17.56	169	216	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.738	46.70	9.55	37.15	74.00	-27.30	176	9	Peak	Horizontal
2 *	2480.000	96.02	58.46	37.56	74.00	22.02	176	9	Peak	Horizontal
3	2888.672	49.22	11.17	38.05	74.00	-24.78	176	9	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2352.362	46.57	9.39	37.18	74.00	-27.43	117	215	Peak	Vertical
2 *	2480.000	98.20	60.64	37.56	74.00	24.20	117	215	Peak	Vertical
3	2845.720	48.97	10.88	38.09	74.00	-25.03	117	215	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.284	34.66	-2.49	37.15	54.00	-19.34	176	9	Average	Horizontal
2 *	2480.000	95.93	58.37	37.56	54.00	41.93	176	9	Average	Horizontal
3	2803.240	36.50	-1.62	38.12	54.00	-17.50	176	9	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2346.108	34.84	-2.33	37.17	54.00	-19.16	117	215	Average	Vertical
2 *	2480.000	98.12	60.56	37.56	54.00	44.12	117	215	Average	Vertical
3	2789.434	36.42	-1.69	38.11	54.00	-17.58	117	215	Average	Vertical

Spurious Emissions, TX Mode, 9kHz-30MHz, 1-DH5_Left Ear


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.012	80.93	3.30	77.63	126.06	-45.13	100	275	QP	vertical
2	0.018	76.48	2.91	73.57	122.31	-45.83	100	146	QP	vertical
3	0.043	66.33	-0.38	66.71	114.85	-48.52	100	275	QP	vertical
4	0.081	59.44	-1.71	61.15	109.40	-49.96	100	143	QP	vertical
5	0.098	56.68	-2.86	59.54	107.81	-51.13	100	72	QP	vertical
6	0.127	54.98	-2.70	57.68	105.52	-50.54	100	30	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.544	57.22	11.16	46.06	72.89	-15.67	100	135	QP	vertical
2	4.433	50.48	12.14	38.34	69.50	-19.02	100	138	QP	vertical
3	7.308	50.02	11.74	38.28	69.50	-19.48	100	128	QP	vertical
4	13.323	49.66	12.19	37.47	69.50	-19.84	100	64	QP	vertical
5	17.233	49.67	12.60	37.07	69.50	-19.83	100	195	QP	vertical
6	19.544	49.19	12.85	36.34	69.50	-20.31	100	222	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz, 1-DH5_Left Ear


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	68.800	33.01	42.60	-9.59	40.00	-6.99	200	136	QP	horizontal
2	203.727	30.96	40.75	-9.79	43.50	-12.54	100	145	QP	horizontal
3	221.672	30.38	40.06	-9.68	46.00	-15.62	100	249	QP	horizontal
4	318.866	34.64	40.45	-5.81	46.00	-11.36	166	230	QP	horizontal
5	461.650	33.50	37.02	-3.52	46.00	-12.50	200	166	QP	horizontal
6	802.702	33.38	31.52	1.86	46.00	-12.62	100	226	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	59.973	34.42	42.58	-8.16	40.00	-5.58	100	84 QP		vertical
2	68.897	33.95	43.56	-9.61	40.00	-6.05	100	78 QP		vertical
3	326.238	27.77	33.35	-5.58	46.00	-18.23	100	176 QP		vertical
4	394.720	28.43	33.02	-4.59	46.00	-17.57	100	173 QP		vertical
5	450.204	28.39	31.92	-3.53	46.00	-17.61	100	209 QP		vertical
6	572.036	28.52	30.28	-1.76	46.00	-17.48	100	15 QP		vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz, 1-DH5_Left Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	47.95	57.39	-9.44	74.00	-26.05	100	314	Peak	horizontal
2	7206.000	52.02	58.84	-6.82	54.00	-1.98	100	321	Average	horizontal
3	7206.000	56.82	63.64	-6.82	74.00	-17.18	100	321	Peak	horizontal
4	9608.000	44.25	48.49	-4.24	74.00	-29.75	100	90	Peak	horizontal
5	14412.000	42.30	39.42	2.88	54.00	-11.70	104	220	Average	horizontal
6	14412.000	53.40	50.52	2.88	74.00	-20.60	104	220	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4804.000	51.08	60.52	-9.44	54.00	-2.92	100	169	Average	vertical
2	4804.000	54.04	63.48	-9.44	74.00	-19.96	100	169	Peak	vertical
3 !	7206.000	53.61	60.43	-6.82	54.00	-0.39	101	245	Average	vertical
4	7206.000	59.20	66.02	-6.82	74.00	-14.80	101	245	Peak	vertical
5	9608.000	45.01	49.25	-4.24	74.00	-28.99	100	189	Peak	vertical
6	14412.000	45.97	43.09	2.88	54.00	-8.03	100	224	Average	vertical
7	14412.000	56.68	53.80	2.88	74.00	-17.32	100	224	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	42.38	51.68	-9.30	74.00	-31.62	100	188	Peak	horizontal
2	7323.000	52.35	59.05	-6.70	54.00	-1.65	143	173	Average	horizontal
3	7323.000	57.13	63.83	-6.70	74.00	-16.87	143	173	Peak	horizontal
4	9764.000	46.51	50.38	-3.87	54.00	-7.49	100	73	Average	horizontal
5	9764.000	54.94	58.81	-3.87	74.00	-19.06	100	73	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	45.27	54.57	-9.30	74.00	-28.73	100	298	Peak	vertical
2	7323.000	53.67	60.37	-6.70	54.00	-0.33	101	296	Average	vertical
3	7323.000	58.90	65.60	-6.70	74.00	-15.10	101	296	Peak	vertical
4	9764.000	46.15	50.02	-3.87	54.00	-7.85	100	187	Average	vertical
5	9764.000	54.30	58.17	-3.87	74.00	-19.70	100	187	Peak	vertical
6	14646.000	45.90	42.49	3.41	54.00	-8.10	110	65	Average	vertical
7	14646.000	56.65	53.24	3.41	74.00	-17.35	110	65	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	45.94	55.07	-9.13	54.00	-8.06	100	216	Average	horizontal
2	4960.000	50.32	59.45	-9.13	74.00	-23.68	100	216	Peak	horizontal
3	7440.000	50.32	57.02	-6.70	54.00	-3.68	148	173	Average	horizontal
4	7440.000	55.14	61.84	-6.70	74.00	-18.86	148	173	Peak	horizontal
5	9920.000	46.72	50.36	-3.64	54.00	-7.28	106	75	Average	horizontal
6	9920.000	54.58	58.22	-3.64	74.00	-19.42	106	75	Peak	horizontal
7	14880.000	42.28	38.58	3.70	54.00	-11.72	102	220	Average	horizontal
8	14880.000	53.89	50.19	3.70	74.00	-20.11	102	220	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.000	49.38	58.51	-9.13	54.00	-4.62	293	181	Average	vertical
2	4960.000	52.82	61.95	-9.13	74.00	-21.18	293	181	Peak	vertical
3 !	7440.000	53.03	59.73	-6.70	54.00	-0.97	107	297	Average	vertical
4	7440.000	57.43	64.13	-6.70	74.00	-16.57	107	297	Peak	vertical
5 !	9920.000	48.18	51.82	-3.64	54.00	-5.82	100	171	Average	vertical
6	9920.000	56.02	59.66	-3.64	74.00	-17.98	100	171	Peak	vertical
7	14880.000	45.52	41.82	3.70	54.00	-8.48	109	244	Average	vertical
8	14880.000	56.10	52.40	3.70	74.00	-17.90	109	244	Peak	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz, 3-DH5_Left Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	45.65	55.09	-9.44	54.00	-8.35	110	298	Average	horizontal
2	4804.000	52.24	61.68	-9.44	74.00	-21.76	110	298	Peak	horizontal
3	7206.000	51.16	57.98	-6.82	54.00	-2.84	102	320	Average	horizontal
4	7206.000	58.68	65.50	-6.82	74.00	-15.32	102	320	Peak	horizontal
5	9608.000	45.54	49.78	-4.24	74.00	-28.46	100	63	Peak	horizontal
6	14412.000	41.67	38.79	2.88	54.00	-12.33	108	220	Average	horizontal
7	14412.000	53.80	50.92	2.88	74.00	-20.20	108	220	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4804.000	48.41	57.85	-9.44	54.00	-5.59	100	170	Average	vertical
2	4804.000	54.10	63.54	-9.44	74.00	-19.90	100	170	Peak	vertical
3 !	7206.000	53.51	60.33	-6.82	54.00	-0.49	108	246	Average	vertical
4	7206.000	61.09	67.91	-6.82	74.00	-12.91	108	246	Peak	vertical
5	9608.000	39.96	44.20	-4.24	54.00	-14.04	100	227	Average	vertical
6	9608.000	50.85	55.09	-4.24	74.00	-23.15	100	227	Peak	vertical
7	14412.000	46.13	43.25	2.88	54.00	-7.87	112	64	Average	vertical
8	14412.000	58.07	55.19	2.88	74.00	-15.93	112	64	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	7323.000	49.67	56.37	-6.70	54.00	-4.33	114	172	Average	horizontal
2	7323.000	57.25	63.95	-6.70	74.00	-16.75	114	172	Peak	horizontal
3	9764.000	46.18	50.05	-3.87	54.00	-7.82	100	74	Average	horizontal
4	9764.000	55.54	59.41	-3.87	74.00	-18.46	100	74	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	45.06	54.36	-9.30	74.00	-28.94	100	351	Peak	vertical
2	7323.000	52.01	58.71	-6.70	54.00	-1.99	110	245	Average	vertical
3	7323.000	59.47	66.17	-6.70	74.00	-14.53	110	245	Peak	vertical
4	9764.000	45.39	49.26	-3.87	54.00	-8.61	100	222	Average	vertical
5	9764.000	55.04	58.91	-3.87	74.00	-18.96	100	222	Peak	vertical
6	14646.000	43.12	39.71	3.41	54.00	-10.88	100	222	Average	vertical
7	14646.000	55.24	51.83	3.41	74.00	-18.76	100	222	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	43.47	52.60	-9.13	54.00	-10.53	100	218	Average	horizontal
2	4960.000	51.12	60.25	-9.13	74.00	-22.88	100	218	Peak	horizontal
3	7440.000	46.21	52.91	-6.70	54.00	-7.79	103	156	Average	horizontal
4	7440.000	53.98	60.68	-6.70	74.00	-20.02	103	156	Peak	horizontal
5	9920.000	46.07	49.71	-3.64	54.00	-7.93	104	75	Average	horizontal
6	9920.000	55.13	58.77	-3.64	74.00	-18.87	104	75	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	47.22	56.35	-9.13	54.00	-6.78	264	177	Average	vertical
2	4960.000	54.43	63.56	-9.13	74.00	-19.57	264	177	Peak	vertical
3	7440.000	50.57	57.27	-6.70	54.00	-3.43	106	296	Average	vertical
4	7440.000	57.66	64.36	-6.70	74.00	-16.34	106	296	Peak	vertical
5	9920.000	47.10	50.74	-3.64	54.00	-6.90	100	172	Average	vertical
6	9920.000	55.95	59.59	-3.64	74.00	-18.05	100	172	Peak	vertical
7	14880.000	44.59	40.89	3.70	54.00	-9.41	113	64	Average	vertical
8	14880.000	56.50	52.80	3.70	74.00	-17.50	113	64	Peak	vertical

Spurious Emissions, Bandedge, 1-DH5_Right Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2380.918	46.95	9.80	37.15	74.00	-27.05	164	172	Peak	HORIZONTAL
2 *	2402.000	95.82	58.67	37.15	74.00	21.82	164	172	Peak	HORIZONTAL
3	2823.654	49.21	11.11	38.10	74.00	-24.79	164	172	Peak	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2341.506	47.49	10.33	37.16	74.00	-26.51	120	132	Peak	Vertical
2 *	2402.000	101.32	64.17	37.15	74.00	27.32	120	132	Peak	Vertical
3	2848.788	49.49	11.40	38.09	74.00	-24.51	120	132	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.886	34.82	-2.32	37.14	54.00	-19.18	164	172	Average	HORIZONTAL
2 *	2402.000	95.41	58.26	37.15	54.00	41.41	164	172	Average	HORIZONTAL
3	2792.856	36.23	-1.89	38.12	54.00	-17.77	164	172	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2369.826	35.16	-2.00	37.16	54.00	-18.84	120	132	Average	Vertical
2 *	2402.000	100.92	63.77	37.15	54.00	46.92	120	132	Average	Vertical
3	2834.510	36.32	-1.78	38.10	54.00	-17.68	120	132	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2349.884	46.64	9.47	37.17	74.00	-27.36	198	182	Peak	HORIZONTAL
2 *	2441.000	93.85	56.50	37.35	74.00	19.85	198	182	Peak	HORIZONTAL
3	2825.070	49.38	11.27	38.11	74.00	-24.62	198	182	Peak	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2374.900	46.97	9.82	37.15	74.00	-27.03	102	147	Peak	Vertical
2 *	2441.000	99.28	61.93	37.35	74.00	25.28	102	147	Peak	Vertical
3	2821.058	48.29	10.18	38.11	74.00	-25.71	102	147	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2365.460	34.57	-2.59	37.16	54.00	-19.43	198	182	Average	HORIZONTAL
2 *	2441.000	93.43	56.08	37.35	54.00	39.43	198	182	Average	HORIZONTAL
3	2806.544	36.37	-1.75	38.12	54.00	-17.63	198	182	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.178	34.92	-2.22	37.14	54.00	-19.08	102	147	Average	Vertical
2 *	2441.000	98.89	61.54	37.35	54.00	44.89	102	147	Average	Vertical
3	2813.388	36.42	-1.69	38.11	54.00	-17.58	102	147	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2323.924	46.96	9.82	37.14	74.00	-27.04	174	168	Peak	HORIZONTAL
2 *	2480.000	92.52	54.96	37.56	74.00	18.52	174	168	Peak	HORIZONTAL
3	2811.146	49.52	11.40	38.12	74.00	-24.48	174	168	Peak	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.060	47.47	10.33	37.14	74.00	-26.53	165	144	Peak	VERTICAL
2 *	2480.000	96.89	59.33	37.56	74.00	22.89	165	144	Peak	VERTICAL
3	2755.804	50.23	12.16	38.07	74.00	-23.77	165	144	Peak	VERTICAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2381.862	34.57	-2.58	37.15	54.00	-19.43	174	168	Average	HORIZONTAL
2 *	2480.000	92.09	54.53	37.56	54.00	38.09	174	168	Average	HORIZONTAL
3	2805.128	36.28	-1.84	38.12	54.00	-17.72	174	168	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.650	34.82	-2.32	37.14	54.00	-19.18	165	144	Average	VERTICAL
2 *	2480.000	96.37	58.81	37.56	54.00	42.37	165	144	Average	VERTICAL
3	2797.104	36.22	-1.90	38.12	54.00	-17.78	165	144	Average	VERTICAL

Spurious Emissions, Bandedge, 3-DH5_Right Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	47.55	57.59	-10.04	74.00	-26.45	100	174	Peak	horizontal
2	7206.000	49.14	56.70	-7.56	54.00	-4.86	102	211	Average	horizontal
3	7206.000	56.71	64.27	-7.56	74.00	-17.29	102	211	Peak	horizontal
4	9608.000	47.38	52.70	-5.32	74.00	-26.62	100	26	Peak	horizontal
5	12010.000	47.01	47.77	-0.76	74.00	-26.99	100	130	Peak	horizontal
6	14412.000	40.63	38.74	1.89	54.00	-13.37	107	51	Average	horizontal
7	14412.000	52.98	51.09	1.89	74.00	-21.02	107	51	Peak	horizontal







	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	46.89	56.19	-9.30	74.00	-27.11	100	294	Peak	horizontal
2	7323.000	48.70	55.40	-6.70	54.00	-5.30	106	242	Average	horizontal
3	7323.000	56.07	62.77	-6.70	74.00	-17.93	106	242	Peak	horizontal
4	9764.000	46.46	50.33	-3.87	54.00	-7.54	103	107	Average	horizontal
5	9764.000	55.24	59.11	-3.87	74.00	-18.76	103	107	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	45.23	54.53	-9.30	54.00	-8.77	100	189	Average	vertical
2	4882.000	52.04	61.34	-9.30	74.00	-21.96	100	189	Peak	vertical
3	7323.000	47.20	53.90	-6.70	54.00	-6.80	108	86	Average	vertical
4	7323.000	54.77	61.47	-6.70	74.00	-19.23	108	86	Peak	vertical
5	9764.000	50.05	53.92	-3.87	54.00	-3.95	105	41	Average	vertical
6	9764.000	58.64	62.51	-3.87	74.00	-15.36	105	41	Peak	vertical
7	14646.000	43.53	40.12	3.41	54.00	-10.47	100	360	Average	vertical
8	14646.000	55.17	51.76	3.41	74.00	-18.83	100	360	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.000	49.26	58.39	-9.13	54.00	-4.74	100	297	Average	horizontal
2	4960.000	55.54	64.67	-9.13	74.00	-18.46	100	297	Peak	horizontal
3	7440.000	46.28	52.98	-6.70	54.00	-7.72	102	240	Average	horizontal
4	7440.000	54.05	60.75	-6.70	74.00	-19.95	102	240	Peak	horizontal
5	9920.000	44.68	48.32	-3.64	54.00	-9.32	100	142	Average	horizontal
6	9920.000	54.06	57.70	-3.64	74.00	-19.94	100	142	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	56.15	65.28	-9.13	74.00	-17.85	100	186	Peak	vertical
2	4960.000	49.85	58.98	-9.13	74.00	-24.15	100	186	Peak	Vertical
3	7440.000	46.75	53.45	-6.70	54.00	-7.25	107	96	Average	vertical
4	7440.000	54.50	61.20	-6.70	74.00	-19.50	107	96	Peak	vertical
5	9920.000	46.94	50.58	-3.64	54.00	-7.06	100	24	Average	vertical
6	9920.000	55.52	59.16	-3.64	74.00	-18.48	100	24	Peak	vertical

Spurious Emissions, TX Mode, 9kHz-30MHz, 1-DH5_Right Ear


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.010	83.58	4.51	79.07	127.77	-44.19	100	360	QP	vertical
2	0.021	74.29	2.02	72.27	120.95	-46.66	100	94	QP	vertical
3	0.046	65.13	-0.93	66.06	114.35	-49.22	100	222	QP	vertical
4	0.067	62.11	-0.59	62.70	111.03	-48.92	100	294	QP	vertical
5	0.086	58.92	-1.82	60.74	108.87	-49.95	100	254	QP	vertical
6	0.112	56.23	-2.34	58.57	106.64	-50.41	100	287	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1.284	52.53	12.92	39.61	65.43	-12.90	100	342	QP	vertical
2	4.433	51.71	13.37	38.34	69.50	-17.79	100	195	QP	vertical
3	6.439	51.22	12.86	38.36	69.50	-18.28	100	325	QP	vertical
4	12.800	50.84	13.45	37.39	69.50	-18.66	100	272	QP	vertical
5	19.732	49.30	12.99	36.31	69.50	-20.20	100	238	QP	vertical
6	28.505	48.44	12.27	36.17	69.50	-21.06	100	86	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz, 1-DH5_Right Ear


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	76.560	32.68	44.21	-11.53	40.00	-7.32	200	159	QP	horizontal
2	215.949	25.46	35.29	-9.83	43.50	-18.04	100	152	QP	horizontal
3	315.859	29.95	35.89	-5.94	46.00	-16.05	100	70	QP	horizontal
4	456.024	30.03	33.55	-3.52	46.00	-15.97	200	25	QP	horizontal
5	613.649	29.10	29.95	-0.85	46.00	-16.90	100	138	QP	horizontal
6	854.015	32.91	30.29	2.62	46.00	-13.09	200	360	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	74.717	24.17	35.27	-11.10	40.00	-15.83	200	80	QP	vertical
2	99.743	22.31	34.84	-12.53	43.50	-21.19	200	143	QP	vertical
3	443.996	28.00	31.57	-3.57	46.00	-18.00	200	173	QP	vertical
4	718.991	31.30	30.82	0.48	46.00	-14.70	151	360	QP	vertical
5	861.581	33.86	31.17	2.69	46.00	-12.14	100	149	QP	vertical
6	897.277	34.31	31.08	3.23	46.00	-11.69	101	360	QP	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz, 1-DH5_Right Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	47.29	57.33	-10.04	74.00	-26.71	100	64	Peak	horizontal
2	7206.000	50.26	57.82	-7.56	54.00	-3.74	100	249	Average	horizontal
3	7206.000	54.36	61.92	-7.56	74.00	-19.64	100	249	Peak	horizontal
4	9608.000	46.42	51.74	-5.32	74.00	-27.58	100	0	Peak	horizontal
5	12010.000	47.95	48.71	-0.76	74.00	-26.05	100	232	Peak	horizontal
6	14412.000	41.20	39.31	1.89	54.00	-12.80	100	45	Average	horizontal
7	14412.000	50.02	48.13	1.89	74.00	-23.98	100	45	Peak	horizontal







	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	45.55	55.45	-9.90	74.00	-28.45	100	305	Peak	horizontal
2	7323.000	49.46	56.93	-7.47	54.00	-4.54	106	196	Average	horizontal
3	7323.000	54.72	62.19	-7.47	74.00	-19.28	106	196	Peak	horizontal
4	9764.000	45.69	50.61	-4.92	54.00	-8.31	104	107	Average	horizontal
5	9764.000	53.68	58.60	-4.92	74.00	-20.32	104	107	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	46.69	56.59	-9.90	54.00	-7.31	100	183	Average	vertical
2	4882.000	48.23	58.13	-9.90	74.00	-25.77	100	183	Peak	vertical
3	7323.000	46.89	54.36	-7.47	54.00	-7.11	100	75	Average	vertical
4	7323.000	51.63	59.10	-7.47	74.00	-22.37	100	75	Peak	vertical
5	9763.000	48.78	53.70	-4.92	54.00	-5.22	100	350	Average	vertical
6	9763.000	55.55	60.47	-4.92	74.00	-18.45	100	350	Peak	vertical
7	14646.000	44.64	42.32	2.32	54.00	-9.36	100	132	Average	vertical
8	14646.000	52.12	49.80	2.32	74.00	-21.88	100	132	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.000	49.63	59.36	-9.73	54.00	-4.37	100	298	Average	horizontal
2	4960.000	51.44	61.17	-9.73	74.00	-22.56	100	298	Peak	horizontal
3	7440.000	47.87	55.36	-7.49	54.00	-6.13	100	59	Average	horizontal
4	7440.000	50.38	57.87	-7.49	74.00	-23.62	100	59	Peak	horizontal
5	9920.000	41.72	46.38	-4.66	54.00	-12.28	100	132	Average	horizontal
6	9920.000	50.14	54.80	-4.66	74.00	-23.86	100	132	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.000	49.96	59.69	-9.73	54.00	-4.04	100	161	Average	vertical
2	4960.000	52.24	61.97	-9.73	74.00	-21.76	100	161	Peak	vertical
3	7440.000	46.77	54.26	-7.49	54.00	-7.23	100	92	Average	vertical
4	7440.000	50.53	58.02	-7.49	74.00	-23.47	100	92	Peak	vertical
5	9920.000	46.69	51.35	-4.66	54.00	-7.31	100	5	Average	vertical
6	9920.000	52.79	57.45	-4.66	74.00	-21.21	100	5	Peak	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz, 3-DH5_Right Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	47.55	57.59	-10.04	74.00	-26.45	100	174	Peak	horizontal
2	7206.000	49.14	56.70	-7.56	54.00	-4.86	102	211	Average	horizontal
3	7206.000	56.71	64.27	-7.56	74.00	-17.29	102	211	Peak	horizontal
4	9608.000	47.38	52.70	-5.32	74.00	-26.62	100	26	Peak	horizontal
5	12010.000	47.01	47.77	-0.76	74.00	-26.99	100	130	Peak	horizontal
6	14412.000	40.63	38.74	1.89	54.00	-13.37	107	51	Average	horizontal
7	14412.000	52.98	51.09	1.89	74.00	-21.02	107	51	Peak	horizontal







	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	46.89	56.19	-9.30	74.00	-27.11	100	294	Peak	horizontal
2	7323.000	48.70	55.40	-6.70	54.00	-5.30	106	242	Average	horizontal
3	7323.000	56.07	62.77	-6.70	74.00	-17.93	106	242	Peak	horizontal
4	9764.000	46.46	50.33	-3.87	54.00	-7.54	103	107	Average	horizontal
5	9764.000	55.24	59.11	-3.87	74.00	-18.76	103	107	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	45.23	54.53	-9.30	54.00	-8.77	100	189	Average	vertical
2	4882.000	52.04	61.34	-9.30	74.00	-21.96	100	189	Peak	vertical
3	7323.000	47.20	53.90	-6.70	54.00	-6.80	108	86	Average	vertical
4	7323.000	54.77	61.47	-6.70	74.00	-19.23	108	86	Peak	vertical
5	9764.000	50.05	53.92	-3.87	54.00	-3.95	105	41	Average	vertical
6	9764.000	58.64	62.51	-3.87	74.00	-15.36	105	41	Peak	vertical
7	14646.000	43.53	40.12	3.41	54.00	-10.47	100	360	Average	vertical
8	14646.000	55.17	51.76	3.41	74.00	-18.83	100	360	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.000	49.26	58.39	-9.13	54.00	-4.74	100	297	Average	horizontal
2	4960.000	55.54	64.67	-9.13	74.00	-18.46	100	297	Peak	horizontal
3	7440.000	46.28	52.98	-6.70	54.00	-7.72	102	240	Average	horizontal
4	7440.000	54.05	60.75	-6.70	74.00	-19.95	102	240	Peak	horizontal
5	9920.000	44.68	48.32	-3.64	54.00	-9.32	100	142	Average	horizontal
6	9920.000	54.06	57.70	-3.64	74.00	-19.94	100	142	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	56.15	65.28	-9.13	74.00	-17.85	100	186	Peak	vertical
2	4960.000	49.85	58.98	-9.13	74.00	-24.15	100	186	Peak	Vertical
3	7440.000	46.75	53.45	-6.70	54.00	-7.25	107	96	Average	vertical
4	7440.000	54.50	61.20	-6.70	74.00	-19.50	107	96	Peak	vertical
5	9920.000	46.94	50.58	-3.64	54.00	-7.06	100	24	Average	vertical
6	9920.000	55.52	59.16	-3.64	74.00	-18.48	100	24	Peak	vertical