

Test Report No.50343091 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50343091 001 Appendix D)

Contents


Spurious Emissions, Bandedge, Left Ear	2
Spurious Emissions, TX Mode, 9kHz-30MHz, Left Ear.....	14
Spurious Emissions, TX Mode, 30MHz-1GHz, Left Ear.....	16
Spurious Emissions, TX Mode, 1GHz-26.5GHz, Left Ear	18
Spurious Emissions, Bandedge, Right Ear	24
Spurious Emissions, TX Mode, 9kHz-30MHz, Right Ear	36
Spurious Emissions, TX Mode, 30MHz-1GHz, Right Ear	38
Spurious Emissions, TX Mode, 1GHz-26.5GHz, Right Ear	40

Spurious Emissions, Bandedge, Left Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.650	47.92	10.78	37.14	74.00	-26.08	202	335	Peak	HORIZONTAL
2 *	2402.000	92.75	55.60	37.15	74.00	18.75	202	335	Peak	HORIZONTAL
3	2782.944	49.82	11.71	38.11	74.00	-24.18	202	335	Peak	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2316.254	46.81	9.68	37.13	74.00	-27.19	104	254	Peak	Vertical
2 *	2402.000	93.13	55.98	37.15	74.00	19.13	104	254	Peak	Vertical
3	2673.794	49.09	11.47	37.62	74.00	-24.91	104	254	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.464	35.44	-1.71	37.15	54.00	-18.56	202	335	Average	HORIZONTAL
2 *	2402.000	91.75	54.60	37.15	54.00	37.75	202	335	Average	HORIZONTAL
3	2793.446	37.14	-0.98	38.12	54.00	-16.86	202	335	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.532	35.60	-1.54	37.14	54.00	-18.40	104	254	Average	Vertical
2 *	2402.000	92.11	54.96	37.15	54.00	38.11	104	254	Average	Vertical
3	2831.088	37.17	-0.93	38.10	54.00	-16.83	104	254	Average	Vertical


2440MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2321.446	48.21	11.07	37.14	74.00	-25.79	159	194	Peak	HORIZONTAL
2 *	2440.000	90.31	52.96	37.35	74.00	16.31	159	194	Peak	HORIZONTAL
3	2772.324	49.11	11.02	38.09	74.00	-24.89	159	194	Peak	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.396	46.96	9.81	37.15	74.00	-27.04	100	292	Peak	Vertical
2 *	2440.000	91.53	54.18	37.35	74.00	17.53	100	292	Peak	Vertical
3	2621.166	48.87	11.19	37.68	74.00	-25.13	100	292	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2381.272	35.55	-1.60	37.15	54.00	-18.45	159	194	Average	HORIZONTAL
2 *	2440.000	89.33	51.98	37.35	54.00	35.33	159	194	Average	HORIZONTAL
3	2829.908	37.30	-0.80	38.10	54.00	-16.70	159	194	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2348.232	35.23	-1.94	37.17	54.00	-18.77	100	292	Average	Vertical
2 *	2440.000	90.53	53.18	37.35	54.00	36.53	100	292	Average	Vertical
3	2811.972	37.23	-0.89	38.12	54.00	-16.77	100	292	Average	Vertical


2480MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.526	46.73	9.59	37.14	74.00	-27.27	108	303	Peak	HORIZONTAL
2 *	2480.000	88.66	51.10	37.56	74.00	14.66	108	303	Peak	HORIZONTAL
3	2858.700	49.17	11.09	38.08	74.00	-24.83	108	303	Peak	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.064	48.14	10.96	37.18	74.00	-25.86	100	249	Peak	VERTICAL
2 *	2480.000	89.62	52.06	37.56	74.00	15.62	100	249	Peak	VERTICAL
3	2795.570	49.29	11.17	38.12	74.00	-24.71	100	249	Peak	VERTICAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.818	35.42	-1.73	37.15	54.00	-18.58	108	303	Average	HORIZONTAL
2 *	2480.000	87.67	50.11	37.56	54.00	33.67	108	303	Average	HORIZONTAL
3	2800.762	37.54	-0.59	38.13	54.00	-16.46	108	303	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.732	35.33	-1.82	37.15	54.00	-18.67	100	249	Average	VERTICAL
2 *	2480.000	88.55	50.99	37.56	54.00	34.55	100	249	Average	VERTICAL
3	2784.832	37.26	-0.85	38.11	54.00	-16.74	100	249	Average	VERTICAL

Spurious Emissions, TX Mode, 9kHz-30MHz, Left Ear


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.011	83.18	5.15	78.03	126.54	-43.36	100	227	QP	vertical
2	0.031	70.74	0.32	70.42	117.75	-47.01	100	16	QP	vertical
3	0.056	62.76	-1.51	64.27	112.69	-49.93	100	356	QP	vertical
4	0.079	59.07	-2.32	61.39	109.68	-50.61	100	295	QP	vertical
5	0.100	57.77	-1.46	59.23	107.57	-49.80	100	335	QP	vertical
6	0.120	55.43	-2.66	58.09	106.01	-50.58	100	16	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.446	59.12	11.49	47.63	94.63	-35.51	100	147	QP	vertical
2	4.433	51.57	13.23	38.34	69.50	-17.93	100	47	QP	vertical
3	8.269	51.44	13.44	38.00	69.50	-18.06	100	18	QP	vertical
4	14.553	51.52	13.84	37.68	69.50	-17.98	100	0	QP	vertical
5	22.409	50.26	14.51	35.75	69.50	-19.24	100	34	QP	vertical
6	27.134	47.31	12.89	34.42	69.50	-22.19	100	27	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz, Left Ear


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	74.814	33.03	44.15	-11.12	40.00	-6.97	100	7 QP		horizontal
2	93.147	34.21	47.76	-13.55	43.50	-9.29	200	136 QP		horizontal
3	114.196	36.44	47.07	-10.63	43.50	-7.06	200	136 QP		horizontal
4	216.046	29.09	38.92	-9.83	46.00	-16.91	100	142 QP		horizontal
5	342.243	30.50	36.05	-5.55	46.00	-15.50	100	132 QP		horizontal
6	718.118	30.41	29.95	0.46	46.00	-15.59	100	152 QP		horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	74.717	26.14	37.24	-11.10	40.00	-13.86	200	273	QP	vertical
2	169.874	23.09	30.60	-7.51	43.50	-20.41	100	180	QP	vertical
3	486.191	26.87	30.22	-3.35	46.00	-19.13	200	177	QP	vertical
4	700.658	28.49	28.27	0.22	46.00	-17.51	200	360	QP	vertical
5	738.197	30.08	29.05	1.03	46.00	-15.92	200	4	QP	vertical
6	898.247	32.58	29.34	3.24	46.00	-13.42	100	90	QP	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz, Left Ear


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	43.97	53.41	-9.44	74.00	-30.03	100	299	Peak	horizontal
2	7206.000	42.68	49.50	-6.82	54.00	-11.32	100	318	Average	horizontal
3	7206.000	50.71	57.53	-6.82	74.00	-23.29	100	318	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	42.52	51.96	-9.44	74.00	-31.48	200	210	Peak	vertical
2	7206.000	45.48	52.30	-6.82	54.00	-8.52	100	246	Average	vertical
3	7206.000	54.05	60.87	-6.82	74.00	-19.95	100	246	Peak	vertical


2440MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7320.000	44.78	51.48	-6.70	74.00	-29.22	100	326	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4880.000	43.25	52.56	-9.31	74.00	-30.75	100	293	Peak	vertical
2	7320.000	43.28	49.98	-6.70	54.00	-10.72	109	243	Average	vertical
3	7320.000	51.84	58.54	-6.70	74.00	-22.16	109	243	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	42.58	51.71	-9.13	74.00	-31.42	100	210	Peak	horizontal
2	7440.000	44.39	51.09	-6.70	74.00	-29.61	100	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	43.47	52.60	-9.13	74.00	-30.53	100	201	Peak	vertical
2	7440.000	41.80	48.50	-6.70	54.00	-12.20	101	287	Average	vertical
3	7440.000	50.84	57.54	-6.70	74.00	-23.16	101	287	Peak	vertical
4	9920.000	46.43	50.07	-3.64	74.00	-27.57	100	207	Peak	vertical

Spurious Emissions, Bandedge, Right Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.768	46.96	9.82	37.14	74.00	-27.04	163	166	Peak	HORIZONTAL
2 *	2402.000	89.37	52.22	37.15	74.00	15.37	163	166	Peak	HORIZONTAL
3	2785.776	50.34	12.23	38.11	74.00	-23.66	163	166	Peak	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2348.940	47.19	10.02	37.17	74.00	-26.81	104	123	Peak	Vertical
2 *	2402.000	95.58	58.43	37.15	74.00	21.58	104	123	Peak	Vertical
3	2670.726	48.96	11.35	37.61	74.00	-25.04	104	123	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.750	35.30	-1.85	37.15	54.00	-18.70	163	166	Average	HORIZONTAL
2 *	2402.000	88.31	51.16	37.15	54.00	34.31	163	166	Average	HORIZONTAL
3	2793.800	37.42	-0.70	38.12	54.00	-16.58	163	166	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2372.776	35.59	-1.56	37.15	54.00	-18.41	104	123	Average	Vertical
2 *	2402.000	94.56	57.41	37.15	54.00	40.56	104	123	Average	Vertical
3	2836.870	37.28	-0.82	38.10	54.00	-16.72	104	123	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2310.354	47.44	10.32	37.12	74.00	-26.56	199	160	Peak	HORIZONTAL
2 *	2440.000	87.47	50.12	37.35	74.00	13.47	199	160	Peak	HORIZONTAL
3	2824.716	49.09	10.98	38.11	74.00	-24.91	199	160	Peak	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2342.332	46.98	9.82	37.16	74.00	-27.02	102	120	Peak	Vertical
2 *	2440.000	93.69	56.34	37.35	74.00	19.69	102	120	Peak	Vertical
3	2856.694	50.55	12.46	38.09	74.00	-23.45	102	120	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.570	35.33	-1.81	37.14	54.00	-18.67	199	160	Average	HORIZONTAL
2 *	2440.000	86.44	49.09	37.35	54.00	32.44	199	160	Average	HORIZONTAL
3	2788.608	37.36	-0.75	38.11	54.00	-16.64	199	160	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2350.356	35.37	-1.80	37.17	54.00	-18.63	102	120	Average	Vertical
2 *	2440.000	92.66	55.31	37.35	54.00	38.66	102	120	Average	Vertical
3	2793.800	37.49	-0.63	38.12	54.00	-16.51	102	120	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2350.474	47.69	10.52	37.17	74.00	-26.31	213	176	Peak	HORIZONTAL
2 *	2480.000	86.46	48.90	37.56	74.00	12.46	213	176	Peak	HORIZONTAL
3	2644.884	49.93	12.36	37.57	74.00	-24.07	213	176	Peak	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2371.478	47.56	10.40	37.16	74.00	-26.44	100	120	Peak	VERTICAL
2 *	2480.000	90.99	53.43	37.56	74.00	16.99	100	120	Peak	VERTICAL
3	2813.742	49.53	11.42	38.11	74.00	-24.47	100	120	Peak	VERTICAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2358.852	35.35	-1.81	37.16	54.00	-18.65	213	176	Average	HORIZONTAL
2 *	2480.000	85.43	47.87	37.56	54.00	31.43	213	176	Average	HORIZONTAL
3	2827.430	37.34	-0.77	38.11	54.00	-16.66	213	176	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2357.790	35.47	-1.69	37.16	54.00	-18.53	100	120	Average	VERTICAL
2 *	2480.000	89.96	52.40	37.56	54.00	35.96	100	120	Average	VERTICAL
3	2819.406	37.31	-0.80	38.11	54.00	-16.69	100	120	Average	VERTICAL

Spurious Emissions, TX Mode, 9kHz-30MHz, Right Ear


2440MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.011	81.74	3.63	78.11	126.63	-44.89	100	315	QP	vertical
2	0.030	72.53	1.81	70.72	118.02	-45.49	100	224	QP	vertical
3	0.067	62.13	-0.66	62.79	111.12	-48.99	100	302	QP	vertical
4	0.092	57.83	-2.38	60.21	108.32	-50.49	100	358	QP	vertical
5	0.115	55.63	-2.75	58.38	106.39	-50.76	100	221	QP	vertical
6	0.133	54.51	-2.85	57.36	105.15	-50.64	100	54	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1.992	50.80	12.09	38.71	69.50	-18.70	100	225 QP		vertical
2	6.592	50.00	11.64	38.36	69.50	-19.50	100	54 QP		vertical
3	10.186	49.35	11.83	37.52	69.50	-20.15	100	91 QP		vertical
4	14.574	49.64	11.96	37.68	69.50	-19.86	100	292 QP		vertical
5	21.373	48.60	12.60	36.00	69.50	-20.90	100	298 QP		vertical
6	24.361	46.42	11.86	34.56	69.50	-23.08	100	114 QP		vertical

Spurious Emissions, TX Mode, 30MHz-1GHz, Right Ear


2440MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	74.814	27.87	38.99	-11.12	40.00	-12.13	100	7	QP	horizontal
2	216.046	24.91	34.74	-9.83	46.00	-21.09	100	137	QP	horizontal
3	310.912	31.40	37.52	-6.12	46.00	-14.60	100	192	QP	horizontal
4	325.753	32.90	38.49	-5.59	46.00	-13.10	100	180	QP	horizontal
5	651.964	29.70	30.19	-0.49	46.00	-16.30	100	274	QP	horizontal
6	743.532	31.29	30.10	1.19	46.00	-14.71	100	352	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	74.717	25.47	36.57	-11.10	40.00	-14.53	200	74	QP	vertical
2	99.646	24.55	37.09	-12.54	43.50	-18.95	200	123	QP	vertical
3	414.799	26.05	30.28	-4.23	46.00	-19.95	200	328	QP	vertical
4	499.189	27.23	30.39	-3.16	46.00	-18.77	130	360	QP	vertical
5	628.199	29.78	30.51	-0.73	46.00	-16.22	200	199	QP	vertical
6	762.059	31.38	30.01	1.37	46.00	-14.62	100	197	QP	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz, Right Ear


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7206.000	47.78	54.60	-6.82	74.00	-26.22	100	247	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7206.000	47.46	54.28	-6.82	74.00	-26.54	100	51	Peak	vertical
2	9608.000	47.61	51.85	-4.24	74.00	-26.39	100	19	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4880.000	43.65	52.96	-9.31	74.00	-30.35	100	303	Peak	horizontal
2	7320.000	45.89	52.59	-6.70	74.00	-28.11	100	218	Peak	horizontal
3	9760.000	46.52	50.39	-3.87	74.00	-27.48	100	112	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4880.000	42.91	52.22	-9.31	74.00	-31.09	200	161	Peak	vertical
2	7320.000	44.37	51.07	-6.70	74.00	-29.63	102	85	Peak	vertical
3	9760.000	42.75	46.62	-3.87	54.00	-11.25	100	62	Average	vertical
4	9760.000	52.26	56.13	-3.87	74.00	-21.74	100	62	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	48.00	57.13	-9.13	74.00	-26.00	100	302	Peak	horizontal
2	7440.000	43.60	50.30	-6.70	74.00	-30.40	100	223	Peak	horizontal
3	9920.000	45.80	49.44	-3.64	74.00	-28.20	200	132	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	47.88	57.01	-9.13	74.00	-26.12	100	183	Peak	vertical
2	7440.000	45.29	51.99	-6.70	74.00	-28.71	100	79	Peak	vertical
3	9920.000	46.66	50.30	-3.64	74.00	-27.34	100	214	Peak	vertical