



RF EXPOSURE REPORT

REPORT NO.: SA990325E02

MODEL NO.: 4X Premium, 4X Premium Live

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT : Navigon AG

ADDRESS : Schottmuellerstrasse 20a, Hamburg, 20251,
Germany

ISSUED BY: Bureau Veritas Consumer Products Services
(H.K.) Ltd., Taoyuan Branch

LAB ADDRESS: No. 81-1, Lu Liao Keng, 9th Ling, Wu Lung
Tsuen, Chiung Lin Hsiang, Hsin Chu Hsien 307,
Taiwan



No SAR Evaluation Required if power is below the following threshold:

Tunable Range		Center of Tunable Band (GHz)	60/f SAR Limitation (mW)
F(GHz) Low	F(GHz) High		
2.402	2.480	2.441	24.19

Maximum measured transmitter power:

Pout Conducted (dBm)	Pout Conducted (mW)	Maximum Antenna Gain (dBi)	Pout EIRP (mW)
4.0	2.5	3.52	5.649

Threshold for no SAR evaluation is 24.19 mW

Maximum TX Power is 2.5 mW Conducted and 5.649 mW EIRP

Conclusion: No SAR evaluation required since maximum Transmitter Pout (both conducted and EIRP) is below FCC threshold