RF EXPOSURE REPORT

for

Voxx Accessories Corp.

BLUETOOTH SPEAKER

Model Number: SP200B

FCC ID: VIXSP200B

Prepared for : Voxx Accessories Corp.

Address : 3502 Woodview Trace Suite 220

Indianapolis In 46268, United States

Prepared by : Keyway Testing Technology Co., Ltd.

Address : Building 1, Baishun Industrial Zone, Zhangmotou Town

Dongguan, Guangdong, China

Standard : FCC part2,&2.1091

KDB-447498 D01 V05

Tested by:

Daisy Chen

Date: Nov. 11~13, 2014

: Approved by:

Jade Yang

: Date: Nov. 14, 2014

Test Result of RF Exposure Evaluation

According to the KDB-447498 D01 V05, FCC part2,&2.1091 the following RF exposure evaluation shall to demonstrate RF exposure compliance.

[(max. power of channel, including tune-up tolerance, mW) / (min. test separation distance,mm)] $* [\sqrt{f(GHz)}]$

	Target power W/ tolerance (dBm)	Max tune up power tolerance (dBm)	Maximum Output Power: mW	Separation distance mm	RF exposure
FHSS	0 ±1.0	1	1.26	5	0.40

The Max RF exposure is 0.40.

Threshold at which no SAR required is ≤ 3.0 for 1-g SAR, Separation distance is 5mm.

Conclusion:

So no SAR is required.