

FCC ID Model

:VIYARC0517

: ARC0517

: Hosiden Corporation Applicant

Request for Limited Modular Transmitter Approval

This Bluetooth Module (Model: ARC0517) is designed by Hosiden Corporation.

This modular transmitter complies with the modular transmitters basic requirements (Item 1 to 8) in FCC Part 15 Subpart C Section 15.212 as indicated below:

Modular Approval Checklist:				
Modular approval requirement	Yes	No		
(1) Have its own RF shielding.				
		Although this module does not		
		have RF shielding, this modular		
		transmitter will be equipped 3D		
		active eyewear, complies with		
		FCC/IC requirements. Please refer		
		to the FCC/IC Test reports and		
		External Photo.		
(2) Have buffered modulation/data inputs.				
(3) Have its own power supply regulation.	\boxtimes			
(4) Comply with the antenna and transmission system requirements of §	\boxtimes			
15.203, 15.204(b) and 15.204(c).				
(5) Tested in a stand-alone configuration.				
Unless the transmitter module will be battery powered, it must comply with		The modular transmitter has not		
the AC line conducted requirements found in FCC § 15.207. AC or DC		been performed the testing in a		
power lines and data input/output lines connected to the module must not		stand-alone, has been performed		
contain ferrites, unless they will be marketed with the module. The length of		the testing in the 3D active		
these lines shall be the length typical of actual use or, if that length is		eyewear, because this module does		
unknown, at least 10 centimeters to insure that there is no coupling between		not have RF shielding. Therefore		
the case of the module and supporting equipment. Any accessories,		this modular transmitter will be		
peripherals, or support equipment connected to the module during testing		equipped only the 3D active		
shall be unmodified and commercially available.		eyewear.		
(6) Equipped with either a permanently affixed label or must be capable of	\boxtimes			
electronically displaying its FCC ID.				
If the FCC ID is not visible when the module is installed inside another				
device, then the outside of the device into which the module is installed				
must also display a label referring to the enclosed module.				
(7) Comply with any specific rules or operating requirements that ordinarily				
annly to a complete transmitter and the manufacturer must provide adequate				



instructions along with the module to explain any such requirements.		
(8) Comply with any applicable RF exposure requirements in its final	\boxtimes	
configuration: The modular transmitter complies with FCC radiation		
exposure requirement.		

Keiji Mine Section Manager Hosiden Corporation