

EMC-TRF-03 Rev 1.0

Report No.: GZCR220200022407 Page: 1 of 11 FCC ID: VLJ-7567WC

RF EXPOSURE EVALUATION REPORT

| Application No.: | GZCR2202000224AT | | |
|---------------------------|--|--|--|
| Applicant: | Binatone Electronics International Ltd. | | |
| Address of Applicant: | 25/F, Guangdong Investment Tower, 148 Connaught Road Central, Sheung Wan, Hong Kong. | | |
| Manufacturer: | Binatone Telecom Plc. | | |
| Address of Manufacturer: | 1 Apsley Way London NW2 7HF, United Kingdom | | |
| Factory: | Heyuan Yongyida Technology Co., Ltd | | |
| Address of Factory: | Xinyongyi Science and Technology Park, No. 9, Gaoxin 3rd Road, High-tech Zone, Heyuan City, Guangdong, China | | |
| Equipment Under Test (EUT |): | | |
| EUT Name: | MIMO WATCH Charger | | |
| Model No.: | MIMO WATCH Charger | | |
| Trade Mark: | hubble | | |
| Standard(s) : | 47 CFR PART 1, Subpart I, Section 1.1310 | | |
| | 47 CFR PART 2, Subpart J, Section 2.1091 | | |
| Date of Receipt: | 2022-02-14 | | |
| Date of Evaluation: | 2022-02-16 to 2022-04-23 | | |
| Date of Issue: | 2022-04-25 | | |
| Evaluation Result: | Pass* | | |

* In the configuration evaluated, the EUT complied with the standards specified above.

Kobe Jian EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CD. Doccheck@ags.com

中国·广州·经济技术开发区科学城科珠路198号

邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220200022407 Page: 2 of 11

| | Revision Record | | | | | |
|---------|-----------------|------------|----------|----------|--|--|
| Version | Chapter | Date | Modifier | Remark | | |
| 01 | | 2022-04-25 | | Original | | |
| | | | | | | |
| | | | | | | |

| Authorized for issue by | | |
|-------------------------|--------------------------|--|
| Tested By | CLTY Wu/Project Engineer | |
| | | |
| Reviewed By | Ridey Lin | |
| | Ricky Liu/Reviewer | |





Report No.: GZCR220200022407 Page: 3 of 11

Evaluation Summary 2

| Radio Spectrum | Matte | r Part | |
|----------------|-------|--------|--|
| | | | |

| Item | Standard | Method | Requirement | Result | | |
|-------------|---|----------------|---|--------|--|--|
| RF Exposure | 47 CFR PART 1, Subpart I, Section 1.1310; 47 CFR PART 2, Subpart J, Section 2.1091 | KDB 680106 D01 | 47 CFR PART 1, Subpart I, Section 1.1310; 47 CFR PART 2, Subpart J, Section 2.1091 | Pass | | |

Note:

E.U.T./EUT means Equipment Under Test.

Pass means the test result passed the test standard requirement, please find the detailed decision rule in the report relative section.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction fore exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

中国·广州·经济技术开发区科学城科珠路198号

No.198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220200022407 Page: 4 of 11

3 Contents

| 1 | Cove | er Page | 1 |
|---|---------------------------------|---|-------------|
| 2 | Eval | uation Summary | 3 |
| 3 | Con | tents | 4 |
| 4 | Gen | eral Information | 5 |
| | 4.1 4.2 4.3 4.4 | Details of E.U.T Test modes description: Description of Support Units Measurement Uncertainty | 5 5 |
| 5 | Equi | pments Used during Test | 6 |
| | 5.1 5.2 5.3 5.4 5.5 | Evaluating Location Facility Deviation from Standards Abnormalities from Standard Conditions Test Block Diagram | 7 8 8 |
| 6 | Test | Results | 9 |
| | 6.1 6.1.1 6.1.2 | RF Exposure test E.U.T. Operation Measurement Data | 10 |
| 7 | Phot | ographs- RF exposure Setup photos | 11 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@csoc.com

中国·广州·经济技术开发区科学城科珠路198号

S Co., Ltd. [Mo. 198 Kazhu Rada, Skaintech Park, Gaungzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220200022407 Page: 5 of 11

4 **General Information**

4.1 Details of E.U.T.

| Power supply: | Input: DC5V/1A from power adapter |
|----------------------|-----------------------------------|
| | Wireless Output: DC5V/1A |
| | USB Output: DC5V/1A |
| Rated power | 5W |
| Operation Frequency: | 119.8kHz to 148.6kHz |
| Modulation Type: | Load modulation |
| Antenna Type: | Loop antenna |
| Max Load: | 5W |

4.2 Test modes description:

| Pre-scan / Final test | | Description | |
|--------------------------|----|--|--|
| Final test | 00 | Charge mode_Keep the EUT charging to watch(5W) | |

4.3 Description of Support Units

| Description | Manufacturer | Model No. | Serial No. |
|-------------|--------------------------|------------|------------------|
| Adapter | Apple | A1357 | / |
| Watch | Binatone Telecom Plc. | MIMO WATCH | / |
| E-loading | SGS | N/A | REF. No.SEA42A00 |

4.4 Measurement Uncertainty

| Test Item | Measurement Uncertainty | |
|------------------------|-------------------------|--|
| RF Exposure Evaluation | MF: 0.13dB, EF: 0.4dB | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitato filling 's ole responsibility is to its Client's and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@csc.com">CN.Doccheck@csc.com

中国·广州·经济技术开发区科学城科珠路198号

No. 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220200022407 Page: 6 of 11

Equipments Used during Test 5

| RF Exposure | | | | | |
|--|----------------------|----------|--------------|------------|--------------|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date |
| 743 Compact 3m Semi- Anechoic Chamber | ChangZhou ZhongYu | N/A | EMC0525 | 2019-10-20 | 2022-10-19 |
| Electric and Magnetic Field Analyzer | Narada | NBM-550 | EMC2143 | 2022-01-06 | 2023-01-05 |
| Probe | Narada | EHP-50F | EMC2143 | 2022-01-06 | 2023-01-05 |

| General used equipme | ent | | | | |
|----------------------|--------------|----------|--------------|------------|--------------|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date |
| DMM | Fluke | 73 | EMC0006 | 2021-07-08 | 2022-07-07 |
| DMM | Fluke | 73 | EMC0007 | 2021-07-08 | 2022-07-07 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@csoc.com

中国·广州·经济技术开发区科学城科珠路198号

S Co., Ltd. [No. 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220200022407 Page: 7 of 11

5.1 Evaluating Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory, 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 Tel: +86 20 8215555 Fax: +86 20 82075059

No tests were sub-contracted.

5.2 Facility

The facility is recognized, certified, or accredited by the following organizations:

• NVLAP (Lab Code: 200611-0)

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP/NIST). NVLAP Code: 200611-0.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

• ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

• SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

• CNAS (Lab Code: L0167)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been assessed and in compliance with CNAS-CL01:2018 accreditation criteria for testing laboratories (identical to

ISO/IEC 17025:2017 General Requirements) for the Competence of Testing Laboratories.

FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

• ISED (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

• VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

• CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.com



EMC-TRF-03 Rev 1.0


Report No.: GZCR220200022407 Page: 8 of 11

5.3 Deviation from Standards

None

5.4 Abnormalities from Standard Conditions None

5.5 Test Block Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

中国·广州·经济技术开发区科学城科珠路198号

No.198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



10

Report No.: GZCR220200022407 Page: 9 of 11

FMC-TRF-03 Rev 1.0

Test Results 6

6.1 RF Exposure test

| Test Requirement: | 47 CFR PART 1, Subpart I, Section 1.13 |
|-----------------------|--|
| Measurement Distance: | 15cm |
| Limit: | |

According to FCC Part1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in Part1.1307(b)

| Frequency range (MHz) | Electric field strength (V/m) | Magnetic field strength (A/m) | Power density (mW/cm ²) | Averaging time (minutes) | | | |
|---|----------------------------------|----------------------------------|--|-----------------------------|--|--|--|
| (A) Limits for Occupational/Controlled Exposures | | | | | | | |
| 0.3-3.0 | 614 | 1.63 | *(100) | 6 | | | |
| 3.0-30 | 1842/f | 4.89/f | *(900/f ²) | 6 | | | |
| 30-300 | 61.4 | 0.163 | 1.0 | 6 | | | |
| 300-1500 | / | / | f/300 | 6 | | | |
| 1500-100,000 | / | / | 5 | 6 | | | |
| (B) Limits for General Population/Uncontrolled Exposure | | | | | | | |
| 0.3-1.34 | 614 | 1.63 | *(100) | 30 | | | |
| 1.34-30 | 824/f | 2.19/f | *(180/f²) | 30 | | | |
| 30-300 | 27.5 | 0.073 | 0.2 | 30 | | | |
| 300-1500 | / | / | f/1500 | 30 | | | |
| 1500-100,000 | / | / | 1.0 | 30 | | | |

TABLE 1—LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

F=frequency in MHz

检验检测专用章

*=Plane-wave equivalent power density

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

According to IEEE C95.3:2002 section 5.5.1.1, The power density S at a point on the axis at a distance d from a transmitting antenna is given by the Friis free-space transmission formula

$$S = \frac{PG}{4\pi d^2} \begin{cases} S = power \ density \ (mW/cm^2) \\ P = the \ net \ power \ delivered \ to \ the \ antenna \ (mW) \\ G = gain \ of \ the \ antenna \ in \ linear \ scale \\ d = distance \ between \ observation \ point \ and \ center \ of \ the \ radiator \ (cm) \end{cases}$$

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or rappearance of this document tast resources of the source of the authenticity of testing (inspective) to the Sumple(s) tested and such sample(s) are retained for 30 days only. Attention is be reproduced as certificate. Bease contact us at telephone: (86-755) 8307 1443. ne: (86-755) 8307 1443 No.198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国·广州·经济技术开发区科学城科珠路198号

Member of the SGS Group (SGS SA)

邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR220200022407 Page: 10 of 11

EMC-TRF-03 Rev 1.0

6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 22.8 °C Humidity: 52.7% RH Atmospheric Pressure: 1010 mbar

EUT Operation:

This device has been tested the worst status of full load and the device has been tested with load at zero charge, intermediate charge, and full charge.

6.1.2 Measurement Data

Input Voltage=DC 5V; The max output power =5W.

Magnetic Field Emissions

| Operation frequency | Test Distance (cm) | Test Position | Probe Measure Result (A/m) | | | 50 % Limit (A/m) | 10 % Limit (A/m) |
|---|--------------------------|------------------|-------------------------------|-----------|-----------|------------------------|------------------------|
| | | | unload | Half load | full load | | |
| 125 kHz which is the worst case within the operation frequency range | 15 | Side 1 | 0.046 | 0.052 | 0.064 | 0.815 | 0.163 |
| | | Side 2 | 0.046 | 0.056 | 0.069 | | |
| | | Side 3 | 0.049 | 0.061 | 0.069 | | |
| | | Side 4 | 0.050 | 0.060 | 0.069 | | |
| | | Тор | 0.051 | 0.063 | 0.071 | | |

Magnetic Field Emissions

| Operation | Test Distance | Teet | Probe | Measure Resul | 50 % Limit | 10 % Limit | |
|---|--------------------------------|------------------|----------------|------------------------|----------------|---------------|-------|
| frequency | Operation frequency (cm) | Test Position | zero charge | intermediate charge | full charge | (A/m) | (A/m) |
| 123 kHz | which is | Side 1 | 0.057 | 0.048 | 0.038 | 0.815 | 0.163 |
| which is the worst | | Side 2 | 0.056 | 0.047 | 0.037 | | |
| case | 45 | Side 3 | 0.061 | 0.052 | 0.041 | | |
| within the operation frequency range | 15 | Side 4 | 0.061 | 0.051 | 0.041 | | |
| | | Тор | 0.066 | 0.055 | 0.044 | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

中国·广州·经济技术开发区科学城科珠路198号

or email: CN.Doccheck@sgs.com No.198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn

邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0 Report No.: GZCR220200022407 Page: 11 of 11

Photographs- RF exposure Setup photos 7

Refer to Appendix - RF Exposure Setup Photo for GZCR2202000224AT.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

中国·广州·经济技术开发区科学城科珠路198号

No.198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com