

CCT MODEL NAME:FBI-CS02SA-US2BK00 Label drawing

注:

- 1.图纸上的凹槽位用于做label或雕刻的摆放参考,
- 2.图纸上artwork内容仅供参考,请以客户实际提供的artwork为准!

BU



Size:52x40mm

Binatone Model: Solo Plus INPUT: DC6V ~ 500mA	US: BINW400B-SOLO FCC ID: VLJ-SOLO IC: 4522A-SOLO
HAC (BC)	
<p>THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.</p> <p>Class(Class)2 PRIVACY OF COMMUNICATIONS MAY NOT BE ENSURED WHEN USING THIS PHONE.</p> <p>MADE IN CHINA FABRIQUE EN CHINE</p>	

BU SN label
Size:48x12mm

B 130600001G

S/N format:
Your factory code is 'B'
13 = Year (2013) ___ Produce date "G" for RoHS
06 = Month (Jun.)
Serial no start from '000001' (6 digits)

Size:15.5x22mm

I.T.E.
REN 0.0B

Intertek
4008139

HS



Size: 25x8mm

CAUTION
Disconnect the telephone line from the equipment before replacing batteries.

Size:17x32mm

CAUTION:
TO REDUCE RISK OF FIRE OR PERSONAL INJURY, USE ONLY BATTERY LISTED IN USER GUIDE.
ATTENTION:
AFIN DE REDUIRE LES RISQUES D'INCENDIE ET DE BLESSURE, UTILISER SEULEMENT LA PILE INDIQUEE DANS LE GUIDE DE L'UTILISATEUR.

Size:13x10mm

MODEL: Solo Plus
US: BINW400B-SOLO
FCC ID: VLJ-SOLO
IC: 4522A-SOLO
MADE IN CHINA


HS SN label
Size:20x5mm

B 130600001G

CCT MODEL NAME:FBI-CS02SA-US2BK00 Label drawing

注:


- 1.图纸上的凹槽位用于做label或雕刻的摆放参考,
- 2.图纸上artwork内容仅供参考,请以客户实际提供的artwork为准!



CCT MODEL NAME:FBI-CS02SA-US2BK00 Label drawing

注:

- 1.图纸上的凹槽位用于做label或雕刻的摆放参考,
- 2.图纸上artwork内容仅供参考,请以客户实际提供的artwork为准!



S/N format:
Your factory code is 'B'
13 = Year (2013) Produce date "G" for RoHS
06 = Month (Jun.)
Serial no start from '000001' (6 digits)

CCT MODEL NAME:FBI-CS02SA-US2BK00 Label drawing

注:

- 1.图纸上的凹槽位用于做label或雕刻的摆放参考,
- 2.图纸上artwork内容仅供参考,请以客户实际提供的artwork为准!

