



Report no.: HK09120779-1  
DECT Talk Mode with  
Speakerphone On  
AC Mains "L"

Report No.:HK09120779-1


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	9k	30M	2454
2	9k	30M	0700
3	9k	30M	0090





Report no.: HK09120779-1  
DECT Talk Mode with  
Speakerphone On  
AC Mains "L"

Report No.:HK09120779-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dB	dB	dB

0.15000	40.7	66.0	-25.3
0.54150	32.4	56.0	-23.6
0.73500	34.5	56.0	-21.5
1.03650	34.7	56.0	-21.3
1.33800	43.7	56.0	-12.3
1.53150	36.3	56.0	-19.7
2.35950	29.8	56.0	-26.2
3.84900	28.5	56.0	-27.5
5.65350	33.5	60.0	-26.5
7.37700	39.6	60.0	-20.4
7.98900	36.4	60.0	-23.6

Frequency	AV Level	AV Limit	Delta
MHz	dB	dB	dB

1.33800	31.7	46.0	-14.3
---------	------	------	-------

\* limit exceeded



Report no.: HK09120779-1  
DECT Talk Mode with  
Speakerphone On  
AC Mains "N"

Report No.:HK09120779-1


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	9k	30M	2454
2	9k	30M	0700
3	9k	30M	0090





Report no.: HK09120779-1  
DECT Talk Mode with  
Speakerphone On  
AC Mains "N"

Report No.:HK09120779-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15000	40.3	66.0	-25.7
0.54600	33.3	56.0	-22.7
0.73500	34.4	56.0	-21.6
0.94650	35.6	56.0	-20.4
1.28400	37.9	56.0	-18.1
1.83300	35.9	56.0	-20.1
2.12550	34.1	56.0	-21.9
3.26400	32.0	56.0	-24.0
5.70750	33.3	60.0	-26.7
7.44900	37.7	60.0	-22.3
7.98900	36.5	60.0	-23.5

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB

no Results

\* limit exceed



Report no.: HK09120779-1  
Base Charging Mode  
AC Mains "L"


Report No.: HK09120779-1

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	9k	30M	2454
2	9k	30M	0700
3	9k	30M	0090



PAGE 1

Ctrl No.: N/A



Report no.: HK09120779-1  
Base Charging Mode  
AC Mains "L"

Report No.:HK09120779-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.48750	35.4	56.3	-20.9
0.68550	37.5	56.0	-18.5
1.06800	37.8	56.0	-18.2
1.32000	45.2	56.0	-10.8
1.54950	36.1	56.0	-19.9
2.40000	35.4	56.0	-20.6
3.28200	34.7	56.0	-21.3
5.34750	30.9	60.0	-29.1
7.40400	40.7	60.0	-19.3
7.98450	37.4	60.0	-22.6

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.32000	33.9	46.0	-12.1
1.52700	27.4	46.0	-18.6

\* limit exceeded



Report no.: HK09120779-1  
Base Charging Mode  
AC Mains "N"

Report No.: HK09120779-1

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	9k	30M	2454
2	9k	30M	0700
3	9k	30M	0090



Ctrl No.: N/A



Report no.: HK09120779-1  
Base Charging Mode  
AC Mains "N"

Report No.:HK09120779-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.16350	31.6	65.3	-33.7
0.22650	36.9	62.5	-25.6
0.30750	35.8	60.0	-24.2
0.46050	36.5	56.7	-20.2
0.69450	36.6	56.0	-19.4
1.08600	36.0	56.0	-20.0
1.32000	40.8	56.0	-15.2
1.70700	37.3	56.0	-18.7
2.55300	35.6	56.0	-20.4
3.13800	34.7	56.0	-21.3
5.36100	34.2	60.0	-25.8
7.59300	40.5	60.0	-19.5
7.98900	38.2	60.0	-21.8

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.36950	26.5	46.0	-19.5

\* limit exceeded