



Report no.: HK09120779-2
Bluetooth Talk Mode with
Speakerphone On
AC Mains "L"

Report No.: HK09120779-2


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name	
1	1	9k	30M	2454
2	9k	30M	0700	
3	9k	30M	0090	





Report no.: HK09120779-2
Bluetooth Talk Mode with
Speakerphone On
AC Mains "L"

Report No.:HK09120779-2

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB
Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.54150	33.3	56.0	-22.7
0.63600	36.5	56.0	-19.5
1.06800	34.6	56.0	-21.4
1.22100	40.3	56.0	-15.7
1.61700	37.0	56.0	-19.0
2.40000	33.3	56.0	-22.7
3.49350	33.7	56.0	-22.3
5.46000	32.9	60.0	-27.1
7.44450	39.4	60.0	-20.6
8.02050	37.1	60.0	-22.9

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.32900	33.1	46.0	-12.9

* limit exceeded



Report no.: HK09120779-2
Bluetooth Talk Mode with
Speakerphone On
AC Mains "N"

Report No.: HK09120779-2


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name	
1	1	9k	30M	2454
2	9k	30M	0700	
3	9k	30M	0090	





Report no.: HK09120779-2
Bluetooth Talk Mode with
Speakerphone On
AC Mains "N"

Report No.:HK09120779-2

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB
Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.53700	33.1	56.0	-22.9
0.64050	36.6	56.0	-19.4
1.02750	37.6	56.0	-18.4
1.28400	38.4	56.0	-17.6
1.71600	37.6	56.0	-18.4
2.26950	33.7	56.0	-22.3
3.53850	33.4	56.0	-22.6
5.59950	32.8	60.0	-27.2
7.51650	38.6	60.0	-21.4
8.03850	35.8	60.0	-24.2

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.32900	26.1	46.0	-19.9

* limit exceeded