




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 30.APR.2011 05:59:05



Report no.: HK11040031-1
SIL Adaptor
Ringing Mode
AC Mains

| EDIT PEAK LIST (Final Measurement Results) | | | | |
|--|---------------|------------|------------------|----------------|
| Trace1: | CF15MQP | | | |
| Trace2: | CF15MAV | | | |
| Trace3: | --- | | | |
| | TRACE | FREQUENCY | LEVEL dB μ V | DELTA LIMIT dB |
| 2 | CISPR Average | 397.5 kHz | 33.50 N | -14.40 |
| 1 | Quasi Peak | 402 kHz | 41.47 N | -16.34 |
| 2 | CISPR Average | 406.5 kHz | 35.99 L1 | -11.72 |
| 1 | Quasi Peak | 411 kHz | 41.19 N | -16.43 |
| 1 | Quasi Peak | 1.14 MHz | 22.27 L1 | -33.72 |
| 1 | Quasi Peak | 2.2785 MHz | 29.56 L1 | -26.43 |
| 1 | Quasi Peak | 4.929 MHz | 32.64 N | -23.35 |
| 2 | CISPR Average | 4.9425 MHz | 23.91 L1 | -22.08 |
| 2 | CISPR Average | 7.9125 MHz | 32.64 L1 | -17.35 |
| 1 | Quasi Peak | 7.944 MHz | 36.67 L1 | -23.32 |
| 2 | CISPR Average | 8.007 MHz | 32.57 N | -17.42 |
| 1 | Quasi Peak | 8.3085 MHz | 34.62 N | -25.37 |

Date: 30.APR.2011 05:58:57

Ctrl No.: N/A




Report no.: HK11040031-1
Ten Pao Adaptor
Speakerphone Online Mode (3-way Conference)
AC Mains



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 30.APR.2011 05:31:56

Ctrl No.: N/A



Report no.: HK11040031-1
Ten Pao Adaptor
Speakerphone Online Mode (3-way Conference)
AC Mains

| EDIT PEAK LIST (Final Measurement Results) | | | | |
|--|------------|------------------|--|----------------|
| Trace1: CF15MQP | | | | |
| Trace2: CF15MAV | | | | |
| Trace3: --- | | | | |
| TRACE | FREQUENCY | LEVEL dB μ V | | DELTA LIMIT dB |
| 1 Quasi Peak | 343.5 kHz | 37.75 L1 | | -21.36 |
| 1 Quasi Peak | 519 kHz | 43.28 L1 | | -12.71 |
| 1 Quasi Peak | 699 kHz | 36.72 L1 | | -19.27 |
| 1 Quasi Peak | 955.5 kHz | 37.28 L1 | | -18.71 |
| 1 Quasi Peak | 1.311 MHz | 34.55 L1 | | -21.45 |
| 1 Quasi Peak | 1.5585 MHz | 34.11 L1 | | -21.88 |
| 1 Quasi Peak | 2.1525 MHz | 31.11 L1 | | -24.88 |
| 1 Quasi Peak | 3.8265 MHz | 30.38 L1 | | -25.62 |
| 1 Quasi Peak | 4.6545 MHz | 31.09 L1 | | -24.90 |
| 1 Quasi Peak | 6.9405 MHz | 33.90 L1 | | -26.09 |


Date: 30.APR.2011 05:31:49

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 30.APR.2011 05:24:03



Report no.: HK11040031-1
Ten Pao Adaptor
Ringing Mode
AC Mains

| EDIT PEAK LIST (Final Measurement Results) | | | | |
|--|------------|------------------|--|----------------|
| Trace1: | | CF15MQP | | |
| Trace2: | | CF15MAV | | |
| Trace3: | | --- | | |
| TRACE | FREQUENCY | LEVEL dB μ V | | DELTA LIMIT dB |
| 1 Quasi Peak | 352.5 kHz | 39.81 L1 | | -19.08 |
| 1 Quasi Peak | 523.5 kHz | 42.92 L1 | | -13.07 |
| 1 Quasi Peak | 618 kHz | 39.45 L1 | | -16.54 |
| 1 Quasi Peak | 865.5 kHz | 40.45 L1 | | -15.54 |
| 1 Quasi Peak | 1.2075 MHz | 40.00 L1 | | -15.99 |
| 1 Quasi Peak | 1.554 MHz | 35.76 L1 | | -20.24 |
| 1 Quasi Peak | 2.1255 MHz | 32.25 L1 | | -23.74 |
| 1 Quasi Peak | 3.5655 MHz | 30.76 L1 | | -25.23 |
| 1 Quasi Peak | 4.2765 MHz | 30.77 L1 | | -25.22 |
| 1 Quasi Peak | 7.512 MHz | 33.87 L1 | | -26.12 |
| 1 Quasi Peak | 8.115 MHz | 28.98 N | | -31.01 |


Date: 30.APR.2011 05:23:55

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 30.APR.2011 05:38:39



Report no.: HK11040031-1
Ten Pao Adaptor
Answer Machine Recording
AC Mains

| EDIT PEAK LIST (Final Measurement Results) | | | | |
|--|------------|------------------|--|----------------|
| Trace1: | | CF15MQP | | |
| Trace2: | | CF15MAV | | |
| Trace3: | | --- | | |
| TRACE | FREQUENCY | LEVEL dB μ V | | DELTA LIMIT dB |
| 1 Quasi Peak | 343.5 kHz | 37.34 L1 | | -21.77 |
| 1 Quasi Peak | 519 kHz | 42.02 L1 | | -13.97 |
| 1 Quasi Peak | 604.5 kHz | 39.01 L1 | | -16.98 |
| 1 Quasi Peak | 1.0365 MHz | 35.97 L1 | | -20.02 |
| 1 Quasi Peak | 1.203 MHz | 40.04 L1 | | -15.95 |
| 1 Quasi Peak | 1.7925 MHz | 30.83 L1 | | -25.17 |
| 1 Quasi Peak | 2.265 MHz | 29.37 L1 | | -26.62 |
| 1 Quasi Peak | 3.129 MHz | 27.75 L1 | | -28.24 |
| 1 Quasi Peak | 4.4835 MHz | 31.01 L1 | | -24.99 |
| 1 Quasi Peak | 7.2555 MHz | 32.34 L1 | | -27.65 |


Date: 30.APR.2011 05:38:31

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 30.APR.2011 05:49:59



Report no.: HK11040031-1
SIL Adaptor
Speakerphone Online Mode (3-way Conference)
AC Mains

| EDIT PEAK LIST (Final Measurement Results) | | | | |
|--|---------------|------------|------------------|----------------|
| Trace1: | CF15MQP | | | |
| Trace2: | CF15MAV | | | |
| Trace3: | --- | | | |
| | TRACE | FREQUENCY | LEVEL dB μ V | DELTA LIMIT dB |
| 2 | CISPR Average | 397.5 kHz | 31.95 L1 | -15.94 |
| 1 | Quasi Peak | 402 kHz | 39.53 N | -18.27 |
| 1 | Quasi Peak | 406.5 kHz | 40.60 N | -17.11 |
| 2 | CISPR Average | 406.5 kHz | 33.38 L1 | -14.33 |
| 1 | Quasi Peak | 4.9875 MHz | 30.09 N | -25.90 |
| 1 | Quasi Peak | 6.3285 MHz | 37.55 L1 | -22.44 |
| 2 | CISPR Average | 7.8855 MHz | 30.71 L1 | -19.28 |
| 1 | Quasi Peak | 7.998 MHz | 36.12 L1 | -23.87 |
| 2 | CISPR Average | 8.025 MHz | 31.01 L1 | -18.98 |

Date: 30.APR.2011 05:49:50

Ctrl No.: N/A