




RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 23.SEP.2011 18:59:41



Report no.: HK11090333  
Ringing and Charging in Base  
Unit + USB data transfer+WiFi Mode  
Base's AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
	TRACE	FREQUENCY	LEVEL dBμV		DELTA LIMIT dB
2	CISPR Average	181.5 kHz	36.84	L1 gnd	-17.56
1	Quasi Peak	186 kHz	44.71	L1 gnd	-19.49
1	Quasi Peak	249 kHz	44.56	L1 gnd	-17.22
2	CISPR Average	253.5 kHz	21.82	N gnd	-29.81
2	CISPR Average	370.5 kHz	31.88	N gnd	-16.60
1	Quasi Peak	375 kHz	42.13	L1 gnd	-16.26
1	Quasi Peak	433.5 kHz	51.14	L1 gnd	-6.04
2	CISPR Average	433.5 kHz	36.05	L1 gnd	-11.13
1	Quasi Peak	748.5 kHz	42.45	L1 gnd	-13.54
2	CISPR Average	748.5 kHz	27.38	L1 gnd	-18.61
2	CISPR Average	807 kHz	33.43	N gnd	-12.56
1	Quasi Peak	1.0545 MHz	47.79	N gnd	-8.20
1	Quasi Peak	1.2435 MHz	45.16	N gnd	-10.83
2	CISPR Average	1.2435 MHz	29.09	N gnd	-16.90
2	CISPR Average	1.986 MHz	24.10	N gnd	-21.89
1	Quasi Peak	1.9905 MHz	37.73	N gnd	-18.26
2	CISPR Average	2.1705 MHz	23.19	L1 gnd	-22.80
1	Quasi Peak	2.175 MHz	37.36	N gnd	-18.63
2	CISPR Average	3.165 MHz	19.66	L1 gnd	-26.33
1	Quasi Peak	4.0695 MHz	30.46	L1 gnd	-25.54


Date: 23.SEP.2011 18:58:05

Ctrl No.: NA



RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 8.SEP.2011 21:10:39

Ctrl No.: N/A



Report no.: HK11090333  
Video Playing and Charging in  
Base Unit +WiFi Mode  
Base's AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
1	Quasi Peak	280.5 kHz	41.57 L1		-19.22
2	CISPR Average	280.5 kHz	31.95 L1		-18.84
2	CISPR Average	375 kHz	33.20 L1		-15.19
1	Quasi Peak	388.5 kHz	40.21 N		-17.87
1	Quasi Peak	456 kHz	47.31 L1		-9.44
2	CISPR Average	474 kHz	30.51 L1		-15.92
2	CISPR Average	613.5 kHz	29.41 L1		-16.58
1	Quasi Peak	649.5 kHz	44.21 N		-11.78
1	Quasi Peak	816 kHz	39.93 N		-16.06
2	CISPR Average	892.5 kHz	30.15 L1		-15.84
1	Quasi Peak	1.1355 MHz	38.40 L1		-17.59
2	CISPR Average	1.1355 MHz	23.59 N		-22.40
1	Quasi Peak	1.8195 MHz	31.78 N		-24.21
1	Quasi Peak	2.1345 MHz	31.47 N		-24.52

Date: 8.SEP.2011 21:10:32

Ctrl No.: N/A



RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 23.SEP.2011 19:13:53



Report no.: HK11090333  
Charging in Base Unit and by  
PC+ Camera Recording+WiFi Mode  
Base's AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
1	Quasi Peak	186 kHz	38.19	L1 gnd	-26.02
1	Quasi Peak	289.5 kHz	39.79	L1 gnd	-20.74
1	Quasi Peak	397.5 kHz	40.18	L1 gnd	-17.72
2	CISPR Average	402 kHz	29.50	L1 gnd	-18.30
2	CISPR Average	451.5 kHz	34.52	L1 gnd	-12.32
1	Quasi Peak	460.5 kHz	46.88	L1 gnd	-9.79
1	Quasi Peak	595.5 kHz	42.77	N gnd	-13.22
2	CISPR Average	609 kHz	31.90	N gnd	-14.09
2	CISPR Average	915 kHz	33.29	N gnd	-12.70
1	Quasi Peak	919.5 kHz	45.50	N gnd	-10.49
2	CISPR Average	1.113 MHz	31.37	N gnd	-14.62
1	Quasi Peak	1.167 MHz	43.65	N gnd	-12.34
2	CISPR Average	1.9185 MHz	24.40	L1 gnd	-21.59
1	Quasi Peak	2.1075 MHz	32.82	N gnd	-23.17
2	CISPR Average	2.1525 MHz	23.72	L1 gnd	-22.27
1	Quasi Peak	2.166 MHz	32.73	N gnd	-23.26


Date: 23.SEP.2011 19:13:37

Ctrl No.: NA



RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 8.SEP.2011 21:04:23

Ctrl No.: N/A



Report no.: HK11090333  
Answer Machine Recording and  
Charging in Base Unit +USB  
Data Transfer  
Base's AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	402 kHz	37.48	L1	-20.32
1	Quasi Peak	429 kHz	46.95	N	-10.31
2	CISPR Average	433.5 kHz	36.42	N	-10.76
1	Quasi Peak	685.5 kHz	35.35	N	-20.64
2	CISPR Average	703.5 kHz	26.44	N	-19.55

Date: 8.SEP.2011 21:04:14

Ctrl No.: N/A






Report no.: HK11090333  
Speakerphone Online and  
Charging in Base Unit + USB  
Data Transfer +WiFi Mode  
Base's AC Mains



RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 8.SEP.2011 19:18:46

Ctrl No.: N/A



Report no.: HK11090333  
Speakerphone Online and  
Charging in Base Unit + USB  
Data Transfer +WiFi Mode  
Base's AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL	dB $\mu$ V	DELTA LIMIT
1	Quasi Peak	451.5 kHz	46.49	L1	-10.35
2	CISPR Average	451.5 kHz	35.41	L1	-11.42
1	Quasi Peak	402 kHz	42.54	N	-15.26
2	CISPR Average	402 kHz	32.54	N	-15.26
1	Quasi Peak	586.5 kHz	39.60	L1	-16.39
1	Quasi Peak	865.5 kHz	39.11	L1	-16.88
2	CISPR Average	649.5 kHz	28.85	N	-17.14
2	CISPR Average	874.5 kHz	28.30	L1	-17.70
2	CISPR Average	1.095 MHz	27.03	N	-18.96
1	Quasi Peak	1.113 MHz	35.50	N	-20.49
1	Quasi Peak	289.5 kHz	36.24	L1	-24.29
1	Quasi Peak	1.7565 MHz	31.42	N	-24.57

Date: 8.SEP.2011 19:18:37

Ctrl No.: N/A