



Report No.: 07202111
Model: iDECT X3 Twin
Talk with Charging Mode
(Extra Charger)

Report No.:07202111


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0700
12	9k	30M	EW0090





Report No.: 07202111
Model: iDECT X3 Twin
Talk with Charging Mode
(Extra Charger)

Report No.:07202111

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results



Report No.: 07202111
Model: iDECT X3i Twin
Talk Mode

Report No.:07202111

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

2	1	9k	30M	EW0700
	12	9k	30M	EW0090





Report No.: 07202111
Model: iDECT X3i Twin
Talk Mode

Report No.:07202111

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.46000	34.9	56.7	-21.8
1.96500	30.4	56.0	-25.6
2.90000	36.5	56.0	-19.5
4.09500	37.2	56.0	-18.8
5.54500	39.7	60.0	-20.3
7.01500	39.6	60.0	-20.4
8.65500	41.0	60.0	-19.0
12.14000	32.4	60.0	-27.6

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
5.00500	26.7	46.0	-19.3

* limit exceeded



Report No.: 07202111
Model: iDECT X3i Twin
Talk with Charging Mode

Report No.:07202111

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

2	1	9k	30M	EW0700
	12	9k	30M	EW0090





Report No.: 07202111
Model: iDECT X3i Twin
Talk with Charging Mode

Report No.:07202111

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.34500	36.2	59.1	-22.9
0.51000	37.9	56.0	-18.1
0.59500	35.6	56.0	-20.4
1.08500	33.3	56.0	-22.7
1.17500	36.3	56.0	-19.7
1.64500	37.7	56.0	-18.3
2.63000	34.3	56.0	-21.7
3.61000	39.0	56.0	-17.0
5.45000	41.1	60.0	-18.9
7.59000	43.1	60.0	-16.9
8.08500	43.8	60.0	-16.2
11.14000	39.5	60.0	-20.5

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
4.06000	26.4	46.0	-19.6
4.89500	27.9	46.0	-18.1
7.00500	30.6	50.0	-19.4
8.06000	31.0	50.0	-19.0

* limit exceeded



Report No.: 07202111
Model: iDECT X3i Twin
Talk with Charging Mode

Report No.:07202111

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
12	9k	30M	EW0090



Ctrl No.: N/A



Report No.: 07202111
Model: iDECT X3i Twin
Talk with Charging Mode

Report No.:07202111

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.26000	41.1	61.4	-20.3
0.36000	47.1	58.7	-11.6
0.41500	39.2	57.6	-18.4
0.72000	36.0	56.0	-20.0
1.09000	33.6	56.0	-22.4
1.45500	36.8	56.0	-19.2
1.77000	36.5	56.0	-19.5
2.72500	35.8	56.0	-20.2
3.63500	39.4	56.0	-16.6
5.29500	40.6	60.0	-19.4
6.17500	41.8	60.0	-18.2
8.04000	38.9	60.0	-21.1

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.78500	26.2	46.0	-19.8
3.83000	27.5	46.0	-18.5
5.52500	29.0	50.0	-21.0

* limit exceeded